

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100522\
 Data File : BP011924.D
 Acq On : 05 Oct 2022 11:39
 Operator : CG/JU
 Sample : N4890-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 EY0D8

Quant Time: Oct 05 23:20:58 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP093022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 05 23:18:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	232651	20.000	ng/u1	0.00
20) Naphthalene-d8	10.693	136	958297	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.528	164	581759	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.287	188	1245069	20.000	ng/u1	0.00
79) Chrysene-d12	21.369	240	1311530	20.000	ng/u1	0.00
88) Perylene-d12	23.804	264	1334181	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.299	96	25065	4.752	ng/uL	0.00
4) Pyridine-d5	3.728	84	149608	9.682	ng/u1	0.00
7) Phenol-d5	7.046	99	135893	6.766	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.211	67	337623	30.327	ng/u1	0.00
11) 2-Chlorophenol-d4	7.411	132	392788	24.774	ng/u1	0.00
15) 4-Methylphenol-d8	8.593	113	246614	14.853	ng/u1	0.00
21) Nitrobenzene-d5	9.052	128	242072	33.164	ng/u1	0.00
24) 2-Nitrophenol-d4	9.775	143	238348	30.521	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.310	165	419094	29.014	ng/u1	0.00
31) 4-Chloroaniline-d4	10.834	131	632642	28.729	ng/u1	0.00
46) Dimethylphthalate-d6	13.940	166	1424519	34.242	ng/u1	0.00
49) Acenaphthylene-d8	14.222	160	1603809	33.817	ng/u1	0.00
54) 4-Nitrophenol-d4	14.734	143	45676	5.302	ng/u1	0.00
60) Fluorene-d10	15.522	176	1288501	35.664	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.640	200	195997	26.008	ng/u1	0.00
73) Anthracene-d10	17.387	188	2156711	38.027	ng/u1	0.00
81) Pyrene-d10	19.622	212	2593179	39.041	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.645	264	2606857	39.032	ng/u1	0.00
Target Compounds						
					Qvalue	
30) Naphthalene	10.740	128	132105	2.567	ng/u1#	90
37) 1-Methylnaphthalene	12.569	142	177144	4.911	ng/u1	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100522\
Data File : BP011924.D
Acq On : 05 Oct 2022 11:39
Operator : CG/JU
Sample : N4890-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
EY0D8

Quant Time: Oct 05 23:20:58 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP093022.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 05 23:18:55 2022
Response via : Initial Calibration









#30
Naphthalene
Concen: 2.567 ng/ul
RT: 10.740 min Scan# 1319
Delta R.T. -0.006 min
Lab File: BP011924.D
Acq: 05 Oct 2022 11:39

Instrument :
BNA_P
ClientSampleId :
EY0D8

Tgt Ion:128 Resp: 132105
Ion Ratio Lower Upper
128 100
129 17.8 8.9 13.3#
127 14.1 10.5 15.7



#37
1-Methylnaphthalene
Concen: 4.911 ng/ul
RT: 12.569 min Scan# 1629
Delta R.T. 0.000 min
Lab File: BP011924.D
Acq: 05 Oct 2022 11:39

Tgt Ion:142 Resp: 177144
Ion Ratio Lower Upper
142 100
141 92.6 74.8 112.2
116 4.2 2.9 4.3

