

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101819\
 Data File : BP000879.D
 Acq On : 18 Oct 2019 16:37
 Operator : JU
 Sample : K5358-02RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 20190897-AMENDED-COMP-KM-CA

Quant Time: Oct 19 04:08:24 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP100119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 16:40:44 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	159922	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	584909	20.00	ng	0.00
39) Acenaphthene-d10	9.79	164	322323	20.00	ng	0.00
64) Phenanthrene-d10	11.29	188	589027	20.00	ng	0.00
76) Chrysene-d12	13.96	240	517962	20.00	ng	0.00
87) Perylene-d12	15.44	264	593678	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	50832	5.11	ng	0.01
7) Phenol-d6	6.38	99	269804	22.50	ng	0.00
23) Nitrobenzene-d5	7.30	82	494116	51.59	ng	0.00
42) 2,4,6-Tribromophenol	10.58	330	13848	4.03	ng	0.00
45) 2-Fluorobiphenyl	9.10	172	905044	45.43	ng	0.00
79) Terphenyl-d14	12.89	244	1175111	45.94	ng	0.00
Target Compounds						
10) Phenol	6.40	94	37943	3.091	ng	# 72
50) Dimethylphthalate	9.50	163	191740	8.561	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101819\
Data File : BP000879.D
Acq On : 18 Oct 2019 16:37
Operator : JU
Sample : K5358-02RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
20190897-AMENDED-COMP-KM-CA

Quant Time: Oct 19 04:08:24 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP100119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 16:40:44 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 791
Delta R.T. -0.00 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37

Instrument :
BNA_P
ClientSampleId :
20190897-AMENDED-COMP-KM-CA

Tgt Ion:152 Resp: 159922
Ion Ratio Lower Upper
152 100
150 154.7 123.8 185.8
115 58.8 46.8 70.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 5.109 ng
RT: 5.37 min Scan# 559
Delta R.T. 0.01 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37

Tgt Ion:112 Resp: 50832
Ion Ratio Lower Upper
112 100
64 44.7 33.9 50.9
63 23.1 17.4 26.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BP0
Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 22.505 ng

RT: 6.38 min Scan# 730

Delta R.T. -0.01 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37

Instrument :

BNA_P

ClientSampleId :

20190897-AMENDED-COMP-KM-CA


Tgt Ion: 99 Resp: 269804

Ion Ratio Lower Upper




99 100

42 12.5 8.7 13.1

71 32.6 24.1 36.1



Abundance Ion 99.00 (98.70 to 99.70): BP0
Ion 42.00 (41.70 to 42.70): BP0
Ion 71.00 (70.70 to 71.70): BP0



#10

Phenol

Concen: 3.091 ng

RT: 6.40 min Scan# 733

Delta R.T. -0.00 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37


Tgt Ion: 94 Resp: 37943

Ion Ratio Lower Upper



94 100


65 23.3 14.6 54.6

66 34.9 39.2 79.2#



Abundance Ion 94.00 (93.70 to 94.70): BP0
Ion 65.00 (64.70 to 65.70): BP0
Ion 66.00 (65.70 to 66.70): BP0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.02 min Scan# 1009
Delta R.T. -0.00 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37




Instrument :
BNA_P
ClientSampleId :
20190897-AMENDED-COMP-KM-CA


Tgt Ion:	136	Resp:	584909
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.9	13.3
54	5.6	4.6	6.8
68	5.4	4.4	6.6



#23
Nitrobenzene-d5
Concen: 51.595 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37

Tgt Ion:	82	Resp:	494116
Ion	Ratio	Lower	Upper
82	100		
128	48.7	41.2	61.8
54	38.7	30.6	45.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.79 min Scan# 1309
Delta R.T. -0.00 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37




Instrument :
BNA_P
ClientSampleId :
20190897-AMENDED-COMP-KM-CA


Tgt Ion:164 Resp: 322323
Ion Ratio Lower Upper
164 100
162 101.9 80.6 121.0
160 45.0 35.4 53.2



#42
2,4,6-Tribromophenol
Concen: 4.032 ng
RT: 10.58 min Scan# 1444
Delta R.T. -0.00 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37

Tgt Ion:330 Resp: 13848
Ion Ratio Lower Upper
330 100
332 99.6 78.2 117.4
141 31.3 23.7 35.5





#45

2-Fluorobiphenyl

Concen: 45.431 ng

RT: 9.10 min Scan# 1193

Delta R.T. -0.00 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37

Instrument :

BNA_P

ClientSampleId :

20190897-AMENDED-COMP-KM-CA


Tgt Ion:172 Resp: 905044

Ion Ratio Lower Upper

172 100

171 35.4 29.0 43.4




170 23.3 19.3 28.9



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#50

Dimethylphthalate

Concen: 8.561 ng

RT: 9.50 min Scan# 1260

Delta R.T. -0.01 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37


Tgt Ion:163 Resp: 191740

Ion Ratio Lower Upper

163 100

194 5.4 3.5 5.3#



164 10.4 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.29 min Scan# 1564
Delta R.T. 0.01 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37




Instrument :
BNA_P
ClientSampleId :
20190897-AMENDED-COMP-KM-CA


Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.6	8.0	12.0
80	8.7	8.2	12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.96 min Scan# 2019
Delta R.T. -0.00 min
Lab File: BP000879.D
Acq: 18 Oct 2019 16:37

Tgt Ion	Ratio	Lower	Upper
240	100		
120	9.7	7.3	10.9
236	26.2	21.2	31.8





#79

Terphenyl-d14

Concen: 45.935 ng

RT: 12.89 min Scan# 1837

Delta R.T. -0.00 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37

Instrument :

BNA_P

ClientSampleId :

20190897-AMENDED-COMP-KM-CA


Tgt Ion:244 Resp: 1175111

Ion Ratio Lower Upper

244 100

212 6.9 5.5 8.3




122 9.8 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.44 min Scan# 2270

Delta R.T. 0.01 min

Lab File: BP000879.D

Acq: 18 Oct 2019 16:37


Tgt Ion:264 Resp: 593678

Ion Ratio Lower Upper

264 100

260 24.0 19.3 28.9

265 21.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

