

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101923\
 Data File : BP017732.D
 Acq On : 19 Oct 2023 17:31
 Operator : MA/JU
 Sample : PB156373BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS373

Quant Time: Oct 20 00:45:38 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP101823.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 19 01:32:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.887	152	128183	20.000	ng/u1	0.00
20) Naphthalene-d8	10.722	136	508882	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.587	164	308052	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.375	188	647412	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.521	240	580597	20.000	ng/u1	0.00
88) Perylene-d12	24.074	264	597351	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.258	96	21963	6.374	ng/uL	0.00
4) Pyridine-d5	3.687	84	312673	34.659	ng/u1	0.00
7) Phenol-d5	7.052	99	372751	34.945	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.234	67	246891	37.478	ng/u1	0.00
11) 2-Chlorophenol-d4	7.410	132	314948	36.201	ng/u1	0.00
15) 4-Methylphenol-d8	8.616	113	297703	35.540	ng/u1	0.00
21) Nitrobenzene-d5	9.099	128	146553	35.541	ng/u1	0.00
24) 2-Nitrophenol-d4	9.810	143	163879	35.969	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.340	165	293586	32.850	ng/u1	0.00
31) 4-Chloroaniline-d4	10.893	131	350526	29.969	ng/u1	0.00
46) Dimethylphthalate-d6	14.004	166	889739	34.406	ng/u1	0.00
49) Acenaphthylene-d8	14.281	160	1023875	35.503	ng/u1	0.00
54) 4-Nitrophenol-d4	14.828	143	138711	37.645	ng/u1	0.00
60) Fluorene-d10	15.592	176	756878	33.859	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.734	200	148947	34.928	ng/u1	0.00
73) Anthracene-d10	17.480	188	1161592	35.110	ng/u1	0.00
81) Pyrene-d10	19.739	212	1350216	37.093	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.910	264	1218608	36.627	ng/u1	0.01
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.293	88	43451	11.889	ng/uL	98
5) Pyridine	3.711	79	284099	30.737	ng/u1	96
6) Benzaldehyde	7.052	77	169153	29.479	ng/u1	98
8) Phenol	7.075	94	343341	32.645	ng/u1	98
10) Bis(2-Chloroethyl)ether	7.328	93	281166	32.044	ng/u1	99
12) 2-Chlorophenol	7.440	128	280465	32.097	ng/u1	98
13) 2-Methylphenol	8.340	108	251811	31.725	ng/u1	99
14) 2,2'-oxybis(1-Chloropr...	8.405	45	203444	18.837	ng/u1	99
16) Acetophenone	8.746	105	423085	32.127	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.716	70	214180	34.288	ng/u1	98
18) 4-Methylphenol	8.675	108	272488	32.327	ng/u1	95
19) Hexachloroethane	8.952	117	129725	32.311	ng/u1	85
22) Nitrobenzene	9.140	77	349343	34.025	ng/u1	98
23) Isophorone	9.652	82	596823	32.507	ng/u1	98
25) 2-Nitrophenol	9.846	139	154917	31.855	ng/u1	91
26) 2,4-Dimethylphenol	9.887	107	273731	28.678	ng/u1	96
27) Bis(2-Chloroethoxy)met...	10.146	93	367303	32.346	ng/u1	100
29) 2,4-Dichlorophenol	10.369	162	259069	30.314	ng/u1	95
30) Naphthalene	10.775	128	879067	30.017	ng/u1	100
32) 4-Chloroaniline	10.922	127	269912	24.099	ng/u1	99
33) Hexachlorobutadiene	10.993	225	181341	26.133	ng/u1	98
34) Caprolactam	11.757	113	74512	33.860	ng/u1	99
35) 4-Chloro-3-methylphenol	12.034	107	274388	34.103	ng/u1	96
36) 2-Methylnaphthalene	12.387	142	582925	29.468	ng/u1	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101923\
 Data File : BP017732.D
 Acq On : 19 Oct 2023 17:31
 Operator : MA/JU
 Sample : PB156373BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS373

Quant Time: Oct 20 00:45:38 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP101823.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 19 01:32:15 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.610	142	600596	29.688	ng/ul	100
39) 1,2,4,5-Tetrachloroben...	12.745	216	316880	27.799	ng/ul	98
40) Hexachlorocyclopentadiene	12.681	237	157847	24.103	ng/ul	99
41) 2,4,6-Trichlorophenol	13.004	196	174051	25.442	ng/ul	98
42) 2,4,5-Trichlorophenol	13.081	196	202180	28.586	ng/ul	99
43) 1,1'-Biphenyl	13.410	154	779146	30.700	ng/ul	99
44) 2-Chloronaphthalene	13.457	162	621304	30.284	ng/ul	98
45) 2-Nitroaniline	13.710	65	183939	39.454	ng/ul	93
47) Dimethylphthalate	14.051	163	788108	30.922	ng/ul	99
48) 2,6-Dinitrotoluene	14.204	165	158792	33.850	ng/ul	95
50) Acenaphthylene	14.310	152	950589	29.426	ng/ul	100
51) 3-Nitroaniline	14.545	138	152448	34.169	ng/ul	98
52) Acenaphthene	14.651	153	666430	30.517	ng/ul	99
53) 2,4-Dinitrophenol	14.757	184	77407	29.395	ng/ul	87
55) 4-Nitrophenol	14.845	109	114579	29.375	ng/ul	95
56) Dibenzofuran	14.992	168	943833	30.783	ng/ul	95
57) 2,4-Dinitrotoluene	14.992	165	233975	33.794	ng/ul	91
58) 2,3,4,6-Tetrachlorophenol	15.216	232	135207	21.542	ng/ul#	92
59) Diethylphthalate	15.416	149	804262	32.683	ng/ul	98
61) Fluorene	15.645	166	773336	30.706	ng/ul	100
62) 4-Chlorophenyl-phenyle...	15.639	204	381055	28.466	ng/ul	93
63) 4-Nitroaniline	15.728	138	146095	36.304	ng/ul	89
66) 4,6-Dinitro-2-methylph...	15.751	198	132551	29.020	ng/ul	92
67) N-Nitrosodiphenylamine	15.869	169	646095	32.941	ng/ul	98
68) 4-Bromophenyl-phenylether	16.551	248	217038	28.652	ng/ul#	91
69) Hexachlorobenzene	16.628	284	234939	27.016	ng/ul#	86
71) Pentachlorophenol	17.004	266	89180	17.057	ng/ul	98
72) Phenanthrene	17.422	178	1222880	32.244	ng/ul	100
74) Anthracene	17.516	178	1219698	31.753	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.363	216	321734	29.618	ng/uL	98
76) Pentachlorobenzene	14.881	250	291488	27.687	ng/uL	99
77) Carbazole	17.810	167	1078041	33.207	ng/ul	98
78) Di-n-butylphthalate	18.316	149	1362343	36.146	ng/ul	99
80) Fluoranthene	19.404	202	1434222	34.293	ng/ul	96
82) Pyrene	19.763	202	1498357	33.817	ng/ul#	95
83) Butylbenzylphthalate	20.639	149	613157	40.235	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.445	252	411578	31.377	ng/ul#	98
85) Benzo(a)anthracene	21.504	228	1431669	32.436	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.380	149	894813	42.062	ng/ul	98
87) Chrysene	21.557	228	1342949	32.175	ng/ul	99
89) Di-n-octyl phthalate	22.363	149	1517319	40.101	ng/ul	100
90) Benzo(b)fluoranthene	23.280	252	1367186	33.630	ng/ul	99
91) Benzo(k)fluoranthene	23.333	252	1351020	32.790	ng/ul	99
93) Benzo(a)pyrene	23.962	252	1197418	31.374	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	26.786	276	1454333	31.972	ng/ul#	95
95) Dibenzo(a,h)anthracene	26.815	278	1220889	32.168	ng/ul	97
96) Benzo(g,h,i)perylene	27.639	276	1184465	32.319	ng/ul#	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101923\
 Data File : BP017732.D
 Acq On : 19 Oct 2023 17:31
 Operator : MA/JU
 Sample : PB156373BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS373

Quant Time: Oct 20 00:45:38 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP101823.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 19 01:32:15 2023
 Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 11.889 ng/uL
RT: 3.293 min Scan# 31
Delta R.T. -0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion: 88 Resp: 43451
Ion Ratio Lower Upper
88 100
43 30.7 24.4 36.6
58 64.3 53.0 79.6



#5
Pyridine
Concen: 30.737 ng/uL
RT: 3.711 min Scan# 106
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion: 79 Resp: 284099
Ion Ratio Lower Upper
79 100
52 67.0 57.2 85.8
51 35.2 28.6 42.8









#6
Benzaldehyde
Concen: 29.479 ng/ul
RT: 7.052 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion: 77 Resp: 169153
Ion Ratio Lower Upper
77 100
105 93.0 75.4 113.2
106 88.9 72.3 108.5



#8
Phenol
Concen: 32.645 ng/ul
RT: 7.075 min Scan# 678
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion: 94 Resp: 343341
Ion Ratio Lower Upper
94 100
65 31.8 25.0 37.4
66 42.8 33.0 49.6









#10
Bis(2-Chloroethyl)ether
Concen: 32.044 ng/ul
RT: 7.328 min Scan# 721
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion: 93 Resp: 281166
Ion Ratio Lower Upper
93 100
63 75.8 60.7 91.1
95 32.9 27.8 41.6



#12
2-Chlorophenol
Concen: 32.097 ng/ul
RT: 7.440 min Scan# 740
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:128 Resp: 280465
Ion Ratio Lower Upper
128 100
64 47.9 36.7 55.1
130 31.9 26.2 39.2





#13

2-Methylphenol

Concen: 31.725 ng/ul

RT: 8.340 min Scan# 893

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :





SLCS373

Tgt Ion:108 Resp: 251811

Ion Ratio Lower Upper

108 100

107 90.4 73.4 110.2



#14

2,2'-oxybis(1-Chloropropane)

Concen: 18.837 ng/ul

RT: 8.405 min Scan# 904

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion: 45 Resp: 203444


Ion Ratio Lower Upper

45 100

77 17.4 14.2 21.4

79 12.3 10.3 15.5









#16
Acetophenone
Concen: 32.127 ng/ul
RT: 8.746 min Scan# 90
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:105 Resp: 423085
Ion Ratio Lower Upper
105 100
77 82.9 64.4 96.6
51 27.9 21.2 31.8



#17
N-Nitroso-di-n-propylamine
Concen: 34.288 ng/ul
RT: 8.716 min Scan# 957
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion: 70 Resp: 214180
Ion Ratio Lower Upper
70 100
42 57.1 44.6 66.8
101 9.3 7.5 11.3
130 19.6 17.3 25.9









#18
4-Methylphenol
Concen: 32.327 ng/ul
RT: 8.675 min Scan# 911
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:108 Resp: 272488
Ion Ratio Lower Upper
108 100
107 114.5 87.5 131.3



#19
Hexachloroethane
Concen: 32.311 ng/ul
RT: 8.952 min Scan# 997
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:117 Resp: 129725
Ion Ratio Lower Upper
117 100
201 100.1 96.3 144.5
199 64.4 57.7 86.5









#22
Nitrobenzene
Concen: 34.025 ng/ul
RT: 9.140 min Scan# 1029
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion: 77 Resp: 349343
Ion Ratio Lower Upper
77 100
123 40.4 33.5 50.3
65 13.3 10.8 16.2



#23
Isophorone
Concen: 32.507 ng/ul
RT: 9.652 min Scan# 1116
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion: 82 Resp: 596823
Ion Ratio Lower Upper
82 100
95 7.2 6.2 9.2
138 16.7 14.4 21.6









#25
2-Nitrophenol
Concen: 31.855 ng/ul
RT: 9.846 min Scan# 1149
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:139 Resp: 154917
Ion Ratio Lower Upper
139 100
65 56.4 40.4 60.6
109 36.5 25.4 38.2



#26
2,4-Dimethylphenol
Concen: 28.678 ng/ul
RT: 9.887 min Scan# 1156
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:107 Resp: 273731
Ion Ratio Lower Upper
107 100
121 46.8 40.6 61.0
122 81.2 66.9 100.3









#27
 Bis(2-Chloroethoxy)methane
 Concen: 32.346 ng/ul
 RT: 10.146 min Scan# 1200
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31




Instrument :
 BNA_P
 ClientSampleId :
 SLCS373


Tgt Ion: 93 Resp: 367303
 Ion Ratio Lower Upper
 93 100
 95 31.0 24.7 37.1
 123 10.8 8.9 13.3



#29
 2,4-Dichlorophenol
 Concen: 30.314 ng/ul
 RT: 10.369 min Scan# 1238
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Tgt Ion: 162 Resp: 259069
 Ion Ratio Lower Upper
 162 100
 164 63.9 53.8 80.8
 98 35.8 25.5 38.3









#30
Naphthalene
Concen: 30.017 ng/ul
RT: 10.775 min Scan# 1307
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:128 Resp: 879067
Ion Ratio Lower Upper
128 100
129 10.9 8.7 13.1
127 12.9 10.5 15.7



#32
4-Chloroaniline
Concen: 24.099 ng/ul
RT: 10.922 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:127 Resp: 269912
Ion Ratio Lower Upper
127 100
129 31.8 25.1 37.7





#33

Hexachlorobutadiene

Concen: 26.133 ng/ul

RT: 10.993 min Scan# 1

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:225 Resp: 181341

Ion Ratio Lower Upper

225 100

223 63.0 50.6 75.8

227 65.0 50.1 75.1



#34

Caprolactam

Concen: 33.860 ng/ul

RT: 11.757 min Scan# 1474

Delta R.T. -0.012 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:113 Resp: 74512


Ion Ratio Lower Upper

113 100

55 139.7 112.1 168.1

56 109.8 87.0 130.6









#35
4-Chloro-3-methylphenol
Concen: 34.103 ng/ul
RT: 12.034 min Scan# 1521
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:107 Resp: 274388
Ion Ratio Lower Upper
107 100
144 26.8 22.9 34.3
142 81.5 68.1 102.1



#36
2-Methylnaphthalene
Concen: 29.468 ng/ul
RT: 12.387 min Scan# 1581
Delta R.T. -0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:142 Resp: 582925
Ion Ratio Lower Upper
142 100
141 87.0 71.5 107.3





#37

1-Methylnaphthalene

Concen: 29.688 ng/ul

RT: 12.610 min Scan# 1619

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:142 Resp: 600596

Ion Ratio Lower Upper

142 100

141 90.3 72.5 108.7

116 4.3 3.4 5.2



#39

1,2,4,5-Tetrachlorobenzene

Concen: 27.799 ng/ul

RT: 12.745 min Scan# 1642

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Tgt Ion:216 Resp: 316880




Ion Ratio Lower Upper


216 100

214 77.8 62.2 93.2

179 22.0 15.8 23.8

108 18.5 12.6 18.8





#40

Hexachlorocyclopentadiene

Concen: 24.103 ng/ul

RT: 12.681 min Scan# 1

Delta R.T. -0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:237 Resp: 157847

Ion Ratio Lower Upper

237 100

235 63.3 50.3 75.5

272 11.6 11.1 16.7



#41

2,4,6-Trichlorophenol

Concen: 25.442 ng/ul

RT: 13.004 min Scan# 1686

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:196 Resp: 174051


Ion Ratio Lower Upper

196 100

198 95.8 74.7 112.1

200 30.4 23.7 35.5









#42
 2,4,5-Trichlorophenol
 Concen: 28.586 ng/ul
 RT: 13.081 min Scan# 1699
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31




Instrument :
 BNA_P
 ClientSampleId :
 SLCS373


Tgt Ion:196	Resp:	202180
Ion Ratio	Lower	Upper
196	100	
198	96.6	76.0 114.0
200	30.0	24.3 36.5



#43
 1,1'-Biphenyl
 Concen: 30.700 ng/ul
 RT: 13.410 min Scan# 1755
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Tgt Ion:154	Resp:	779146
Ion Ratio	Lower	Upper
154	100	
153	40.9	32.6 49.0
76	13.3	9.8 14.8









#44
2-Chloronaphthalene
Concen: 30.284 ng/ul
RT: 13.457 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:162 Resp: 621304
Ion Ratio Lower Upper
162 100
164 32.1 25.9 38.9
127 39.4 29.9 44.9



#45
2-Nitroaniline
Concen: 39.454 ng/ul
RT: 13.710 min Scan# 1806
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion: 65 Resp: 183939
Ion Ratio Lower Upper
65 100
92 66.5 56.2 84.4
138 99.2 85.9 128.9









#47
Dimethylphthalate
Concen: 30.922 ng/ul
RT: 14.051 min Scan# 1864
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:163 Resp: 788108
Ion Ratio Lower Upper
163 100
194 3.9 3.4 5.0
164 9.8 8.2 12.4



#48
2,6-Dinitrotoluene
Concen: 33.850 ng/ul
RT: 14.204 min Scan# 1890
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:165 Resp: 158792
Ion Ratio Lower Upper
165 100
89 64.3 48.0 72.0
121 21.5 16.6 24.8









#50
Acenaphthylene
Concen: 29.426 ng/ul
RT: 14.310 min Scan# 1909
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:152 Resp: 950589
Ion Ratio Lower Upper
152 100
151 20.0 15.9 23.9
153 13.3 10.8 16.2



#51
3-Nitroaniline
Concen: 34.169 ng/ul
RT: 14.545 min Scan# 1948
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:138 Resp: 152448
Ion Ratio Lower Upper
138 100
108 10.6 9.3 13.9
92 121.5 95.2 142.8





#52

Acenaphthene

Concen: 30.517 ng/ul

RT: 14.651 min Scan# 1966

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:153 Resp: 666430

Ion Ratio Lower Upper

153 100

152 47.7 37.6 56.4

154 86.7 70.0 105.0



#53

2,4-Dinitrophenol

Concen: 29.395 ng/ul

RT: 14.757 min Scan# 1984

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:184 Resp: 77407


Ion Ratio Lower Upper

184 100

63 74.2 50.6 76.0

154 68.8 47.9 71.9









#55
4-Nitrophenol
Concen: 29.375 ng/ul
RT: 14.845 min Scan# 1999
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:109 Resp: 114579
Ion Ratio Lower Upper
109 100
139 110.0 92.9 139.3
65 122.3 94.5 141.7



#56
Dibenzofuran
Concen: 30.783 ng/ul
RT: 14.992 min Scan# 2024
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:168 Resp: 943833
Ion Ratio Lower Upper
168 100
139 38.8 28.6 43.0









#57
2,4-Dinitrotoluene
Concen: 33.794 ng/ul
RT: 14.992 min Scan# 2024
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:165 Resp: 233975
Ion Ratio Lower Upper
165 100
63 71.3 51.1 76.7
182 2.8 2.7 4.1



#58
2,3,4,6-Tetrachlorophenol
Concen: 21.542 ng/ul
RT: 15.216 min Scan# 2062
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:232 Resp: 135207
Ion Ratio Lower Upper
232 100
131 47.2 32.9 49.3
130 2.8 1.8 2.8#
166 32.5 23.3 34.9









#59
Diethylphthalate
Concen: 32.683 ng/ul
RT: 15.416 min Scan# 2096
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:149 Resp: 804262
Ion Ratio Lower Upper
149 100
177 21.3 18.0 27.0
150 12.7 10.2 15.4



#61
Fluorene
Concen: 30.706 ng/ul
RT: 15.645 min Scan# 2135
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:166 Resp: 773336
Ion Ratio Lower Upper
166 100
165 96.9 77.4 116.0
167 13.7 10.9 16.3









#62
4-Chlorophenyl-phenylether
Concen: 28.466 ng/ul
RT: 15.639 min Scan# 2134
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:204 Resp: 381055
Ion Ratio Lower Upper
204 100
206 32.2 26.2 39.4
141 61.5 42.9 64.3



#63
4-Nitroaniline
Concen: 36.304 ng/ul
RT: 15.728 min Scan# 2149
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:138 Resp: 146095
Ion Ratio Lower Upper
138 100
92 55.6 43.0 64.6
108 118.4 82.7 124.1









#66
4,6-Dinitro-2-methylphenol
Concen: 29.020 ng/ul
RT: 15.751 min Scan# 2153
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:198 Resp: 132551
Ion Ratio Lower Upper
198 100
182 4.6 3.9 5.9
77 29.7 19.8 29.8



#67
N-Nitrosodiphenylamine
Concen: 32.941 ng/ul
RT: 15.869 min Scan# 2173
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:169 Resp: 646095
Ion Ratio Lower Upper
169 100
168 65.8 53.7 80.5
167 35.7 29.4 44.0









#68
4-Bromophenyl-phenylether
Concen: 28.652 ng/ul
RT: 16.551 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:248 Resp: 217038
Ion Ratio Lower Upper
248 100
250 94.4 76.8 115.2
141 80.9 52.4 78.6#



#69
Hexachlorobenzene
Concen: 27.016 ng/ul
RT: 16.628 min Scan# 2302
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:284 Resp: 234939
Ion Ratio Lower Upper
284 100
142 45.3 27.6 41.4#
249 34.8 24.5 36.7





#71

Pentachlorophenol

Concen: 17.057 ng/ul

RT: 17.004 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:266 Resp: 89180

Ion Ratio Lower Upper

266 100

264 63.2 49.4 74.2

268 64.3 50.3 75.5



#72

Phenanthrene

Concen: 32.244 ng/ul

RT: 17.422 min Scan# 2437

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:178 Resp: 1222880


Ion Ratio Lower Upper

178 100

179 15.3 12.2 18.2

176 19.3 15.3 22.9





#74

Anthracene

Concen: 31.753 ng/uI

RT: 17.516 min Scan# 2453

Delta R.T. 0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:178 Resp: 1219698

Ion Ratio Lower Upper

178 100

179 15.2 12.0 18.0

176 18.5 14.8 22.2



#75

1,2,3,4-Tetrachlorobenzene

Concen: 29.618 ng/uI

RT: 13.363 min Scan# 1747

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:216 Resp: 321734


Ion Ratio Lower Upper

216 100

214 78.7 60.7 91.1

218 47.8 38.2 57.4









#76
 Pentachlorobenzene
 Concen: 27.687 ng/uL
 RT: 14.881 min Scan# 2005
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31




Instrument :
 BNA_P
 ClientSampleId :
 SLCS373


Tgt Ion:250 Resp: 291488
 Ion Ratio Lower Upper
 250 100
 248 62.2 50.2 75.4
 252 63.1 49.6 74.4



#77
 Carbazole
 Concen: 33.207 ng/uL
 RT: 17.810 min Scan# 2503
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Tgt Ion:167 Resp: 1078041
 Ion Ratio Lower Upper
 167 100
 166 21.4 16.7 25.1
 139 13.0 9.8 14.6





#78

Di-n-butylphthalate

Concen: 36.146 ng/ul

RT: 18.316 min Scan# 2589

Delta R.T. -0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:149 Resp: 1362343

Ion Ratio Lower Upper

149 100

150 9.3 7.2 10.8

104 5.9 4.3 6.5



#80

Fluoranthene

Concen: 34.293 ng/ul

RT: 19.404 min Scan# 2774

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:202 Resp: 1434222


Ion Ratio Lower Upper

202 100

101 10.5 7.1 10.7

100 8.4 5.7 8.5





#82

Pyrene

Concen: 33.817 ng/ul

RT: 19.763 min Scan# 2835

Delta R.T. -0.000 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:202 Resp: 1498357

Ion Ratio Lower Upper

202 100

101 12.6 8.3 12.5#

100 10.7 7.4 11.0



#83

Butylbenzylphthalate

Concen: 40.235 ng/ul

RT: 20.639 min Scan# 2984

Delta R.T. 0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:149 Resp: 613157


Ion Ratio Lower Upper

149 100

91 72.5 58.8 88.2

206 21.2 17.5 26.3









#84
3,3'-Dichlorobenzidine
Concen: 31.377 ng/ul
RT: 21.445 min Scan# 3122
Delta R.T. -0.000 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:252 Resp: 411578
Ion Ratio Lower Upper
252 100
254 63.6 51.8 77.8
126 12.4 7.8 11.6#



#85
Benzo(a)anthracene
Concen: 32.436 ng/ul
RT: 21.504 min Scan# 3131
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:228 Resp: 1431669
Ion Ratio Lower Upper
228 100
229 19.7 15.6 23.4
226 27.9 21.1 31.7









#86
 Bis(2-ethylhexyl)phthalate
 Concen: 42.062 ng/ul
 RT: 21.380 min Scan# 3110
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31




Instrument :
 BNA_P
 ClientSampleId :
 SLCS373


Tgt Ion:149 Resp: 894813
 Ion Ratio Lower Upper
 149 100
 167 26.0 21.6 32.4
 279 3.7 3.6 5.4



#87
 Chrysene
 Concen: 32.175 ng/ul
 RT: 21.557 min Scan# 3140
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Tgt Ion:228 Resp: 1342949
 Ion Ratio Lower Upper
 228 100
 226 31.0 24.0 36.0
 229 19.7 15.5 23.3









#89
 Di-n-octyl phthalate
 Concen: 40.101 ng/ul
 RT: 22.363 min Scan# 31
 Delta R.T. -0.000 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Instrument :
 BNA_P
 ClientSampleId :
 SLCS373




Tgt Ion:149 Resp: 1517319




#90
 Benzo(b)fluoranthene
 Concen: 33.630 ng/ul
 RT: 23.280 min Scan# 3433
 Delta R.T. 0.006 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Tgt Ion:252 Resp: 1367186

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.4	26.0
125	9.8	7.1	10.7









#91
Benzo(k)fluoranthene
Concen: 32.790 ng/ul
RT: 23.333 min Scan# 3442
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31




Instrument :
BNA_P
ClientSampleId :
SLCS373


Tgt Ion:252 Resp: 1351020
Ion Ratio Lower Upper
252 100
253 22.2 17.5 26.3
125 9.8 7.0 10.6



#93
Benzo(a)pyrene
Concen: 31.374 ng/ul
RT: 23.962 min Scan# 3549
Delta R.T. 0.006 min
Lab File: BP017732.D
Acq: 19 Oct 2023 17:31

Tgt Ion:252 Resp: 1197418
Ion Ratio Lower Upper
252 100
253 21.7 17.4 26.2
125 11.6 7.8 11.6





#94

Indeno(1,2,3-cd)pyrene

Concen: 31.972 ng/ul

RT: 26.786 min Scan# 4030

Delta R.T. 0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31

Instrument :

BNA_P

ClientSampleId :

SLCS373





Tgt Ion:276 Resp: 1454333

Ion Ratio Lower Upper

276 100

138 24.3 15.6 23.4#

277 24.3 19.4 29.2



#95

Dibenzo(a,h)anthracene

Concen: 32.168 ng/ul

RT: 26.815 min Scan# 4034

Delta R.T. 0.006 min

Lab File: BP017732.D

Acq: 19 Oct 2023 17:31




Tgt Ion:278 Resp: 1220889


Ion Ratio Lower Upper

278 100

139 16.7 11.4 17.2

279 24.3 18.8 28.2





#96
 Benzo(g,h,i)perylene
 Concen: 32.319 ng/ul
 RT: 27.639 min Scan# 41
 Delta R.T. 0.012 min
 Lab File: BP017732.D
 Acq: 19 Oct 2023 17:31

Instrument :
 BNA_P
 ClientSampleId :
 SLCS373

Tgt Ion:276 Resp: 1184465

Ion	Ratio	Lower	Upper
276	100		
138	22.6	15.0	22.6#
277	23.2	18.5	27.7

