

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP110719\
 Data File : BP000995.D
 Acq On : 07 Nov 2019 10:09
 Operator : JU
 Sample : PB124565BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Nov 07 12:04:22 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP110619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 06 17:07:13 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.38	152	261104	20.00	ng	0.00
21) Naphthalene-d8	10.40	136	969027	20.00	ng	0.00
39) Acenaphthene-d10	13.26	164	581973	20.00	ng	0.00
64) Phenanthrene-d10	15.66	188	1223338	20.00	ng	0.00
76) Chrysene-d12	19.29	240	1114035	20.00	ng	0.00
87) Perylene-d12	21.08	264	1245123	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.31	112	2073296	144.53	ng	0.01
7) Phenol-d6	7.82	99	2704648	149.10	ng	0.00
23) Nitrobenzene-d5	9.25	82	1633432	93.24	ng	0.00
42) 2,4,6-Tribromophenol	14.56	330	1015193	146.12	ng	0.00
45) 2-Fluorobiphenyl	12.18	172	3589542	92.89	ng	0.00
79) Terphenyl-d14	17.94	244	5107504	91.20	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.62	79	29838	2.159	ng	# 51
19) n-Nitroso-di-n-propylamine	9.25	70	213880	19.636	ng	# 78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP110719\
Data File : BP000995.D
Acq On : 07 Nov 2019 10:09
Operator : JU
Sample : PB124565BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: Nov 07 12:04:22 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP110619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 06 17:07:13 2019
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.38 min Scan# 1069
 Delta R.T. -0.00 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09




Instrument :
 BNA_P
 ClientSampleId :


Tot Ion:152 Resp: 261104
 Ion Ratio Lower Upper
 152 100
 150 155.0 123.6 185.4
 115 59.5 50.1 75.1



#5
 2-Fluorophenol
 Concen: 144.531 ng
 RT: 6.31 min Scan# 718
 Delta R.T. 0.01 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09

Tgt Ion:112 Resp: 2073296
 Ion Ratio Lower Upper
 112 100
 64 53.7 43.4 65.0
 63 29.6 23.4 35.0





#7

Phenol-d6

Concen: 149.098 ng

RT: 7.82 min Scan# 975

Delta R.T. 0.01 min

Lab File: BP000995.D

Acq: 07 Nov 2019 10:09

Instrument :

BNA_P

ClientSampled :





Tot Ion: 99 Resp: 2704648

Ion Ratio Lower Upper

99 100

42 14.5 11.6 17.4

71 36.7 28.0 42.0



#15

Benzyl Alcohol

Concen: 2.159 ng

RT: 8.62 min Scan# 1110

Delta R.T. 0.01 min

Lab File: BP000995.D

Acq: 07 Nov 2019 10:09




Tgt Ion: 79 Resp: 29838


Ion Ratio Lower Upper

79 100

108 38.0 62.0 93.0#

77 107.4 51.9 77.9#









#19
n-Nitroso-di-n-propylamine
Concen: 19.636 ng
RT: 9.25 min Scan# 1218
Delta R.T. 0.21 min
Lab File: BP000995.D
Acq: 07 Nov 2019 10:09




Instrument :
BNA_P
ClientSampleId :


Tot Ion: 70 Resp: 213880
Ion Ratio Lower Upper
70 100
42 39.0 36.3 54.5
101 0.0 8.7 13.1#
130 1.9 18.0 27.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.40 min Scan# 1414
Delta R.T. -0.00 min
Lab File: BP000995.D
Acq: 07 Nov 2019 10:09

Tgt Ion: 136 Resp: 969027
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.6
54 6.4 5.4 8.2
68 5.7 4.7 7.1









#23
 Nitrobenzene-d5
 Concen: 93.244 ng
 RT: 9.25 min Scan# 1218
 Delta R.T. -0.01 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09




Instrument :
 BNA_P
 ClientSampleId :


Tot Ion: 82 Resp: 1633432
 Ion Ratio Lower Upper
 82 100
 128 42.2 35.3 52.9
 54 42.9 34.3 51.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 13.26 min Scan# 1900
 Delta R.T. -0.01 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09

Tgt Ion: 164 Resp: 581973
 Ion Ratio Lower Upper
 164 100
 162 99.6 82.6 123.8
 160 44.8 36.5 54.7






#42
 2,4,6-Tribromophenol
 Concen: 146.125 ng
 RT: 14.56 min Scan# 2120
 Delta R.T. -0.00 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09




Instrument :
 BNA_P
 ClientSampleId :

Tot Ion:330 Resp: 1015193

Ion	Ratio	Lower	Upper
330	100		
332	97.2	78.3	117.5
141	31.8	25.0	37.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 92.894 ng
 RT: 12.18 min Scan# 1716
 Delta R.T. -0.01 min
 Lab File: BP000995.D
 Acq: 07 Nov 2019 10:09


Tgt Ion:172 Resp: 3589542

Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.5	42.7
170	23.9	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 15.66 min Scan# 2307
Delta R.T. -0.00 min
Lab File: BP000995.D
Acq: 07 Nov 2019 10:09




Instrument :
BNA_P
ClientSampleId :


Tot Ion:188 Resp: 1223338
Ion Ratio Lower Upper
188 100
94 8.6 7.4 11.2
80 9.5 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 19.29 min Scan# 2925
Delta R.T. -0.01 min
Lab File: BP000995.D
Acq: 07 Nov 2019 10:09

Tgt Ion:240 Resp: 1114035
Ion Ratio Lower Upper
240 100
120 9.8 8.2 12.2
236 25.8 20.5 30.7





#79

Terphenyl-d14

Concen: 91.196 ng

RT: 17.94 min Scan# 2695

Delta R.T. -0.00 min

Lab File: BP000995.D

Acq: 07 Nov 2019 10:09

Instrument :

BNA_P

ClientSampled :


Tot Ion:244 Resp: 5107504

Ion Ratio Lower Upper

244 100

212 7.8 6.0 9.0




122 9.7 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 21.08 min Scan# 3229

Delta R.T. -0.00 min

Lab File: BP000995.D

Acq: 07 Nov 2019 10:09


Tgt Ion:264 Resp: 1245123

Ion Ratio Lower Upper

264 100

260 23.7 18.8 28.2

265 21.6 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

