

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110821\
 Data File : BP007867.D
 Acq On : 08 Nov 2021 18:42
 Operator : CG/JU
 Sample : M4530-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SW-P287

Quant Time: Nov 09 08:48:58 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 08 16:36:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	139498	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	519482	20.000	ng	0.00
39) Acenaphthene-d10	14.498	164	346790	20.000	ng	0.00
64) Phenanthrene-d10	17.251	188	777640	20.000	ng	-0.01
76) Chrysene-d12	21.345	240	928517	20.000	ng	0.00
86) Perylene-d12	23.757	264	1026263	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.452	112	650035	79.027	ng	0.00
7) Phenol-d6	7.040	99	529056	44.438	ng	0.00
23) Nitrobenzene-d5	9.022	82	842801	87.150	ng	-0.01
42) 2,4,6-Tribromophenol	15.992	330	662042	133.768	ng	0.00
45) 2-Fluorobiphenyl	13.122	172	2001550	84.051	ng	-0.01
79) Terphenyl-d14	19.816	244	3715629	81.486	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110821\
Data File : BP007867.D
Acq On : 08 Nov 2021 18:42
Operator : CG/JU
Sample : M4530-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SW-P287

Quant Time: Nov 09 08:48:58 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 08 16:36:40 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 71
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42




Instrument :
BNA_P
ClientSampleId :
SW-P287


Tgt Ion:152 Resp: 139498
Ion Ratio Lower Upper
152 100
150 155.6 124.1 186.1
115 59.5 48.1 72.1



#5
2-Fluorophenol
Concen: 79.027 ng
RT: 5.452 min Scan# 368
Delta R.T. 0.000 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42

Tgt Ion:112 Resp: 650035
Ion Ratio Lower Upper
112 100
64 55.2 46.6 70.0
63 28.8 25.0 37.6









#7
Phenol-d6
Concen: 44.438 ng
RT: 7.040 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42




Instrument :
BNA_P
ClientSampleId :
SW-P287


Tgt Ion: 99 Resp: 529056
Ion Ratio Lower Upper
99 100
42 16.4 14.9 22.3
71 36.6 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1254
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42

Tgt Ion: 136 Resp: 519482
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 7.3 6.2 9.4
68 5.5 4.7 7.1









#23
Nitrobenzene-d5
Concen: 87.150 ng
RT: 9.022 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42




Instrument :
BNA_P
ClientSampleId :
SW-P287


Tgt Ion: 82 Resp: 842801
Ion Ratio Lower Upper
82 100
128 42.5 32.6 48.8
54 47.2 40.4 60.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.498 min Scan# 1906
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42

Tgt Ion: 164 Resp: 346790
Ion Ratio Lower Upper
164 100
162 99.1 81.1 121.7
160 44.1 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 133.768 ng
RT: 15.992 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42




Instrument :
BNA_P
ClientSampleId :
SW-P287


Tgt Ion:330 Resp: 662042
Ion Ratio Lower Upper
330 100
332 96.8 78.9 118.3
141 33.9 30.7 46.1



#45
2-Fluorobiphenyl
Concen: 84.051 ng
RT: 13.122 min Scan# 1672
Delta R.T. -0.012 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42

Tgt Ion:172 Resp: 2001550
Ion Ratio Lower Upper
172 100
171 34.9 28.2 42.2
170 23.1 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42




Instrument :
BNA_P
ClientSampleId :
SW-P287


Tgt Ion:188 Resp: 777640
Ion Ratio Lower Upper
188 100
94 8.3 7.1 10.7
80 8.4 7.8 11.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.345 min Scan# 3070
Delta R.T. -0.006 min
Lab File: BP007867.D
Acq: 08 Nov 2021 18:42

Tgt Ion:240 Resp: 928517
Ion Ratio Lower Upper
240 100
120 9.1 7.8 11.8
236 25.7 20.6 30.8









#79
 Terphenyl-d14
 Concen: 81.486 ng
 RT: 19.816 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP007867.D
 Acq: 08 Nov 2021 18:42

Instrument :
 BNA_P
 ClientSampleId :
 SW-P287

Tgt Ion:244 Resp: 3715629
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.2 9.2
 122 9.0 7.8 11.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.757 min Scan# 3480
 Delta R.T. -0.012 min
 Lab File: BP007867.D
 Acq: 08 Nov 2021 18:42

Tgt Ion:264 Resp: 1026263
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.1 28.7
 265 21.9 16.7 25.1

