

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112120\
 Data File : BP004042.D
 Acq On : 21 Nov 2020 17:31
 Operator : CG/JU
 Sample : L4839-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B1-GW

Quant Time: Nov 23 05:00:04 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 23 03:48:44 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.263	152	107881	20.00	ng	-0.03
21) Naphthalene-d8	11.093	136	396692	20.00	ng	#-0.04
39) Acenaphthene-d10	14.887	164	245438	20.00	ng	-0.02
64) Phenanthrene-d10	17.622	188	495960	20.00	ng	-0.01
76) Chrysene-d12	21.651	240	483683	20.00	ng	0.00
86) Perylene-d12	24.121	264	515951	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.805	112	388747	60.14	ng	0.00
7) Phenol-d6	7.452	99	324479	34.97	ng	0.00
23) Nitrobenzene-d5	9.428	82	685732	84.66	ng	-0.03
42) 2,4,6-Tribromophenol	16.375	330	437380	142.48	ng	-0.01
45) 2-Fluorobiphenyl	13.510	172	1554910	88.57	ng	-0.02
79) Terphenyl-d14	20.122	244	2079461	83.06	ng	0.00
Target Compounds						
10) Phenol	7.481	94	25486	2.85	ng	80
50) Dimethylphthalate	14.310	163	67142	3.50	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112120\
Data File : BP004042.D
Acq On : 21 Nov 2020 17:31
Operator : CG/JU
Sample : L4839-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
B1-GW

Quant Time: Nov 23 05:00:04 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 23 03:48:44 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.263 min Scan# 914
Delta R.T. -0.030 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31




Instrument :
BNA_P
ClientSampleId :
B1-GW


Tgt Ion:152 Resp: 107881
Ion Ratio Lower Upper
152 100
150 157.4 123.8 185.6
115 61.8 43.8 65.6



#5
2-Fluorophenol
Concen: 60.14 ng
RT: 5.805 min Scan# 496
Delta R.T. -0.006 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31


Tgt Ion:112 Resp: 388747
Ion Ratio Lower Upper
112 100
64 62.6 32.8 49.2#
63 32.9 17.0 25.4#








#7
Phenol-d6
Concen: 34.97 ng
RT: 7.452 min Scan# 776
Delta R.T. -0.006 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Instrument :
BNA_P
ClientSampleId :
B1-GW







Tgt Ion: 99 Resp: 324479
Ion Ratio Lower Upper
99 100
42 19.3 8.6 13.0#
71 36.1 23.4 35.2#



#10
Phenol
Concen: 2.85 ng
RT: 7.481 min Scan# 781
Delta R.T. -0.000 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion: 94 Resp: 25486
Ion Ratio Lower Upper
94 100
65 30.9 2.3 42.3
66 42.5 10.9 50.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.093 min Scan# 1395
Delta R.T. -0.035 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31




Instrument :
BNA_P
ClientSampleId :
B1-GW


Tgt Ion:	136	Resp:	396692
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	9.3	3.6	5.4#
68	6.3	3.3	4.9#



#23
Nitrobenzene-d5
Concen: 84.66 ng
RT: 9.428 min Scan# 1112
Delta R.T. -0.029 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion:	82	Resp:	685732
Ion	Ratio	Lower	Upper
82	100		
128	42.6	45.6	68.4#
54	53.0	30.1	45.1#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.887 min Scan# 2040
Delta R.T. -0.024 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31




Instrument :
BNA_P
ClientSampleId :
B1-GW


Tgt Ion:164 Resp: 245438
Ion Ratio Lower Upper
164 100
162 100.2 79.4 119.2
160 42.5 36.1 54.1



#42
2,4,6-Tribromophenol
Concen: 142.48 ng
RT: 16.375 min Scan# 2293
Delta R.T. -0.012 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion:330 Resp: 437380
Ion Ratio Lower Upper
330 100
332 96.6 77.1 115.7
141 31.5 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 88.57 ng
RT: 13.510 min Scan# 1806
Delta R.T. -0.024 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31




Instrument :
BNA_P
ClientSampleId :
B1-GW


Tgt Ion:172 Resp: 1554910
Ion Ratio Lower Upper
172 100
171 35.1 28.5 42.7
170 22.6 19.2 28.8



#50
Dimethylphthalate
Concen: 3.50 ng
RT: 14.310 min Scan# 1942
Delta R.T. -0.029 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion:163 Resp: 67142
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.3 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.622 min Scan# 2505
Delta R.T. -0.012 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31




Instrument :
BNA_P
ClientSampleId :
B1-GW


Tgt Ion:188 Resp: 495960
Ion Ratio Lower Upper
188 100
94 7.9 6.2 9.2
80 8.6 6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.651 min Scan# 3190
Delta R.T. -0.000 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion:240 Resp: 483683
Ion Ratio Lower Upper
240 100
120 9.1 7.8 11.6
236 24.7 20.8 31.2









#79
Terphenyl-d14
Concen: 83.06 ng
RT: 20.122 min Scan# 2930
Delta R.T. -0.000 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Instrument :
BNA_P
ClientSampleId :
B1-GW

Tgt Ion:244 Resp: 2079461
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 8.7 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.121 min Scan# 3610
Delta R.T. 0.012 min
Lab File: BP004042.D
Acq: 21 Nov 2020 17:31

Tgt Ion:264 Resp: 515951
Ion Ratio Lower Upper
264 100
260 22.9 18.8 28.2
265 22.0 17.4 26.2

