

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112120\
 Data File : BP004045.D
 Acq On : 21 Nov 2020 19:13
 Operator : CG/JU
 Sample : L4839-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B4-GW

Quant Time: Nov 23 05:00:51 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 23 03:48:44 2020
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.263	152	106518	20.00	ng	-0.03
21) Naphthalene-d8	11.093	136	405594	20.00	ng	#-0.04
39) Acenaphthene-d10	14.887	164	243273	20.00	ng	-0.02
64) Phenanthrene-d10	17.622	188	510118	20.00	ng	-0.01
76) Chrysene-d12	21.651	240	505676	20.00	ng	0.00
86) Perylene-d12	24.121	264	535995	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.805	112	570902	89.45	ng	0.00
7) Phenol-d6	7.452	99	539845	58.92	ng	0.00
23) Nitrobenzene-d5	9.428	82	851383	102.80	ng	-0.03
42) 2,4,6-Tribromophenol	16.375	330	522105	171.59	ng	-0.01
45) 2-Fluorobiphenyl	13.510	172	1849144	106.27	ng	-0.02
79) Terphenyl-d14	20.122	244	2529389	96.64	ng	0.00
Target Compounds						Qvalue
10) Phenol	7.481	94	27103	3.07	ng	79
50) Dimethylphthalate	14.310	163	82837	4.36	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112120\
Data File : BP004045.D
Acq On : 21 Nov 2020 19:13
Operator : CG/JU
Sample : L4839-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
B4-GW

Quant Time: Nov 23 05:00:51 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 23 03:48:44 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.263 min Scan# 914
Delta R.T. -0.030 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13




Instrument :
BNA_P
ClientSampled :
B4-GW


Tgt Ion:152 Resp: 106518
Ion Ratio Lower Upper
152 100
150 158.7 123.8 185.6
115 62.6 43.8 65.6



#5
2-Fluorophenol
Concen: 89.45 ng
RT: 5.805 min Scan# 496
Delta R.T. -0.006 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13

Tgt Ion:112 Resp: 570902
Ion Ratio Lower Upper
112 100
64 63.2 32.8 49.2#
63 33.0 17.0 25.4#









#7
Phenol-d6
Concen: 58.92 ng
RT: 7.452 min Scan# 776
Delta R.T. -0.006 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13




Instrument :
BNA_P
ClientSampleId :
B4-GW


Tgt Ion: 99 Resp: 539845
Ion Ratio Lower Upper
99 100
42 19.6 8.6 13.0#
71 35.8 23.4 35.2#



#10
Phenol
Concen: 3.07 ng
RT: 7.481 min Scan# 781
Delta R.T. -0.000 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13

Tgt Ion: 94 Resp: 27103
Ion Ratio Lower Upper
94 100
65 30.5 2.3 42.3
66 43.6 10.9 50.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.093 min Scan# 1395
Delta R.T. -0.035 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13




Instrument :
BNA_P
ClientSampleId :
B4-GW


Tgt Ion:	136	Resp:	405594
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.6	13.0
54	10.1	3.6	5.4#
68	6.1	3.3	4.9#



#23
Nitrobenzene-d5
Concen: 102.80 ng
RT: 9.428 min Scan# 1112
Delta R.T. -0.029 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13

Tgt Ion:	82	Resp:	851383
Ion	Ratio	Lower	Upper
82	100		
128	40.7	45.6	68.4#
54	54.8	30.1	45.1#





#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.887 min Scan# 2040

Delta R.T. -0.024 min

Lab File: BP004045.D

Acq: 21 Nov 2020 19:13

Instrument :

BNA_P

ClientSampleId :

B4-GW





Tgt Ion:164 Resp: 243273

Ion Ratio Lower Upper

164 100

162 99.2 79.4 119.2

160 42.6 36.1 54.1



#42

2,4,6-Tribromophenol

Concen: 171.59 ng

RT: 16.375 min Scan# 2293

Delta R.T. -0.012 min

Lab File: BP004045.D

Acq: 21 Nov 2020 19:13




Tgt Ion:330 Resp: 522105


Ion Ratio Lower Upper

330 100

332 97.1 77.1 115.7

141 32.6 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 106.27 ng
RT: 13.510 min Scan# 1806
Delta R.T. -0.024 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13




Instrument :
BNA_P
ClientSampleId :
B4-GW


Tgt Ion:172 Resp: 1849144
Ion Ratio Lower Upper
172 100
171 34.9 28.5 42.7
170 22.6 19.2 28.8



#50
Dimethylphthalate
Concen: 4.36 ng
RT: 14.310 min Scan# 1942
Delta R.T. -0.029 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13

Tgt Ion:163 Resp: 82837
Ion Ratio Lower Upper
163 100
194 5.0 3.3 4.9#
164 10.0 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.622 min Scan# 2505
Delta R.T. -0.012 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13




Instrument :
BNA_P
ClientSampled :
B4-GW


Tgt Ion:188 Resp: 510118
Ion Ratio Lower Upper
188 100
94 7.8 6.2 9.2
80 8.7 6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.651 min Scan# 3190
Delta R.T. -0.000 min
Lab File: BP004045.D
Acq: 21 Nov 2020 19:13

Tgt Ion:240 Resp: 505676
Ion Ratio Lower Upper
240 100
120 9.0 7.8 11.6
236 25.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 96.64 ng
 RT: 20.122 min Scan# 2930
 Delta R.T. -0.000 min
 Lab File: BP004045.D
 Acq: 21 Nov 2020 19:13

Instrument :
 BNA_P
 ClientSampled :
 B4-GW

Tgt Ion:244 Resp: 2529389
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 8.6 7.8 11.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.121 min Scan# 3610
 Delta R.T. 0.012 min
 Lab File: BP004045.D
 Acq: 21 Nov 2020 19:13

Tgt Ion:264 Resp: 535995
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.8 28.2
 265 21.7 17.4 26.2

