

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112520\
 Data File : BP004094.D
 Acq On : 25 Nov 2020 13:06
 Operator : CG/JU
 Sample : PB133245BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB133245BL

Quant Time: Nov 25 14:04:02 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 23 16:42:41 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.269	152	141416	20.00	ng	0.00
21) Naphthalene-d8	11.098	136	517129	20.00	ng	# 0.00
39) Acenaphthene-d10	14.898	164	303568	20.00	ng	0.00
64) Phenanthrene-d10	17.633	188	620535	20.00	ng	# 0.01
76) Chrysene-d12	21.668	240	545353	20.00	ng	0.00
86) Perylene-d12	24.151	264	558357	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.799	112	1145385	135.18	ng	0.00
7) Phenol-d6	7.451	99	1417627	116.55	ng	0.00
23) Nitrobenzene-d5	9.434	82	907205	85.92	ng	0.00
42) 2,4,6-Tribromophenol	16.386	330	474199	124.89	ng	0.01
45) 2-Fluorobiphenyl	13.516	172	1896992	87.36	ng	0.00
79) Terphenyl-d14	20.133	244	2420972	85.77	ng	0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112520\
Data File : BP004094.D
Acq On : 25 Nov 2020 13:06
Operator : CG/JU
Sample : PB133245BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB133245BL

Quant Time: Nov 25 14:04:02 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 23 16:42:41 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.269 min Scan# 915
Delta R.T. 0.000 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06




Instrument :
BNA_P
ClientSampleId :
PB133245BL

Tgt Ion:152 Resp: 141416
Ion Ratio Lower Upper
152 100
150 152.5 123.8 185.6
115 56.7 43.8 65.6



#5
2-Fluorophenol
Concen: 135.18 ng
RT: 5.799 min Scan# 495
Delta R.T. -0.006 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06

Tgt Ion:112 Resp: 1145385
Ion Ratio Lower Upper
112 100
64 65.7 32.8 49.2#
63 33.7 17.0 25.4#









#7
Phenol-d6
Concen: 116.55 ng
RT: 7.451 min Scan# 776
Delta R.T. 0.000 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06




Instrument :
BNA_P
ClientSampleId :
PB133245BL

Tgt Ion: 99 Resp: 1417627
Ion Ratio Lower Upper
99 100
42 19.7 8.6 13.0#
71 36.4 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.098 min Scan# 1396
Delta R.T. 0.000 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06

Tgt Ion: 136 Resp: 517129
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 10.1 3.6 5.4#
68 6.2 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 85.92 ng
RT: 9.434 min Scan# 1113
Delta R.T. 0.000 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06




Instrument :
BNA_P
ClientSampleId :
PB133245BL


Tgt Ion: 82 Resp: 907205
Ion Ratio Lower Upper
82 100
128 42.0 45.6 68.4#
54 54.6 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.898 min Scan# 2042
Delta R.T. 0.006 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06

Tgt Ion: 164 Resp: 303568
Ion Ratio Lower Upper
164 100
162 100.8 79.4 119.2
160 43.1 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 124.89 ng
RT: 16.386 min Scan# 2295
Delta R.T. 0.012 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06




Instrument :
BNA_P
ClientSampleId :
PB133245BL


Tgt Ion:330 Resp: 474199
Ion Ratio Lower Upper
330 100
332 96.4 77.1 115.7
141 31.0 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 87.36 ng
RT: 13.516 min Scan# 1807
Delta R.T. 0.006 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06

Tgt Ion:172 Resp: 1896992
Ion Ratio Lower Upper
172 100
171 35.1 28.5 42.7
170 22.7 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.633 min Scan# 2507
Delta R.T. 0.012 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06




Instrument :
BNA_P
ClientSampleId :
PB133245BL


Tgt Ion:188 Resp: 620535
Ion Ratio Lower Upper
188 100
94 8.4 6.2 9.2
80 9.3 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.668 min Scan# 3193
Delta R.T. 0.006 min
Lab File: BP004094.D
Acq: 25 Nov 2020 13:06

Tgt Ion:240 Resp: 545353
Ion Ratio Lower Upper
240 100
120 9.0 7.8 11.6
236 24.5 20.8 31.2





#79

Terphenyl-d14

Concen: 85.77 ng

RT: 20.133 min Scan# 2932

Delta R.T. 0.012 min

Lab File: BP004094.D

Acq: 25 Nov 2020 13:06

Instrument :





BNA_P

ClientSampleId :

PB133245BL

Tgt Ion:244 Resp: 2420972

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	8.9	7.8	11.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.151 min Scan# 3615

Delta R.T. 0.024 min

Lab File: BP004094.D

Acq: 25 Nov 2020 13:06

Tgt Ion:264 Resp: 558357

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.8	28.2
265	22.2	17.4	26.2

