

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP112719\
 Data File : BP001114.D
 Acq On : 28 Nov 2019 08:17
 Operator : JU
 Sample : K6013-03
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 600436752

Quant Time: Nov 29 02:42:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP112719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 27 17:38:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.33	152	140865	20.00	ng	0.00
21) Naphthalene-d8	10.36	136	527995	20.00	ng	0.00
39) Acenaphthene-d10	13.22	164	298962	20.00	ng	-0.01
64) Phenanthrene-d10	15.62	188	588043	20.00	ng	0.00
76) Chrysene-d12	19.26	240	461545	20.00	ng	-0.01
87) Perylene-d12	21.04	264	486426	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.25	112	1229195	144.77	ng	0.02
7) Phenol-d6	7.78	99	1548519	136.90	ng	0.00
23) Nitrobenzene-d5	9.21	82	1163775	95.63	ng	0.00
42) 2,4,6-Tribromophenol	14.52	330	434586	151.66	ng	0.00
45) 2-Fluorobiphenyl	12.15	172	1919693	93.98	ng	0.00
79) Terphenyl-d14	17.91	244	2389979	95.80	ng	0.00
Target Compounds						
9) Benzaldehyde	7.63	77	606	Below Cal	Qvalue	# 74
15) Benzyl Alcohol	8.57	79	20620	2.221 ng	#	50
19) n-Nitroso-di-n-propylamine	9.21	70	161514	19.788 ng	#	80
54) 2,4-Dinitrophenol	13.32	184	27	7.122 ng	#	71
77) Benzidine	17.56	184	25114	2.107 ng		100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP112719\
Data File : BP001114.D
Acq On : 28 Nov 2019 08:17
Operator : JU
Sample : K6013-03
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
600436752

Quant Time: Nov 29 02:42:45 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP112719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 27 17:38:46 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.33 min Scan# 1061

Delta R.T. 0.00 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Instrument :

BNA_P

ClientSampleId :

600436752


Tot Ion:152 Resp: 140865

Ion Ratio Lower Upper

152 100

150 158.4 120.6 181.0

115 68.0 51.6 77.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 144.772 ng

RT: 6.25 min Scan# 707

Delta R.T. 0.02 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17


Tgt Ion:112 Resp: 1229195

Ion Ratio Lower Upper

112 100

64 66.8 52.8 79.2

63 37.1 28.2 42.2





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BP0

Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 136.898 ng

RT: 7.78 min Scan# 967

Delta R.T. 0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Instrument :

BNA_P

ClientSampleId :

600436752


Tot Ion: 99 Resp: 1548519

Ion Ratio Lower Upper

99 100

42 21.0 15.4 23.0




71 41.3 30.8 46.2



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#9

Benzaldehyde

Concen: Below Cal

RT: 7.63 min Scan# 942

Delta R.T. 0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17


Tgt Ion: 77 Resp: 606

Ion Ratio Lower Upper

77 100

105 68.5 72.5 112.5#



106 62.2 67.6 107.6#




Abundance Ion 77.00 (76.70 to 77.70): BP0

Ion 105.00 (104.70 to 105.70): E

Ion 106.00 (105.70 to 106.70): E





#15

Benzyl Alcohol

Concen: 2.221 ng

RT: 8.57 min Scan# 1102

Delta R.T. 0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Instrument :

BNA_P

ClientSampleId :

600436752





Tot Ion: 79 Resp: 20620

Ion Ratio Lower Upper

79 100

108 30.0 54.8 82.2#

77 106.3 51.4 77.2#



#19

n-Nitroso-di-n-propylamine

Concen: 19.788 ng

RT: 9.21 min Scan# 1211

Delta R.T. 0.21 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Tgt Ion: 70 Resp: 161514




Ion Ratio Lower Upper


70 100

42 45.7 44.6 66.8

101 0.1 7.1 10.7#

130 1.6 13.8 20.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.36 min Scan# 1407
Delta R.T. 0.00 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17




Instrument :
BNA_P
ClientSampleId :
600436752


Tot Ion:136	Resp:	527995	
Ion Ratio	Lower	Upper	
136 100			
137 10.7	8.8	13.2	
54 9.9	7.9	11.9	
68 6.9	5.6	8.4	



#23
Nitrobenzene-d5
Concen: 95.628 ng
RT: 9.21 min Scan# 1211
Delta R.T. 0.00 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17

Tgt	Ion: 82	Resp: 1163775	
Ion	Ratio	Lower	Upper
82	100		
128	35.9	28.9	43.3
54	53.9	41.9	62.9









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 13.22 min Scan# 1893
Delta R.T. -0.01 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17




Instrument :
BNA_P
ClientSampleId :
600436752


Tot Ion:164 Resp: 298962
Ion Ratio Lower Upper
164 100
162 99.8 80.6 120.8
160 44.3 35.4 53.2



#42
2,4,6-Tribromophenol
Concen: 151.659 ng
RT: 14.52 min Scan# 2114
Delta R.T. 0.00 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17

Tgt Ion:330 Resp: 434586
Ion Ratio Lower Upper
330 100
332 97.2 77.6 116.4
141 44.3 34.2 51.2









#45
2-Fluorobiphenyl
Concen: 93.979 ng
RT: 12.15 min Scan# 1710
Delta R.T. -0.01 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17




Instrument :
BNA_P
ClientSampleId :
600436752


Tot Ion:172 Resp: 1919693
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 23.8 19.0 28.4



#54
2,4-Dinitrophenol
Concen: 7.122 ng
RT: 13.32 min Scan# 1910
Delta R.T. -0.02 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17

Tgt Ion:184 Resp: 27
Ion Ratio Lower Upper
184 100
63 105.0 60.7 91.1#
154 50.0 56.2 84.2#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 15.62 min Scan# 2301

Delta R.T. -0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Instrument :

BNA_P

ClientSampleId :

600436752


Tot Ion:188 Resp: 588043

Ion Ratio Lower Upper

188 100

94 10.0 7.9 11.9




80 10.7 8.8 13.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 19.26 min Scan# 2920

Delta R.T. -0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17


Tgt Ion:240 Resp: 461545

Ion Ratio Lower Upper

240 100

120 11.9 9.5 14.3



236 26.9 20.4 30.6




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.107 ng

RT: 17.56 min Scan# 2630

Delta R.T. -0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17

Instrument :

BNA_P

ClientSampleId :

600436752





Tot Ion:184 Resp: 25114

Ion Ratio Lower Upper

184 100

185 15.4 12.2 18.4

183 11.3 9.3 13.9



#79

Terphenyl-d14

Concen: 95.802 ng

RT: 17.91 min Scan# 2690

Delta R.T. -0.01 min

Lab File: BP001114.D

Acq: 28 Nov 2019 08:17




Tgt Ion:244 Resp: 2389979


Ion Ratio Lower Upper

244 100

212 8.0 6.2 9.2

122 11.7 8.2 12.2





#87
Pervlene-d12
Concen: 20.000 ng
RT: 21.04 min Scan# 3222
Delta R.T. -0.01 min
Lab File: BP001114.D
Acq: 28 Nov 2019 08:17

Instrument :
BNA_P
ClientSampleId :
600436752

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.8	28.2
265	20.9	16.9	25.3

