

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112723\
 Data File : BP018411.D
 Acq On : 27 Nov 2023 21:11
 Operator : MA/JU
 Sample : 05342-01DL 5X
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AH1DL

Quant Time: Nov 27 21:58:55 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP112223.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 27 21:50:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	378971	20.000	ng/u1	0.00
20) Naphthalene-d8	10.657	136	1413647	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.492	164	728812	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.245	188	1433540	20.000	ng/u1	0.00
79) Chrysene-d12	21.380	240	1497060	20.000	ng/u1	0.00
88) Perylene-d12	23.898	264	1730577	20.000	ng/u1	0.03
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.269	96	4979	0.492	ng/uL	0.00
4) Pyridine-d5	3.693	84	50412	1.813	ng/u1	0.00
7) Phenol-d5	7.022	99	40902	1.181	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.193	67	128721	6.215	ng/u1	0.00
11) 2-Chlorophenol-d4	7.387	132	130499	4.488	ng/u1	0.00
15) 4-Methylphenol-d8	8.569	113	74068	2.650	ng/u1	0.00
21) Nitrobenzene-d5	9.022	128	68790	5.991	ng/u1	0.00
24) 2-Nitrophenol-d4	9.740	143	53602	5.055	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.275	165	124710	4.875	ng/u1	0.00
31) 4-Chloroaniline-d4	10.798	131	118240	3.427	ng/u1	0.00
46) Dimethylphthalate-d6	13.910	166	409915	6.321	ng/u1	0.00
49) Acenaphthylene-d8	14.186	160	465760	6.303	ng/u1	0.00
54) 4-Nitrophenol-d4	14.686	143	5809	0.649	ng/u1	0.00
60) Fluorene-d10	15.486	176	355503	6.554	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.598	200	21065	3.452	ng/u1	0.00
73) Anthracene-d10	17.345	188	524367	6.844	ng/u1	0.00
81) Pyrene-d10	19.592	212	646386	5.425	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.727	264	647843	6.457	ng/u1	0.03
Target Compounds						
					Qvalue	
52) Acenaphthene	14.557	153	2416077	44.903	ng/u1	99
61) Fluorene	15.539	166	533825	8.899	ng/u1	99
74) Anthracene	17.380	178	103533	1.176	ng/u1	98
80) Fluoranthene	19.263	202	392559	2.758	ng/u1	99
82) Pyrene	19.615	202	215024	1.500	ng/u1	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112723\
Data File : BP018411.D
Acq On : 27 Nov 2023 21:11
Operator : MA/JU
Sample : 05342-01DL 5X
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AH1DL

Quant Time: Nov 27 21:58:55 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP112223.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 27 21:50:01 2023
Response via : Initial Calibration

