

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120123\
 Data File : BP018479.D
 Acq On : 01 Dec 2023 16:47
 Operator : MA/JU
 Sample : 05527-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AJ2

Quant Time: Dec 01 22:35:54 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 01 21:56:43 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	524799	20.000	ng/ul	0.00
20) Naphthalene-d8	10.663	136	2253725	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.498	164	1368132	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.239	188	2436227	20.000	ng/ul	0.00
79) Chrysene-d12	21.327	240	1620363	20.000	ng/ul	0.00
88) Perylene-d12	23.703	264	2021548	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.275	96	66799	4.338	ng/uL	0.00
4) Pyridine-d5	3.693	84	553118	13.409	ng/ul	0.00
7) Phenol-d5	7.028	99	489527	9.295	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.198	67	982038	31.461	ng/ul	0.00
11) 2-Chlorophenol-d4	7.393	132	1046596	25.468	ng/ul	0.00
15) 4-Methylphenol-d8	8.575	113	827846	19.423	ng/ul	0.00
21) Nitrobenzene-d5	9.028	128	633553	31.585	ng/ul	0.00
24) 2-Nitrophenol-d4	9.745	143	665170	31.985	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.281	165	1225585	28.821	ng/ul	0.00
31) 4-Chloroaniline-d4	10.798	131	940817	16.929	ng/ul	0.00
46) Dimethylphthalate-d6	13.916	166	3742977	30.653	ng/ul	0.00
49) Acenaphthylene-d8	14.186	160	4177426	31.069	ng/ul	0.00
54) 4-Nitrophenol-d4	14.692	143	128784	6.425	ng/ul	0.00
60) Fluorene-d10	15.486	176	3053100	29.787	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.604	200	457823	31.341	ng/ul	0.00
73) Anthracene-d10	17.339	188	4092482	31.953	ng/ul	0.00
81) Pyrene-d10	19.574	212	3716523	29.465	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.551	264	3774773	32.025	ng/ul	0.00
Target Compounds						
					Qvalue	
50) Acenaphthylene	14.216	152	165517	1.095	ng/ul#	91
52) Acenaphthene	14.569	153	12392869	123.987	ng/ul	99
55) 4-Nitrophenol	14.686	109	17142	1.132	ng/ul#	16
61) Fluorene	15.545	166	3194928	29.065	ng/ul	100
63) 4-Nitroaniline	15.539	138	37619	1.742	ng/ul#	30
72) Phenanthrene	17.374	178	459004	3.120	ng/ul	99
74) Anthracene	17.374	178	463090	3.140	ng/ul	99
80) Fluoranthene	19.251	202	1997053	13.395	ng/ul	98
82) Pyrene	19.604	202	1044078	6.942	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120123\
Data File : BP018479.D
Acq On : 01 Dec 2023 16:47
Operator : MA/JU
Sample : 05527-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AJ2

Quant Time: Dec 01 22:35:54 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 01 21:56:43 2023
Response via : Initial Calibration









#50
Acenaphthylene
Concen: 1.095 ng/ul
RT: 14.216 min Scan# 1892
Delta R.T. -0.000 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47




Instrument :
BNA_P
ClientSampleId :
C0AJ2


Tgt Ion:152 Resp: 165517
Ion Ratio Lower Upper
152 100
151 21.9 15.9 23.9
153 19.2 10.6 16.0#



#52
Acenaphthene
Concen: 123.987 ng/ul
RT: 14.569 min Scan# 1952
Delta R.T. 0.012 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47

Tgt Ion:153 Resp:12392869
Ion Ratio Lower Upper
153 100
152 49.3 38.1 57.1
154 89.7 71.7 107.5









#55
4-Nitrophenol
Concen: 1.132 ng/ul
RT: 14.686 min Scan# 1975
Delta R.T. -0.018 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47




Instrument :
BNA_P
ClientSampleId :
C0AJ2


Tgt Ion:109 Resp: 17142
Ion Ratio Lower Upper
109 100
139 17.8 109.0 163.4#
65 51.6 106.2 159.4#



#61
Fluorene
Concen: 29.065 ng/ul
RT: 15.545 min Scan# 2118
Delta R.T. -0.000 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47

Tgt Ion:166 Resp: 3194928
Ion Ratio Lower Upper
166 100
165 97.4 78.0 117.0
167 13.7 10.8 16.2









#63
4-Nitroaniline
Concen: 1.742 ng/ul
RT: 15.539 min Scan# 2121
Delta R.T. -0.024 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47




Instrument :
BNA_P
ClientSampleId :
C0AJ2


Tgt Ion:138 Resp: 37619
Ion Ratio Lower Upper
138 100
92 8.3 42.3 63.5#
108 12.4 62.0 93.0#



#72
Phenanthrene
Concen: 3.120 ng/ul
RT: 17.374 min Scan# 2429
Delta R.T. 0.088 min
Lab File: BP018479.D
Acq: 01 Dec 2023 16:47

Tgt Ion:178 Resp: 459004
Ion Ratio Lower Upper
178 100
179 16.4 12.3 18.5
176 19.3 15.4 23.2









#74
 Anthracene
 Concen: 3.140 ng/ul
 RT: 17.374 min Scan# 2429
 Delta R.T. -0.000 min
 Lab File: BP018479.D
 Acq: 01 Dec 2023 16:47




Instrument :
 BNA_P
 ClientSampleId :
 C0AJ2


Tgt Ion:178 Resp: 463090
 Ion Ratio Lower Upper
 178 100
 179 16.4 12.5 18.7
 176 19.3 15.0 22.6



#80
 Fluoranthene
 Concen: 13.395 ng/ul
 RT: 19.251 min Scan# 2748
 Delta R.T. -0.000 min
 Lab File: BP018479.D
 Acq: 01 Dec 2023 16:47

Tgt Ion:202 Resp: 1997053
 Ion Ratio Lower Upper
 202 100
 101 10.8 9.1 13.7
 100 8.2 7.1 10.7





#82
 Pyrene
 Concen: 6.942 ng/ul
 RT: 19.604 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BP018479.D
 Acq: 01 Dec 2023 16:47

Instrument :
 BNA_P
 ClientSampleId :
 C0AJ2

Tgt Ion:202 Resp: 1044078
 Ion Ratio Lower Upper
 202 100
 101 12.7 11.0 16.4
 100 10.2 9.1 13.7

