

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120321\
 Data File : BP008220.D
 Acq On : 03 Dec 2021 23:39
 Operator : CG/JU
 Sample : M4915-06 5X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B-3-13

Quant Time: Dec 06 00:02:05 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 03 14:39:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.793	152	109126	20.000	ng	0.00
21) Naphthalene-d8	10.593	136	433564	20.000	ng	0.00
39) Acenaphthene-d10	14.439	164	290318	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	656234	20.000	ng	0.00
76) Chrysene-d12	21.310	240	527153	20.000	ng	0.00
86) Perylene-d12	23.710	264	506115	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.387	112	120047	17.712	ng	0.00
7) Phenol-d6	6.981	99	151486	16.557	ng	0.00
23) Nitrobenzene-d5	8.952	82	102756	10.777	ng	-0.01
42) 2,4,6-Tribromophenol	15.945	330	65275	17.591	ng	0.00
45) 2-Fluorobiphenyl	13.063	172	229825	11.499	ng	0.00
79) Terphenyl-d14	19.774	244	410425	16.271	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120321\
Data File : BP008220.D
Acq On : 03 Dec 2021 23:39
Operator : CG/JU
Sample : M4915-06 5X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
B-3-13

Quant Time: Dec 06 00:02:05 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 03 14:39:24 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.793 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39




Instrument :
BNA_P
ClientSampleId :
B-3-13

Tgt Ion:152 Resp: 109126
Ion Ratio Lower Upper
152 100
150 151.1 125.7 188.5
115 63.0 50.7 76.1



#5
2-Fluorophenol
Concen: 17.712 ng
RT: 5.387 min Scan# 408
Delta R.T. -0.000 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion:112 Resp: 120047
Ion Ratio Lower Upper
112 100
64 67.2 53.4 80.2
63 35.0 27.8 41.8









#7
Phenol-d6
Concen: 16.557 ng
RT: 6.981 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39




Instrument :
BNA_P
ClientSampleId :
B-3-13


Tgt Ion: 99 Resp: 151486
Ion Ratio Lower Upper
99 100
42 18.7 14.6 22.0
71 41.9 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.593 min Scan# 1293
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion: 136 Resp: 433564
Ion Ratio Lower Upper
136 100
137 10.7 9.0 13.6
54 9.4 8.2 12.4
68 6.3 5.8 8.8








#23
Nitrobenzene-d5
Concen: 10.777 ng
RT: 8.952 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39




Instrument :
BNA_P
ClientSampleId :
B-3-13


Tgt Ion: 82 Resp: 102756
Ion Ratio Lower Upper
82 100
128 38.2 29.6 44.4
54 52.4 42.7 64.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.439 min Scan# 1947
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion: 164 Resp: 290318
Ion Ratio Lower Upper
164 100
162 101.5 81.9 122.9
160 45.0 35.4 53.0








#42
2,4,6-Tribromophenol
Concen: 17.591 ng
RT: 15.945 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39




Instrument :
BNA_P
ClientSampleId :
B-3-13


Tgt Ion:330 Resp: 65275
Ion Ratio Lower Upper
330 100
332 97.0 77.0 115.4
141 33.2 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 11.499 ng
RT: 13.063 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion:172 Resp: 229825
Ion Ratio Lower Upper
172 100
171 36.0 28.0 42.0
170 23.1 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2417
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39




Instrument :
BNA_P
ClientSampleId :
B-3-13


Tgt Ion:188 Resp: 656234
Ion Ratio Lower Upper
188 100
94 7.7 7.2 10.8
80 9.0 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.310 min Scan# 3115
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion:240 Resp: 527153
Ion Ratio Lower Upper
240 100
120 7.4 7.3 10.9
236 25.7 21.4 32.2









#79
Terphenyl-d14
Concen: 16.271 ng
RT: 19.774 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Instrument :
BNA_P
ClientSampleId :
B-3-13

Tgt Ion:244 Resp: 410425
Ion Ratio Lower Upper
244 100
212 7.7 6.0 9.0
122 7.5 6.6 9.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.710 min Scan# 3523
Delta R.T. -0.006 min
Lab File: BP008220.D
Acq: 03 Dec 2021 23:39

Tgt Ion:264 Resp: 506115
Ion Ratio Lower Upper
264 100
260 24.9 19.4 29.2
265 23.4 17.6 26.4

