

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP120519\
 Data File : BP001224.D
 Acq On : 05 Dec 2019 21:26
 Operator : JU
 Sample : K6120-01
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TH-7

Quant Time: Dec 06 07:50:29 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP112719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 05 12:34:47 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.31	152	82869	20.00	ng	0.00
21) Naphthalene-d8	10.35	136	295927	20.00	ng	0.00
39) Acenaphthene-d10	13.21	164	166996	20.00	ng	0.00
64) Phenanthrene-d10	15.60	188	323717	20.00	ng	0.00
76) Chrysene-d12	19.25	240	253600	20.00	ng	-0.01
87) Perylene-d12	21.02	264	278877	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.22	112	558948	111.90	ng	0.01
7) Phenol-d6	7.76	99	764695	114.92	ng	0.00
23) Nitrobenzene-d5	9.19	82	519108	76.11	ng	0.00
42) 2,4,6-Tribromophenol	14.50	330	196963	123.05	ng	0.00
45) 2-Fluorobiphenyl	12.13	172	820104	71.87	ng	0.00
79) Terphenyl-d14	17.89	244	975625	71.17	ng	0.00
Target Compounds						
10) Phenol	7.78	94	35647	4.709	ng	Qvalue # 74
50) Dimethylphthalate	12.79	163	61774	4.946	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP120519\
Data File : BP001224.D
Acq On : 05 Dec 2019 21:26
Operator : JU
Sample : K6120-01
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TH-7

Quant Time: Dec 06 07:50:29 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP112719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 05 12:34:47 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.31 min Scan# 1058

Delta R.T. 0.00 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26

Instrument :

BNA_P

ClientSampled :

TH-7


Tot Ion:152 Resp: 82869

Ion Ratio Lower Upper

152 100

150 150.8 127.3 190.9




115 67.7 56.0 84.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 111.904 ng

RT: 6.22 min Scan# 703

Delta R.T. 0.01 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26


Tgt Ion:112 Resp: 558948

Ion Ratio Lower Upper

112 100

64 70.1 56.8 85.2



63 41.1 32.2 48.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BP0

Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 114.916 ng

RT: 7.76 min Scan# 965

Delta R.T. 0.00 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26

Instrument :

BNA_P

ClientSampled :

TH-7





Tot Ion: 99 Resp: 764695

Ion Ratio Lower Upper

99 100

42 22.5 17.6 26.4

71 44.1 33.8 50.8



#10

Phenol

Concen: 4.709 ng

RT: 7.78 min Scan# 968

Delta R.T. 0.00 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26




Tgt Ion: 94 Resp: 35647


Ion Ratio Lower Upper

94 100

65 33.9 25.6 65.6

66 46.7 52.6 92.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.35 min Scan# 1404
Delta R.T. -0.01 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26




Instrument :
BNA_P
ClientSampleId :
TH-7


Tot Ion:136	Resp:	295927
Ion Ratio	Lower	Upper
136 100		
137 11.1	8.4	12.6
54 10.0	7.4	11.0
68 6.4	4.6	7.0



#23
Nitrobenzene-d5
Concen: 76.106 ng
RT: 9.19 min Scan# 1208
Delta R.T. -0.01 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26

Tgt Ion: 82	Resp: 519108
Ion Ratio	Lower Upper
82 100	
128 33.3	27.5 41.3
54 57.4	45.7 68.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 13.21 min Scan# 1891
Delta R.T. 0.00 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26




Instrument :
BNA_P
ClientSampleId :
TH-7


Tot Ion	Ratio	Lower	Upper
164	100		
162	101.4	80.7	121.1
160	45.6	36.3	54.5



#42
2,4,6-Tribromophenol
Concen: 123.051 ng
RT: 14.50 min Scan# 2111
Delta R.T. 0.00 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.9	79.1	118.7
141	45.5	35.9	53.9









#45
2-Fluorobiphenyl
Concen: 71.875 ng
RT: 12.13 min Scan# 1707
Delta R.T. -0.01 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26




Instrument :
BNA_P
ClientSampled :
TH-7


Tot Ion:172 Resp: 820104
Ion Ratio Lower Upper
172 100
171 34.5 28.7 43.1
170 23.5 19.2 28.8



#50
Dimethylphthalate
Concen: 4.946 ng
RT: 12.79 min Scan# 1820
Delta R.T. -0.02 min
Lab File: BP001224.D
Acq: 05 Dec 2019 21:26

Tgt Ion:163 Resp: 61774
Ion Ratio Lower Upper
163 100
194 3.9 3.1 4.7
164 10.1 8.2 12.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 15.60 min Scan# 2298

Delta R.T. -0.01 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26

Instrument :

BNA_P

ClientSampleId :

TH-7


Tot Ion:188 Resp: 323717

Ion Ratio Lower Upper

188 100

94 9.3 7.1 10.7




80 10.3 7.8 11.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 19.25 min Scan# 2917

Delta R.T. -0.01 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26


Tgt Ion:240 Resp: 253600

Ion Ratio Lower Upper

240 100

120 9.9 7.0 10.6



236 25.4 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 71.175 ng

RT: 17.89 min Scan# 2687

Delta R.T. 0.00 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26

Instrument :

BNA_P

ClientSampled :

TH-7


Tot Ion:244 Resp: 975625

Ion Ratio Lower Upper




244 100

212 8.1 6.6 9.8

122 9.8 9.2 13.8



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 21.02 min Scan# 3219

Delta R.T. -0.01 min

Lab File: BP001224.D

Acq: 05 Dec 2019 21:26


Tgt Ion:264 Resp: 278877

Ion Ratio Lower Upper

264 100

260 23.7 19.4 29.0

265 22.6 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

