

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120721\
 Data File : BP008248.D
 Acq On : 07 Dec 2021 13:08
 Operator : CG/JU
 Sample : M4919-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 EB-20211202

Quant Time: Dec 08 01:07:46 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 03 14:39:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.787	152	31154	20.000	ng	-0.01
21) Naphthalene-d8	10.581	136	114014	20.000	ng	-0.02
39) Acenaphthene-d10	14.434	164	75102	20.000	ng	-0.01
64) Phenanthrene-d10	17.198	188	173681	20.000	ng	-0.01
76) Chrysene-d12	21.304	240	235057	20.000	ng	-0.01
86) Perylene-d12	23.698	264	291729	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	139216	71.949	ng	0.00
7) Phenol-d6	6.975	99	107150	41.022	ng	-0.01
23) Nitrobenzene-d5	8.946	82	267227	106.580	ng	-0.02
42) 2,4,6-Tribromophenol	15.939	330	167021	173.993	ng	-0.01
45) 2-Fluorobiphenyl	13.051	172	561300	108.560	ng	-0.02
79) Terphenyl-d14	19.769	244	1178829	104.811	ng	-0.01


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120721\
Data File : BP008248.D
Acq On : 07 Dec 2021 13:08
Operator : CG/JU
Sample : M4919-07
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
EB-20211202

Quant Time: Dec 08 01:07:46 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 03 14:39:24 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.787 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08




Instrument :
BNA_P
ClientSampleId :
EB-20211202


Tgt Ion:152 Resp: 31154
Ion Ratio Lower Upper
152 100
150 147.1 125.7 188.5
115 60.0 50.7 76.1



#5
2-Fluorophenol
Concen: 71.949 ng
RT: 5.381 min Scan# 407
Delta R.T. -0.006 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08

Tgt Ion:112 Resp: 139216
Ion Ratio Lower Upper
112 100
64 66.3 53.4 80.2
63 35.5 27.8 41.8









#7
Phenol-d6
Concen: 41.022 ng
RT: 6.975 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08




Instrument :
BNA_P
ClientSampleId :
EB-20211202


Tgt Ion: 99 Resp: 107150
Ion Ratio Lower Upper
99 100
42 19.3 14.6 22.0
71 40.0 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.581 min Scan# 1291
Delta R.T. -0.018 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08

Tgt Ion: 136 Resp: 114014
Ion Ratio Lower Upper
136 100
137 11.5 9.0 13.6
54 9.7 8.2 12.4
68 7.3 5.8 8.8









#23
Nitrobenzene-d5
Concen: 106.580 ng
RT: 8.946 min Scan# 1018
Delta R.T. -0.018 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08




Instrument :
BNA_P
ClientSampleId :
EB-20211202


Tgt Ion: 82 Resp: 267227
Ion Ratio Lower Upper
82 100
128 36.7 29.6 44.4
54 52.5 42.7 64.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.434 min Scan# 1946
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08

Tgt Ion: 164 Resp: 75102
Ion Ratio Lower Upper
164 100
162 100.5 81.9 122.9
160 42.8 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 173.993 ng
RT: 15.939 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08




Instrument :
BNA_P
ClientSampleId :
EB-20211202


Tgt Ion:330 Resp: 167021
Ion Ratio Lower Upper
330 100
332 98.0 77.0 115.4
141 33.8 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 108.560 ng
RT: 13.051 min Scan# 1711
Delta R.T. -0.018 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08

Tgt Ion:172 Resp: 561300
Ion Ratio Lower Upper
172 100
171 34.5 28.0 42.0
170 23.8 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2416
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08




Instrument :
BNA_P
ClientSampleId :
EB-20211202


Tgt Ion:188 Resp: 173681
Ion Ratio Lower Upper
188 100
94 8.3 7.2 10.8
80 10.6 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.304 min Scan# 3114
Delta R.T. -0.012 min
Lab File: BP008248.D
Acq: 07 Dec 2021 13:08

Tgt Ion:240 Resp: 235057
Ion Ratio Lower Upper
240 100
120 8.3 7.3 10.9
236 25.8 21.4 32.2









#79
 Terphenyl-d14
 Concen: 104.811 ng
 RT: 19.769 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BP008248.D
 Acq: 07 Dec 2021 13:08

Instrument :
 BNA_P
 ClientSampleId :
 EB-20211202

Tgt Ion:244 Resp: 1178829

Ion	Ratio	Lower	Upper
244	100		
212	8.0	6.0	9.0
122	8.3	6.6	9.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.698 min Scan# 3521
 Delta R.T. -0.018 min
 Lab File: BP008248.D
 Acq: 07 Dec 2021 13:08

Tgt Ion:264 Resp: 291729

Ion	Ratio	Lower	Upper
264	100		
260	24.7	19.4	29.2
265	22.7	17.6	26.4

