

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120723\
 Data File : BP018706.D
 Acq On : 08 Dec 2023 10:58
 Operator : MA/JU
 Sample : 05497-04
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AB7

Quant Time: Dec 08 11:48:08 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Dec 04 21:39:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.846	152	319400	20.000	ng/u1	-0.01
20) Naphthalene-d8	10.640	136	1251353	20.000	ng/u1	-0.01
38) Acenaphthene-d10	14.475	164	786034	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.222	188	1861996	20.000	ng/u1	0.00
79) Chrysene-d12	21.310	240	1993664	20.000	ng/u1	0.00
88) Perylene-d12	23.680	264	2340712	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.264	96	9203	0.982	ng/uL	0.00
4) Pyridine-d5	3.693	84	31402	1.251	ng/u1	0.00
7) Phenol-d5	7.011	99	302278	9.431	ng/u1	-0.01
9) Bis-(2-Chloroethyl)eth...	7.181	67	211215	11.118	ng/u1	-0.01
11) 2-Chlorophenol-d4	7.375	132	253770	10.146	ng/u1	-0.01
15) 4-Methylphenol-d8	8.552	113	164435	6.339	ng/u1	-0.02
21) Nitrobenzene-d5	9.005	128	126404	11.349	ng/u1	-0.01
24) 2-Nitrophenol-d4	9.728	143	129530	11.218	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.257	165	240007	10.165	ng/u1	-0.02
31) 4-Chloroaniline-d4	10.781	131	275467	8.927	ng/u1	-0.01
46) Dimethylphthalate-d6	13.887	166	799955	11.403	ng/u1	-0.02
49) Acenaphthylene-d8	14.169	160	929232	12.029	ng/u1	-0.01
54) 4-Nitrophenol-d4	14.675	143	72869	6.328	ng/u1	-0.01
60) Fluorene-d10	15.463	176	734665	12.476	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.581	200	48352	4.331	ng/u1	-0.01
73) Anthracene-d10	17.322	188	1165214	11.903	ng/u1	0.00
81) Pyrene-d10	19.557	212	1570955	10.123	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.527	264	1620913	11.877	ng/u1	0.00
Target Compounds						
					Qvalue	
8) Phenol	7.040	94	33504	1.066	ng/u1	95
16) Acetophenone	8.669	105	163289	4.224	ng/u1	97
72) Phenanthrene	17.263	178	169313	1.506	ng/u1	99
80) Fluoranthene	19.233	202	219877	1.199	ng/u1	99
82) Pyrene	19.586	202	194457	1.051	ng/u1	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120723\
Data File : BP018706.D
Acq On : 08 Dec 2023 10:58
Operator : MA/JU
Sample : 05497-04
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AB7

Quant Time: Dec 08 11:48:08 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Dec 04 21:39:40 2023
Response via : Initial Calibration

