

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121021\
 Data File : BP008348.D
 Acq On : 10 Dec 2021 19:25
 Operator : CG/JU
 Sample : M4966-15
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 P2-COMP

Quant Time: Dec 11 04:00:56 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 11 03:53:01 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.757	152	71954	20.000	ng	0.00
21) Naphthalene-d8	10.557	136	244721	20.000	ng	0.00
39) Acenaphthene-d10	14.416	164	143010	20.000	ng	0.00
64) Phenanthrene-d10	17.180	188	280050	20.000	ng	0.00
76) Chrysene-d12	21.286	240	275083	20.000	ng	0.00
86) Perylene-d12	23.674	264	294846	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	512245	114.624	ng	0.00
7) Phenol-d6	6.951	99	573565	95.075	ng	0.00
23) Nitrobenzene-d5	8.922	82	496796	92.313	ng	0.00
42) 2,4,6-Tribromophenol	15.916	330	228033	124.751	ng	0.00
45) 2-Fluorobiphenyl	13.033	172	885245	89.913	ng	0.00
79) Terphenyl-d14	19.751	244	1258534	95.616	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.198	149	57296	4.818	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121021\
Data File : BP008348.D
Acq On : 10 Dec 2021 19:25
Operator : CG/JU
Sample : M4966-15
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
P2-COMP

Quant Time: Dec 11 04:00:56 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 11 03:53:01 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.757 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25




Instrument :
BNA_P
ClientSampleId :
P2-COMP


Tgt Ion:152 Resp: 71954
Ion Ratio Lower Upper
152 100
150 158.5 125.7 188.5
115 64.6 50.7 76.1



#5
2-Fluorophenol
Concen: 114.624 ng
RT: 5.357 min Scan# 403
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25

Tgt Ion:112 Resp: 512245
Ion Ratio Lower Upper
112 100
64 67.2 53.4 80.2
63 36.0 27.8 41.8









#7
Phenol-d6
Concen: 95.075 ng
RT: 6.951 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25




Instrument :
BNA_P
ClientSampleId :
P2-COMP


Tgt Ion: 99 Resp: 573565
Ion Ratio Lower Upper
99 100
42 19.9 14.6 22.0
71 41.4 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.557 min Scan# 1287
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25

Tgt Ion: 136 Resp: 244721
Ion Ratio Lower Upper
136 100
137 11.5 9.0 13.6
54 10.4 8.2 12.4
68 7.1 5.8 8.8









#23
Nitrobenzene-d5
Concen: 92.313 ng
RT: 8.922 min Scan# 1009
Delta R.T. -0.006 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25




Instrument :
BNA_P
ClientSampleId :
P2-COMP


Tgt Ion: 82 Resp: 496796
Ion Ratio Lower Upper
82 100
128 35.2 29.6 44.4
54 54.4 42.7 64.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.416 min Scan# 1943
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25

Tgt Ion: 164 Resp: 143010
Ion Ratio Lower Upper
164 100
162 105.2 81.9 122.9
160 46.5 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 124.751 ng

RT: 15.916 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP008348.D

Acq: 10 Dec 2021 19:25

Instrument :

BNA_P

ClientSampleId :

P2-COMP





Tgt Ion:330 Resp: 228033

Ion Ratio Lower Upper

330 100

332 96.4 77.0 115.4

141 34.8 28.4 42.6



#45

2-Fluorobiphenyl

Concen: 89.913 ng

RT: 13.033 min Scan# 1708

Delta R.T. -0.000 min

Lab File: BP008348.D

Acq: 10 Dec 2021 19:25




Tgt Ion:172 Resp: 885245


Ion Ratio Lower Upper

172 100

171 35.8 28.0 42.0

170 23.3 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.180 min Scan# 2419
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25




Instrument :
BNA_P
ClientSampleId :
P2-COMP


Tgt Ion:188 Resp: 280050
Ion Ratio Lower Upper
188 100
94 8.3 7.2 10.8
80 10.1 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.286 min Scan# 3111
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25

Tgt Ion:240 Resp: 275083
Ion Ratio Lower Upper
240 100
120 9.3 7.3 10.9
236 24.5 21.4 32.2









#79
 Terphenyl-d14
 Concen: 95.616 ng
 RT: 19.751 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP008348.D
 Acq: 10 Dec 2021 19:25

Instrument :
 BNA_P
 ClientSampleId :
 P2-COMP

Tgt Ion:244 Resp: 1258534




Ion	Ratio	Lower	Upper
244	100		
212	7.7	6.0	9.0
122	7.9	6.6	9.8




#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.818 ng
 RT: 21.198 min Scan# 3096
 Delta R.T. -0.000 min
 Lab File: BP008348.D
 Acq: 10 Dec 2021 19:25

Tgt Ion:149 Resp: 57296

Ion	Ratio	Lower	Upper
149	100		
167	28.6	22.5	33.7
279	4.9	3.5	5.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.674 min Scan# 31
Delta R.T. -0.000 min
Lab File: BP008348.D
Acq: 10 Dec 2021 19:25

Instrument :
BNA_P
ClientSampleId :
P2-COMP

Tgt Ion:264 Resp: 294846

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.4	29.2
265	22.0	17.6	26.4

