

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121521\
 Data File : BP008410.D
 Acq On : 15 Dec 2021 11:12
 Operator : CG/JU
 Sample : PB141358BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB141358BL

Quant Time: Dec 15 13:02:28 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP121421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 14 17:59:47 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.746	152	61918	20.000	ng	0.00
21) Naphthalene-d8	10.540	136	221850	20.000	ng	0.00
39) Acenaphthene-d10	14.398	164	152133	20.000	ng	0.00
64) Phenanthrene-d10	17.163	188	341804	20.000	ng	0.00
76) Chrysene-d12	21.269	240	333025	20.000	ng	0.00
86) Perylene-d12	23.639	264	295074	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.346	112	570872	145.603	ng	0.00
7) Phenol-d6	6.946	99	696050	132.183	ng	0.00
23) Nitrobenzene-d5	8.910	82	456394	87.154	ng	0.00
42) 2,4,6-Tribromophenol	15.904	330	329329	147.304	ng	0.00
45) 2-Fluorobiphenyl	13.016	172	986059	82.393	ng	0.00
79) Terphenyl-d14	19.733	244	1804458	94.301	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121521\
Data File : BP008410.D
Acq On : 15 Dec 2021 11:12
Operator : CG/JU
Sample : PB141358BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB141358BL

Quant Time: Dec 15 13:02:28 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP121421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 14 17:59:47 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.746 min Scan# 809
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12




Instrument :
BNA_P
ClientSampleId :
PB141358BL


Tgt Ion:152 Resp: 61918
Ion Ratio Lower Upper
152 100
150 159.5 125.7 188.5
115 66.5 50.7 76.1



#5
2-Fluorophenol
Concen: 145.603 ng
RT: 5.346 min Scan# 401
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12

Tgt Ion:112 Resp: 570872
Ion Ratio Lower Upper
112 100
64 63.0 53.4 80.2
63 32.9 27.8 41.8









#7
Phenol-d6
Concen: 132.183 ng
RT: 6.946 min Scan# 61
Delta R.T. 0.006 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12




Instrument :
BNA_P
ClientSampleId :
PB141358BL


Tgt Ion: 99 Resp: 696050
Ion Ratio Lower Upper
99 100
42 18.1 14.6 22.0
71 41.2 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.540 min Scan# 1284
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12

Tgt Ion: 136 Resp: 221850
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.6
54 9.2 8.2 12.4
68 6.5 5.8 8.8





#23

Nitrobenzene-d5

Concen: 87.154 ng

RT: 8.910 min Scan# 1007

Delta R.T. -0.000 min

Lab File: BP008410.D

Acq: 15 Dec 2021 11:12

Instrument :

BNA_P

ClientSampleId :

PB141358BL





Tgt Ion: 82 Resp: 456394

Ion Ratio Lower Upper

82 100

128 38.6 29.6 44.4

54 50.7 42.7 64.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.398 min Scan# 1940

Delta R.T. 0.000 min

Lab File: BP008410.D

Acq: 15 Dec 2021 11:12




Tgt Ion:164 Resp: 152133


Ion Ratio Lower Upper

164 100

162 100.6 81.9 122.9

160 45.1 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 147.304 ng
RT: 15.904 min Scan# 2196
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12




Instrument :
BNA_P
ClientSampleId :
PB141358BL


Tgt Ion:330 Resp: 329329
Ion Ratio Lower Upper
330 100
332 98.0 77.0 115.4
141 29.4 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 82.393 ng
RT: 13.016 min Scan# 1705
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12

Tgt Ion:172 Resp: 986059
Ion Ratio Lower Upper
172 100
171 35.4 28.0 42.0
170 23.1 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.163 min Scan# 2410
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12




Instrument :
BNA_P
ClientSampleId :
PB141358BL


Tgt Ion:188 Resp: 341804
Ion Ratio Lower Upper
188 100
94 7.8 7.2 10.8
80 9.3 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.269 min Scan# 3108
Delta R.T. -0.000 min
Lab File: BP008410.D
Acq: 15 Dec 2021 11:12

Tgt Ion:240 Resp: 333025
Ion Ratio Lower Upper
240 100
120 7.5 7.3 10.9
236 25.0 21.4 32.2









#79
 Terphenyl-d14
 Concen: 94.301 ng
 RT: 19.733 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BP008410.D
 Acq: 15 Dec 2021 11:12

Instrument :
 BNA_P
 ClientSampleId :
 PB141358BL

Tgt Ion:244 Resp: 1804458
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.0 9.0
 122 7.8 6.6 9.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.639 min Scan# 3511
 Delta R.T. -0.000 min
 Lab File: BP008410.D
 Acq: 15 Dec 2021 11:12

Tgt Ion:264 Resp: 295074
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.4 29.2
 265 22.5 17.6 26.4

