

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121922\
 Data File : BP013132.D
 Acq On : 19 Dec 2022 18:21
 Operator : CG/JU
 Sample : N6006-10
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBXZ3

Quant Time: Dec 19 21:48:03 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120722.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Dec 19 21:43:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.958	152	549851	20.000	ng/u1	0.00
20) Naphthalene-d8	10.769	136	2204762	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.599	164	1256848	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.351	188	2354473	20.000	ng/u1	0.00
79) Chrysene-d12	21.439	240	1932637	20.000	ng/u1	0.00
88) Perylene-d12	23.922	264	2343338	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.340	96	77324	6.013	ng/uL	0.00
4) Pyridine-d5	3.776	84	229421	6.280	ng/u1	0.01
7) Phenol-d5	7.111	99	1411281	31.511	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.281	67	1028179	38.057	ng/u1	0.00
11) 2-Chlorophenol-d4	7.481	132	1217053	34.520	ng/u1	0.00
15) 4-Methylphenol-d8	8.664	113	1033670	28.168	ng/u1	0.00
21) Nitrobenzene-d5	9.122	128	616446	38.055	ng/u1	0.00
24) 2-Nitrophenol-d4	9.852	143	656220	35.983	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.387	165	1188747	33.559	ng/u1	0.00
31) 4-Chloroaniline-d4	10.910	131	891594	17.829	ng/u1	0.00
46) Dimethylphthalate-d6	14.004	166	3456071	35.779	ng/u1	0.00
49) Acenaphthylene-d8	14.293	160	4062179	38.271	ng/u1	0.00
54) 4-Nitrophenol-d4	14.787	143	226096	13.012	ng/u1	0.00
60) Fluorene-d10	15.593	176	2991841	36.611	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.710	200	339343	22.397	ng/u1	0.00
73) Anthracene-d10	17.451	188	4050553	38.133	ng/u1	0.00
81) Pyrene-d10	19.686	212	4573905	41.231	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.763	264	4441739	38.028	ng/u1	0.00
Target Compounds						
					Qvalue	
80) Fluoranthene	19.357	202	156117	1.240	ng/u1	97
82) Pyrene	19.710	202	139724	1.076	ng/u1	98
90) Benzo(b)fluoranthene	23.163	252	204628	1.369	ng/u1#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121922\
Data File : BP013132.D
Acq On : 19 Dec 2022 18:21
Operator : CG/JU
Sample : N6006-10
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DBXZ3

Quant Time: Dec 19 21:48:03 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120722.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Dec 19 21:43:11 2022
Response via : Initial Calibration

