

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012622\
 Data File : BP008925.D
 Acq On : 26 Jan 2022 12:27
 Operator : CG/JU
 Sample : PB142257BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB142257BL

Quant Time: Jan 27 05:20:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 26 01:52:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.840	152	333953	20.000	ng	0.00
21) Naphthalene-d8	10.640	136	1290225	20.000	ng	0.00
39) Acenaphthene-d10	14.475	164	790798	20.000	ng	0.00
64) Phenanthrene-d10	17.234	188	1551396	20.000	ng	0.00
76) Chrysene-d12	21.328	240	1170614	20.000	ng	0.00
86) Perylene-d12	23.739	264	1107995	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	2633896	121.966	ng	0.00
7) Phenol-d6	7.022	99	3113038	119.043	ng	0.00
23) Nitrobenzene-d5	8.999	82	1961889	86.329	ng	0.00
42) 2,4,6-Tribromophenol	15.975	330	1418977	123.273	ng	0.00
45) 2-Fluorobiphenyl	13.104	172	5009976	83.547	ng	0.00
79) Terphenyl-d14	19.798	244	6464698	93.216	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012622\
Data File : BP008925.D
Acq On : 26 Jan 2022 12:27
Operator : CG/JU
Sample : PB142257BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB142257BL

Quant Time: Jan 27 05:20:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 26 01:52:51 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.840 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27




Instrument :
BNA_P
ClientSampleId :
PB142257BL


Tgt Ion:152 Resp: 333953
Ion Ratio Lower Upper
152 100
150 153.4 127.0 190.6
115 54.0 43.7 65.5



#5
2-Fluorophenol
Concen: 121.966 ng
RT: 5.428 min Scan# 415
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27

Tgt Ion:112 Resp: 2633896
Ion Ratio Lower Upper
112 100
64 50.6 39.7 59.5
63 26.4 20.0 30.0









#7
Phenol-d6
Concen: 119.043 ng
RT: 7.022 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27




Instrument :
BNA_P
ClientSampleId :
PB142257BL


Tgt Ion: 99 Resp: 3113038
Ion Ratio Lower Upper
99 100
42 14.8 10.8 16.2
71 31.4 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.640 min Scan# 1301
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27

Tgt Ion: 136 Resp: 1290225
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 6.3 4.9 7.3
68 5.1 4.3 6.5









#23
Nitrobenzene-d5
Concen: 86.329 ng
RT: 8.999 min Scan# 10
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27




Instrument :
BNA_P
ClientSampleId :
PB142257BL


Tgt Ion: 82 Resp: 1961889
Ion Ratio Lower Upper
82 100
128 46.0 39.4 59.2
54 42.5 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.475 min Scan# 1953
Delta R.T. -0.006 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27

Tgt Ion: 164 Resp: 790798
Ion Ratio Lower Upper
164 100
162 99.2 79.9 119.9
160 45.5 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 123.273 ng
RT: 15.975 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27




Instrument :
BNA_P
ClientSampleId :
PB142257BL


Tgt Ion:330 Resp: 1418977
Ion Ratio Lower Upper
330 100
332 95.5 77.0 115.4
141 28.2 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 83.547 ng
RT: 13.104 min Scan# 1720
Delta R.T. 0.000 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27

Tgt Ion:172 Resp: 5009976
Ion Ratio Lower Upper
172 100
171 35.1 29.3 43.9
170 23.9 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.234 min Scan# 2422
Delta R.T. -0.006 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27




Instrument :
BNA_P
ClientSampleId :
PB142257BL


Tgt Ion:188 Resp: 1551396
Ion Ratio Lower Upper
188 100
94 7.9 6.8 10.2
80 7.9 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.328 min Scan# 3118
Delta R.T. -0.006 min
Lab File: BP008925.D
Acq: 26 Jan 2022 12:27

Tgt Ion:240 Resp: 1170614
Ion Ratio Lower Upper
240 100
120 8.6 7.7 11.5
236 26.3 21.2 31.8









#79
 Terphenyl-d14
 Concen: 93.216 ng
 RT: 19.798 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP008925.D
 Acq: 26 Jan 2022 12:27

Instrument :
 BNA_P
 ClientSampleId :
 PB142257BL

Tgt Ion:244 Resp: 6464698
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.5 9.7
 122 8.9 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.739 min Scan# 3528
 Delta R.T. -0.012 min
 Lab File: BP008925.D
 Acq: 26 Jan 2022 12:27

Tgt Ion:264 Resp: 1107995
 Ion Ratio Lower Upper
 264 100
 260 25.2 19.1 28.7
 265 22.5 17.1 25.7

