

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP030823\
 Data File : BP014019.D
 Acq On : 09 Mar 2023 20:06
 Operator : CG/JU
 Sample : 01713-14
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBZZ2

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 03/10/2023
 Supervised By : Jagrut Upadhyay 03/10/2023

Quant Time: Mar 10 00:21:55 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 09 01:10:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.081	152	3106	20.000	ng/ul	0.00
20) Naphthalene-d8	10.899	136	12185	20.000	ng/ul	#-0.01
38) Acenaphthene-d10	14.716	164	8697	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.469	188	19442	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.545	240	23925	20.000	ng/ul	#-0.01
88) Perylene-d12	24.080	264	23936m	20.000	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.434	96	8123	98.811	ng/uL	0.00
4) Pyridine-d5	3.864	84	212	0.931	ng/ul	0.00
7) Phenol-d5	7.228	99	148368	541.300	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.399	67	89840	562.013	ng/ul	0.00
11) 2-Chlorophenol-d4	7.605	132	112338	537.944	ng/ul	0.00
15) 4-Methylphenol-d8	8.787	113	105419	470.846	ng/ul	0.00
21) Nitrobenzene-d5	9.252	128	56044	576.444	ng/ul	0.00
24) 2-Nitrophenol-d4	9.981	143	66794	573.923	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.516	165	110625	505.177	ng/ul	0.00
31) 4-Chloroaniline-d4	11.040	131	121203	418.237	ng/ul	0.00
46) Dimethylphthalate-d6	14.116	166	433822	587.761	ng/ul	0.00
49) Acenaphthylene-d8	14.410	160	443464	567.171	ng/ul	0.00
54) 4-Nitrophenol-d4	14.910	143	59938	460.814	ng/ul	0.00
60) Fluorene-d10	15.704	176	370094	591.645	ng/ul	-0.01
65) 4,6-Dinitro-2-methylph...	15.822	200	68228	464.314	ng/ul	-0.01
73) Anthracene-d10	17.569	188	615996	652.665	ng/ul	0.00
81) Pyrene-d10	19.786	212	904335	685.341	ng/ul	-0.01
92) Benzo(a)pyrene-d12	23.916	264	771386	605.856	ng/ul	-0.01
Target Compounds						
					Qvalue	
6) Benzaldehyde	7.228	77	977	7.164	ng/ul#	58
8) Phenol	7.258	94	4817	17.041	ng/ul#	75
16) Acetophenone	8.916	105	18363	50.770	ng/ul	90
66) 4,6-Dinitro-2-methylph...	15.828	198	316	2.254	ng/ul#	1
72) Phenanthrene	17.510	178	1500	1.415	ng/ul#	71
78) Di-n-butylphthalate	18.398	149	7692	6.490	ng/ul#	98
80) Fluoranthene	19.463	202	5053	3.360	ng/ul#	92
82) Pyrene	19.816	202	6093	3.883	ng/ul#	78
85) Benzo(a)anthracene	21.528	228	3111	1.849	ng/ul#	90
86) Bis(2-ethylhexyl)phtha...	21.422	149	4762	5.035	ng/ul#	92
87) Chrysene	21.528	228	3115	1.942	ng/ul	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP030823\
Data File : BP014019.D
Acq On : 09 Mar 2023 20:06
Operator : CG/JU
Sample : 01713-14
Misc :
ALS Vial : 51 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
DBZZ2

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 03/10/2023
Supervised By :Jagrut Upadhyay 03/10/2023


Quant Time: Mar 10 00:21:55 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 09 01:10:12 2023
Response via : Initial Calibration





#6
Benzaldehyde
Concen: 7.164 ng/ul
RT: 7.228 min Scan# 687
Delta R.T. 0.012 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06




Instrument :
BNA_P
ClientSampleId :
DBZZ2



Tgt Ion: 77 Resp: 97
Ion Ratio Lower Upper
77 100
105 56.9 74.2 111.2
106 44.5 69.8 104.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/10/2023
Supervised By :Jagrut Upadhyay 03/10/2023



#8
Phenol
Concen: 17.041 ng/ul
RT: 7.258 min Scan# 692
Delta R.T. -0.006 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06


Tgt Ion: 94 Resp: 4817
Ion Ratio Lower Upper
94 100
65 33.1 25.2 37.8
66 73.4 37.2 55.8





#16
Acetophenone
Concen: 50.770 ng/ul
RT: 8.916 min Scan# 91
Delta R.T. 0.000 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06




Instrument :
BNA_P
ClientSampleId :
DBZZ2



Tgt Ion:105 Resp: 1836
Ion Ratio Lower Upper
105 100
77 70.3 65.4 98.2
51 26.1 21.8 32.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/10/2023
Supervised By :Jagrut Upadhyay 03/10/2023



#66
4,6-Dinitro-2-methylphenol
Concen: 2.254 ng/ul
RT: 15.828 min Scan# 2149
Delta R.T. -0.018 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06

Tgt Ion:198 Resp: 316
Ion Ratio Lower Upper
198 100
182 271.2 3.0 4.6#
77 765.4 20.3 30.5#





#72

Phenanthrene

Concen: 1.415 ng/ul

RT: 17.510 min Scan# 2436

Delta R.T. -0.012 min

Lab File: BP014019.D

Acq: 09 Mar 2023 20:06

Instrument :

BNA_P

ClientSampleId :

DBZZ2





Tgt Ion:	178	Resp:	1500
Ion Ratio	Lower	Upper	
178	100		
179	36.3	12.2	18.4
176	13.3	15.4	23.0

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/10/2023

Supervised By :Jagrut Upadhyay 03/10/2023



#78

Di-n-butylphthalate

Concen: 6.490 ng/ul




RT: 18.398 min Scan# 2586


Delta R.T. -0.006 min

Lab File: BP014019.D

Acq: 09 Mar 2023 20:06

Tgt Ion:	149	Resp:	7692
Ion Ratio	Lower	Upper	
149	100		
150	9.5	7.4	11.2
104	7.1	4.6	6.8









#80
Fluoranthene
Concen: 3.360 ng/u1
RT: 19.463 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06

Instrument :
BNA_P
ClientSampleId :
DBZZ2

Tgt Ion:202 Resp: 505
Ion Ratio Lower Upper
202 100
101 12.8 6.6 10.0#
100 6.9 5.0 7.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/10/2023
Supervised By :Jagrut Upadhyay 03/10/2023



#82
Pyrene
Concen: 3.883 ng/u1
RT: 19.816 min Scan# 2827
Delta R.T. -0.012 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06

Tgt Ion:202 Resp: 6093
Ion Ratio Lower Upper
202 100
101 19.0 7.8 11.8#
100 14.3 6.5 9.7#









#85
Benzo(a)anthracene
Concen: 1.849 ng/ul
RT: 21.528 min Scan# 3118
Delta R.T. -0.012 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06

Instrument :
BNA_P
ClientSampleId :
DBZZ2

Tgt Ion:228 Resp: 3118
Ion Ratio Lower Upper
228 100
229 19.1 15.5 23.3
226 35.9 22.1 33.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 03/10/2023
Supervised By :Jagrut Upadhyay 03/10/2023



#86
Bis(2-ethylhexyl)phthalate
Concen: 5.035 ng/ul
RT: 21.422 min Scan# 3100
Delta R.T. -0.012 min
Lab File: BP014019.D
Acq: 09 Mar 2023 20:06

Tgt Ion:149 Resp: 4762
Ion Ratio Lower Upper
149 100
167 23.5 22.3 33.5
279 7.9 4.3 6.5





#87

Chrysene

Concen: 1.942 ng/ul

RT: 21.528 min Scan# 3118

Delta R.T. -0.065 min

Lab File: BP014019.D


Acq: 09 Mar 2023 20:06

Instrument :

BNA_P

ClientSampleId :

DBZZ2



Tgt Ion:	228	Resp:	3118
Ion Ratio	Lower	Upper	
228	100		
226	35.9	24.2	36.2
229	19.1	15.7	23.5

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 03/10/2023

Supervised By :Jagrut Upadhyay 03/10/2023

