

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032423\
 Data File : BP014292.D
 Acq On : 24 Mar 2023 15:28
 Operator : CG/JU
 Sample : PB151650BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS650

Quant Time: Mar 24 22:36:18 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 24 22:30:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.028	152	156351	20.000	ng/u1	-0.01
20) Naphthalene-d8	10.851	136	718510	20.000	ng/u1	#-0.01
38) Acenaphthene-d10	14.675	164	506501	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.433	188	1165894	20.000	ng/u1	#-0.02
79) Chrysene-d12	21.521	240	1134634	20.000	ng/u1	#-0.01
88) Perylene-d12	24.039	264	1072534	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.399	96	24330	5.879	ng/uL	0.00
4) Pyridine-d5	3.828	84	352186	30.738	ng/u1	-0.01
7) Phenol-d5	7.193	99	515200	37.340	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.358	67	306682	38.112	ng/u1	0.00
11) 2-Chlorophenol-d4	7.558	132	367111	34.923	ng/u1	-0.01
15) 4-Methylphenol-d8	8.746	113	430886	38.232	ng/u1	-0.01
21) Nitrobenzene-d5	9.204	128	199891	34.867	ng/u1	-0.01
24) 2-Nitrophenol-d4	9.934	143	233715	34.056	ng/u1	-0.01
28) 2,4-Dichlorophenol-d3	10.475	165	440231	34.093	ng/u1	-0.01
31) 4-Chloroaniline-d4	10.993	131	502895	29.429	ng/u1	-0.02
46) Dimethylphthalate-d6	14.081	166	1390397	32.346	ng/u1	-0.01
49) Acenaphthylene-d8	14.375	160	1521827	33.420	ng/u1	0.00
54) 4-Nitrophenol-d4	14.887	143	256802	33.901	ng/u1	0.00
60) Fluorene-d10	15.669	176	1188550	32.625	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.798	200	263713	29.927	ng/u1	0.00
73) Anthracene-d10	17.539	188	1922493	33.967	ng/u1	0.00
81) Pyrene-d10	19.763	212	2326662	37.180	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.880	264	2063040	36.161	ng/u1	-0.01
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.434	88	51201	11.461	ng/uL	91
5) Pyridine	3.852	79	348737	30.014	ng/u1	95
6) Benzaldehyde	7.169	77	285720	41.618	ng/u1	100
8) Phenol	7.216	94	514345	36.148	ng/u1	99
10) Bis(2-Chloroethyl)ether	7.452	93	394667	36.204	ng/u1	98
12) 2-Chlorophenol	7.593	128	368489	34.792	ng/u1	92
13) 2-Methylphenol	8.481	108	387095	36.586	ng/u1	100
14) 2,2'-oxybis(1-Chloropr...	8.557	45	511539	43.452	ng/u1	98
16) Acetophenone	8.863	105	662201	36.371	ng/u1	98
17) N-Nitroso-di-n-propyla...	8.846	70	362807	38.951	ng/u1	97
18) 4-Methylphenol	8.810	108	435464	37.419	ng/u1	97
19) Hexachloroethane	9.116	117	159487	34.382	ng/u1	96
22) Nitrobenzene	9.252	77	533692	34.800	ng/u1	98
23) Isophorone	9.781	82	1023412	34.653	ng/u1	98
25) 2-Nitrophenol	9.963	139	235223	33.257	ng/u1	95
26) 2,4-Dimethylphenol	10.022	107	512423	33.099	ng/u1	100
27) Bis(2-Chloroethoxy)met...	10.257	93	596001	34.889	ng/u1	99
29) 2,4-Dichlorophenol	10.499	162	414998	32.581	ng/u1	97
30) Naphthalene	10.904	128	1294417	32.807	ng/u1	99
32) 4-Chloroaniline	11.022	127	495370	28.808	ng/u1	99
33) Hexachlorobutadiene	11.181	225	289613	28.573	ng/u1	96
34) Caprolactam	11.816	113	77477	18.733	ng/u1	92
35) 4-Chloro-3-methylphenol	12.140	107	513696	34.877	ng/u1	97
36) 2-Methylnaphthalene	12.504	142	894518	32.323	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032423\
 Data File : BP014292.D
 Acq On : 24 Mar 2023 15:28
 Operator : CG/JU
 Sample : PB151650BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS650

Quant Time: Mar 24 22:36:18 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 24 22:30:41 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.728	142	927340	33.339	ng/ul	98
39) 1,2,4,5-Tetrachloroben...	12.869	216	547891	29.913	ng/ul	97
40) Hexachlorocyclopentadiene	12.845	237	314945	24.013	ng/ul	97
41) 2,4,6-Trichlorophenol	13.116	196	373016	32.420	ng/ul	98
42) 2,4,5-Trichlorophenol	13.187	196	413138	32.718	ng/ul	98
43) 1,1'-Biphenyl	13.510	154	1261493	32.350	ng/ul	99
44) 2-Chloronaphthalene	13.557	162	1008583	32.566	ng/ul	97
45) 2-Nitroaniline	13.769	65	350813	38.299	ng/ul	94
47) Dimethylphthalate	14.134	163	1360572	31.977	ng/ul	98
48) 2,6-Dinitrotoluene	14.257	165	287159	34.137	ng/ul	100
50) Acenaphthylene	14.404	152	1581212	33.088	ng/ul	99
51) 3-Nitroaniline	14.592	138	250546	33.639	ng/ul	94
52) Acenaphthene	14.739	153	1092128	32.691	ng/ul	99
53) 2,4-Dinitrophenol	14.798	184	162280	25.833	ng/ul	94
55) 4-Nitrophenol	14.904	109	240616	29.406	ng/ul	89
56) Dibenzofuran	15.075	168	1558519	32.067	ng/ul	99
57) 2,4-Dinitrotoluene	15.045	165	426068	33.901	ng/ul	93
58) 2,3,4,6-Tetrachlorophenol	15.304	232	378660	31.345	ng/ul	99
59) Diethylphthalate	15.492	149	1410165	32.677	ng/ul	99
61) Fluorene	15.728	166	1296756	32.188	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.716	204	680182	30.589	ng/ul	100
63) 4-Nitroaniline	15.763	138	264043	34.489	ng/ul	93
66) 4,6-Dinitro-2-methylph...	15.810	198	252078	29.985	ng/ul#	91
67) N-Nitrosodiphenylamine	15.934	169	1126801	34.220	ng/ul	100
68) 4-Bromophenyl-phenylether	16.616	248	447597	31.757	ng/ul	99
69) Hexachlorobenzene	16.733	284	519927	31.304	ng/ul	97
70) Atrazine	16.892	200	467116	32.890	ng/ul	98
71) Pentachlorophenol	17.086	266	322267	29.684	ng/ul	98
72) Phenanthrene	17.480	178	2129886	33.494	ng/ul	99
74) Anthracene	17.575	178	2168459	33.631	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.475	216	561199	31.364	ng/ul	99
76) Pentachlorobenzene	14.992	250	590610	31.776	ng/ul	100
77) Carbazole	17.839	167	1959738	34.458	ng/ul	99
78) Di-n-butylphthalate	18.369	149	2504902	35.242	ng/ul	100
80) Fluoranthene	19.439	202	2639408	37.004	ng/ul#	95
82) Pyrene	19.792	202	2739450	36.817	ng/ul	96
83) Butylbenzylphthalate	20.645	149	1194079	39.799	ng/ul	98
84) 3,3'-Dichlorobenzidine	21.433	252	833642	28.701	ng/ul	99
85) Benzo(a)anthracene	21.504	228	2719928	34.082	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.398	149	1729950	38.567	ng/ul	99
87) Chrysene	21.563	228	2585365	33.992	ng/ul	99
89) Di-n-octyl phthalate	22.363	149	2960775	43.749	ng/ul	100
90) Benzo(b)fluoranthene	23.316	252	2493964	34.896	ng/ul	99
91) Benzo(k)fluoranthene	23.316	252	2493964	36.596	ng/ul	99
93) Benzo(a)pyrene	23.927	252	2162277	34.784	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	26.692	276	2427960	29.505	ng/ul	98
95) Dibenzo(a,h)anthracene	26.704	278	2042326	29.861	ng/ul	98
96) Benzo(g,h,i)perylene	27.503	276	1900430	28.893	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP032423\
 Data File : BP014292.D
 Acq On : 24 Mar 2023 15:28
 Operator : CG/JU
 Sample : PB151650BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS650

Quant Time: Mar 24 22:36:18 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP030723.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 24 22:30:41 2023
 Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 11.461 ng/uL
RT: 3.434 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion: 88	Resp: 51201
Ion Ratio	Lower Upper
88	100
43	28.9 23.9 35.9
58	72.8 50.2 75.2



#5
Pyridine
Concen: 30.014 ng/uL
RT: 3.852 min Scan# 113
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion: 79	Resp: 348737
Ion Ratio	Lower Upper
79	100
52	73.5 55.1 82.7
51	34.5 28.9 43.3









#6
Benzaldehyde
Concen: 41.618 ng/ul
RT: 7.169 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion: 77 Resp: 285720
Ion Ratio Lower Upper
77 100
105 92.4 74.2 111.2
106 87.8 69.8 104.8



#8
Phenol
Concen: 36.148 ng/ul
RT: 7.216 min Scan# 685
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion: 94 Resp: 514345
Ion Ratio Lower Upper
94 100
65 31.3 25.2 37.8
66 45.8 37.2 55.8









#10
Bis(2-Chloroethyl)ether
Concen: 36.204 ng/ul
RT: 7.452 min Scan# 71
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion: 93 Resp: 394667
Ion Ratio Lower Upper
93 100
63 76.0 58.8 88.2
95 32.7 25.8 38.6



#12
2-Chlorophenol
Concen: 34.792 ng/ul
RT: 7.593 min Scan# 749
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:128 Resp: 368489
Ion Ratio Lower Upper
128 100
64 55.8 38.3 57.5
130 33.3 25.7 38.5





#13

2-Methylphenol

Concen: 36.586 ng/ul

RT: 8.481 min Scan# 900

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :





SLCS650

Tgt Ion:108 Resp: 387095

Ion Ratio Lower Upper

108 100

107 88.5 70.5 105.7



#14

2,2'-oxybis(1-Chloropropane)

Concen: 43.452 ng/ul

RT: 8.557 min Scan# 913

Delta R.T. -0.018 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion: 45 Resp: 511539


Ion Ratio Lower Upper

45 100

77 16.6 14.2 21.2

79 12.5 10.6 15.8









#16
Acetophenone
Concen: 36.371 ng/ul
RT: 8.863 min Scan# 965
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:105 Resp: 662201
Ion Ratio Lower Upper
105 100
77 83.8 65.4 98.2
51 28.2 21.8 32.8



#17
N-Nitroso-di-n-propylamine
Concen: 38.951 ng/ul
RT: 8.846 min Scan# 962
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion: 70 Resp: 362807
Ion Ratio Lower Upper
70 100
42 53.1 40.9 61.3
101 10.2 7.9 11.9
130 18.3 16.6 25.0









#18
4-Methylphenol
Concen: 37.419 ng/ul
RT: 8.810 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:108 Resp: 435464
Ion Ratio Lower Upper
108 100
107 115.8 89.8 134.6



#19
Hexachloroethane
Concen: 34.382 ng/ul
RT: 9.116 min Scan# 1008
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:117 Resp: 159487
Ion Ratio Lower Upper
117 100
201 113.3 91.7 137.5
199 66.9 59.1 88.7









#22
Nitrobenzene
Concen: 34.800 ng/ul
RT: 9.252 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion: 77 Resp: 533692
Ion Ratio Lower Upper
77 100
123 38.9 32.6 48.8
65 13.7 11.2 16.8



#23
Isophorone
Concen: 34.653 ng/ul
RT: 9.781 min Scan# 1121
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion: 82 Resp: 1023412
Ion Ratio Lower Upper
82 100
95 8.0 7.1 10.7
138 15.8 13.3 19.9









#25
2-Nitrophenol
Concen: 33.257 ng/ul
RT: 9.963 min Scan# 1153
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:139 Resp: 235223
Ion Ratio Lower Upper
139 100
65 61.9 46.6 70.0
109 40.0 34.5 51.7



#26
2,4-Dimethylphenol
Concen: 33.099 ng/ul
RT: 10.022 min Scan# 1162
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:107 Resp: 512423
Ion Ratio Lower Upper
107 100
121 45.8 37.1 55.7
122 76.3 61.2 91.8









#27
Bis(2-Chloroethoxy)methane
Concen: 34.889 ng/ul
RT: 10.257 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion: 93 Resp: 596001
Ion Ratio Lower Upper
93 100
95 31.5 25.6 38.4
123 10.0 8.5 12.7



#29
2,4-Dichlorophenol
Concen: 32.581 ng/ul
RT: 10.499 min Scan# 1243
Delta R.T. -0.018 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:162 Resp: 414998
Ion Ratio Lower Upper
162 100
164 65.6 52.0 78.0
98 40.9 29.1 43.7









#30
Naphthalene
Concen: 32.807 ng/ul
RT: 10.904 min Scan# 1313
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:128 Resp: 1294417
Ion Ratio Lower Upper
128 100
129 10.8 8.5 12.7
127 12.8 11.0 16.4



#32
4-Chloroaniline
Concen: 28.808 ng/ul
RT: 11.022 min Scan# 1332
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:127 Resp: 495370
Ion Ratio Lower Upper
127 100
129 31.5 24.9 37.3





#33

Hexachlorobutadiene

Concen: 28.573 ng/ul

RT: 11.181 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:225 Resp: 289613

Ion Ratio Lower Upper

225 100

223 64.0 48.0 72.0

227 64.9 50.3 75.5



#34

Caprolactam

Concen: 18.733 ng/ul

RT: 11.816 min Scan# 1467

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:113 Resp: 77477


Ion Ratio Lower Upper

113 100

55 169.7 124.0 186.0

56 131.5 102.0 153.0









#35
4-Chloro-3-methylphenol
Concen: 34.877 ng/ul
RT: 12.140 min Scan# 1522
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:107 Resp: 513696
Ion Ratio Lower Upper
107 100
144 23.0 19.4 29.0
142 71.6 59.6 89.4



#36
2-Methylnaphthalene
Concen: 32.323 ng/ul
RT: 12.504 min Scan# 1584
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:142 Resp: 894518
Ion Ratio Lower Upper
142 100
141 90.9 71.7 107.5









#37
1-Methylnaphthalene
Concen: 33.339 ng/ul
RT: 12.728 min Scan# 1622
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:142 Resp: 927340
Ion Ratio Lower Upper
142 100
141 93.7 73.8 110.6
116 4.1 3.7 5.5



#39
1,2,4,5-Tetrachlorobenzene
Concen: 29.913 ng/ul
RT: 12.869 min Scan# 1646
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:216 Resp: 547891
Ion Ratio Lower Upper
216 100
214 80.0 61.7 92.5
179 21.3 16.2 24.4
108 17.6 13.2 19.8





#40

Hexachlorocyclopentadiene

Concen: 24.013 ng/ul

RT: 12.845 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:237 Resp: 314945

Ion Ratio Lower Upper

237 100

235 63.8 49.0 73.6

272 13.3 9.6 14.4



#41

2,4,6-Trichlorophenol

Concen: 32.420 ng/ul

RT: 13.116 min Scan# 1688

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:196 Resp: 373016


Ion Ratio Lower Upper

196 100

198 95.9 78.5 117.7

200 30.6 25.4 38.0









#42
2,4,5-Trichlorophenol
Concen: 32.718 ng/ul
RT: 13.187 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:196 Resp: 413138
Ion Ratio Lower Upper
196 100
198 94.2 77.6 116.4
200 31.4 25.3 37.9



#43
1,1'-Biphenyl
Concen: 32.350 ng/ul
RT: 13.510 min Scan# 1755
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:154 Resp: 1261493
Ion Ratio Lower Upper
154 100
153 40.8 32.6 49.0
76 13.6 9.4 14.0





#44

2-Chloronaphthalene

Concen: 32.566 ng/ul

RT: 13.557 min Scan# 1763

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:162 Resp: 1008583

Ion Ratio Lower Upper

162 100

164 33.1 26.0 39.0

127 42.0 31.3 46.9



#45

2-Nitroaniline

Concen: 38.299 ng/ul

RT: 13.769 min Scan# 1799

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion: 65 Resp: 350813


Ion Ratio Lower Upper

65 100

92 67.0 56.3 84.5

138 93.6 81.4 122.2









#47
Dimethylphthalate
Concen: 31.977 ng/ul
RT: 14.134 min Scan# 1861
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:163 Resp: 1360572
Ion Ratio Lower Upper
163 100
194 4.2 3.6 5.4
164 9.6 8.2 12.4



#48
2,6-Dinitrotoluene
Concen: 34.137 ng/ul
RT: 14.257 min Scan# 1882
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:165 Resp: 287159
Ion Ratio Lower Upper
165 100
89 65.0 51.7 77.5
121 21.9 17.5 26.3





#50

Acenaphthylene

Concen: 33.088 ng/ul

RT: 14.404 min Scan# 1907

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:152 Resp: 1581212

Ion Ratio Lower Upper

152 100

151 20.0 16.2 24.2

153 12.8 10.4 15.6



#51

3-Nitroaniline

Concen: 33.639 ng/ul

RT: 14.592 min Scan# 1939

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:138 Resp: 250546


Ion Ratio Lower Upper

138 100

108 13.4 10.5 15.7

92 130.9 98.5 147.7





#52

Acenaphthene

Concen: 32.691 ng/ul

RT: 14.739 min Scan# 1964

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:153 Resp: 1092128

Ion Ratio Lower Upper

153 100

152 47.2 37.7 56.5

154 89.2 70.4 105.6



#53

2,4-Dinitrophenol

Concen: 25.833 ng/ul

RT: 14.798 min Scan# 1974

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:184 Resp: 162280


Ion Ratio Lower Upper

184 100

63 73.5 51.9 77.9

154 72.3 58.8 88.2









#55
4-Nitrophenol
Concen: 29.406 ng/ul
RT: 14.904 min Scan# 1992
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:109 Resp: 240616
Ion Ratio Lower Upper
109 100
139 104.7 74.5 111.7
65 119.0 86.6 130.0



#56
Dibenzofuran
Concen: 32.067 ng/ul
RT: 15.075 min Scan# 2021
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:168 Resp: 1558519
Ion Ratio Lower Upper
168 100
139 40.4 31.8 47.6





#57

2,4-Dinitrotoluene

Concen: 33.901 ng/ul

RT: 15.045 min Scan# 2017

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:165 Resp: 426068

Ion Ratio Lower Upper

165 100

63 48.0 34.6 52.0

182 2.6 2.2 3.2



#58

2,3,4,6-Tetrachlorophenol

Concen: 31.345 ng/ul

RT: 15.304 min Scan# 2060

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Tgt Ion:232 Resp: 378660




Ion Ratio Lower Upper


232 100

131 43.1 34.1 51.1

130 2.2 2.1 3.1

166 30.0 23.0 34.6





#59

Diethylphthalate

Concen: 32.677 ng/ul

RT: 15.492 min Scan# 2092

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:149 Resp: 1410165

Ion Ratio Lower Upper

149 100

177 22.2 18.2 27.2

150 12.4 10.0 15.0



#61

Fluorene

Concen: 32.188 ng/ul

RT: 15.728 min Scan# 2132

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:166 Resp: 1296756


Ion Ratio Lower Upper

166 100

165 99.2 78.9 118.3

167 13.7 11.0 16.6









#62
4-Chlorophenyl-phenylether
Concen: 30.589 ng/ul
RT: 15.716 min Scan# 2130
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:204 Resp: 680182
Ion Ratio Lower Upper
204 100
206 33.2 26.6 39.8
141 62.0 49.2 73.8



#63
4-Nitroaniline
Concen: 34.489 ng/ul
RT: 15.763 min Scan# 2138
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:138 Resp: 264043
Ion Ratio Lower Upper
138 100
92 61.1 44.5 66.7
108 101.5 87.2 130.8









#66
4,6-Dinitro-2-methylphenol
Concen: 29.985 ng/ul
RT: 15.810 min Scan# 2146
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:198 Resp: 252078
Ion Ratio Lower Upper
198 100
182 4.7 3.0 4.6#
77 30.6 20.3 30.5#



#67
N-Nitrosodiphenylamine
Concen: 34.220 ng/ul
RT: 15.934 min Scan# 2167
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:169 Resp: 1126801
Ion Ratio Lower Upper
169 100
168 67.1 53.7 80.5
167 36.5 28.6 43.0









#68
4-Bromophenyl-phenylether
Concen: 31.757 ng/ul
RT: 16.616 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:248 Resp: 447597
Ion Ratio Lower Upper
248 100
250 99.8 78.8 118.2
141 75.5 60.8 91.2



#69
Hexachlorobenzene
Concen: 31.304 ng/ul
RT: 16.733 min Scan# 2303
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:284 Resp: 519927
Ion Ratio Lower Upper
284 100
142 32.5 23.2 34.8
249 31.9 25.7 38.5





#70

Atrazine

Concen: 32.890 ng/ul

RT: 16.892 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:200 Resp: 467116

Ion Ratio Lower Upper

200 100

173 25.4 19.0 28.4

215 47.2 38.5 57.7



#71

Pentachlorophenol

Concen: 29.684 ng/ul

RT: 17.086 min Scan# 2363

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:266 Resp: 322267


Ion Ratio Lower Upper

266 100

264 62.3 48.4 72.6

268 63.5 50.4 75.6





#72

Phenanthrene

Concen: 33.494 ng/ul

RT: 17.480 min Scan# 2430

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:178 Resp: 2129886

Ion Ratio Lower Upper

178 100

179 15.6 12.2 18.4

176 19.4 15.4 23.0



#74

Anthracene

Concen: 33.631 ng/ul

RT: 17.575 min Scan# 2446

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:178 Resp: 2168459


Ion Ratio Lower Upper

178 100

179 15.3 12.5 18.7

176 18.3 15.1 22.7





#75

1,2,3,4-Tetrachlorobenzene

Concen: 31.364 ng/uL

RT: 13.475 min Scan# 1

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:216 Resp: 561199

Ion Ratio Lower Upper

216 100

214 78.2 61.4 92.2

218 48.4 39.1 58.7



#76

Pentachlorobenzene

Concen: 31.776 ng/uL

RT: 14.992 min Scan# 2007

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:250 Resp: 590610


Ion Ratio Lower Upper

250 100

248 63.6 51.0 76.4

252 63.8 50.8 76.2









#77
 Carbazole
 Concen: 34.458 ng/ul
 RT: 17.839 min Scan# 2491
 Delta R.T. -0.012 min
 Lab File: BP014292.D
 Acq: 24 Mar 2023 15:28




Instrument :
 BNA_P
 ClientSampleId :
 SLCS650


Tgt Ion:167 Resp: 1959738
 Ion Ratio Lower Upper
 167 100
 166 22.2 17.5 26.3
 139 13.6 10.5 15.7



#78
 Di-n-butylphthalate
 Concen: 35.242 ng/ul
 RT: 18.369 min Scan# 2581
 Delta R.T. -0.012 min
 Lab File: BP014292.D
 Acq: 24 Mar 2023 15:28

Tgt Ion:149 Resp: 2504902
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 5.9 4.6 6.8









#80
Fluoranthene
Concen: 37.004 ng/ul
RT: 19.439 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:202 Resp: 2639408
Ion Ratio Lower Upper
202 100
101 10.0 6.6 10.0#
100 7.8 5.0 7.4#



#82
Pyrene
Concen: 36.817 ng/ul
RT: 19.792 min Scan# 2823
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:202 Resp: 2739450
Ion Ratio Lower Upper
202 100
101 11.4 7.8 11.8
100 9.7 6.5 9.7





#83

Butylbenzylphthalate

Concen: 39.799 ng/ul

RT: 20.645 min Scan# 2968

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:149 Resp: 1194079

Ion Ratio Lower Upper

149 100

91 74.5 57.9 86.9

206 21.7 17.9 26.9



#84

3,3'-Dichlorobenzidine

Concen: 28.701 ng/ul

RT: 21.433 min Scan# 3102

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:252 Resp: 833642


Ion Ratio Lower Upper

252 100

254 64.7 51.3 76.9

126 9.2 6.9 10.3









#85
Benzo(a)anthracene
Concen: 34.082 ng/ul
RT: 21.504 min Scan# 3114
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28




Instrument :
BNA_P
ClientSampleId :
SLCS650


Tgt Ion:228 Resp: 2719928
Ion Ratio Lower Upper
228 100
229 19.9 15.5 23.3
226 27.3 22.1 33.1



#86
Bis(2-ethylhexyl)phthalate
Concen: 38.567 ng/ul
RT: 21.398 min Scan# 3096
Delta R.T. -0.012 min
Lab File: BP014292.D
Acq: 24 Mar 2023 15:28

Tgt Ion:149 Resp: 1729950
Ion Ratio Lower Upper
149 100
167 27.6 22.3 33.5
279 4.8 4.3 6.5





#87

Chrysene

Concen: 33.992 ng/ul

RT: 21.563 min Scan# 3123

Delta R.T. -0.006 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:228 Resp: 2585365

Ion Ratio Lower Upper

228 100

226 29.5 24.2 36.2

229 19.4 15.7 23.5



#89

Di-n-octyl phthalate

Concen: 43.749 ng/ul




RT: 22.363 min Scan# 3260


Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Tgt Ion:149 Resp: 2960775





#90

Benzo(b)fluoranthene

Concen: 34.896 ng/ul

RT: 23.316 min Scan# 3413

Delta R.T. 0.035 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:252 Resp: 2493964

Ion Ratio Lower Upper

252 100

253 21.7 17.3 25.9

125 7.7 5.4 8.2



#91

Benzo(k)fluoranthene

Concen: 36.596 ng/ul

RT: 23.316 min Scan# 3422

Delta R.T. -0.012 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:252 Resp: 2493964


Ion Ratio Lower Upper

252 100

253 21.7 17.4 26.0

125 7.7 5.5 8.3





#93

Benzo(a)pyrene

Concen: 34.784 ng/ul

RT: 23.927 min Scan# 3

Delta R.T. -0.018 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:252 Resp: 2162277

Ion Ratio Lower Upper

252 100

253 21.8 17.4 26.2

125 8.9 6.2 9.2



#94

Indeno(1,2,3-cd)pyrene

Concen: 29.505 ng/ul

RT: 26.692 min Scan# 3996

Delta R.T. -0.018 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28




Tgt Ion:276 Resp: 2427960


Ion Ratio Lower Upper

276 100

138 18.8 13.1 19.7

277 25.2 20.2 30.2





#95

Dibenzo(a,h)anthracene

Concen: 29.861 ng/ul

RT: 26.704 min Scan# 3998

Delta R.T. -0.024 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Instrument :

BNA_P

ClientSampleId :

SLCS650





Tgt Ion:278 Resp: 2042326

Ion Ratio Lower Upper

278 100

139 12.9 8.7 13.1

279 24.2 19.0 28.4



#96

Benzo(g,h,i)perylene

Concen: 28.893 ng/ul

RT: 27.503 min Scan# 4134

Delta R.T. -0.024 min

Lab File: BP014292.D

Acq: 24 Mar 2023 15:28

Tgt Ion:276 Resp: 1900430

Ion Ratio Lower Upper

276 100

138 17.1 11.9 17.9

277 24.1 18.7 28.1

