

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040821\
 Data File : BP005243.D
 Acq On : 08 Apr 2021 19:15
 Operator : CG/JU
 Sample : M1972-02
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ETGI-371

Manual Integrations
 APPROVED

mohammad
 4/9/2021 11:18:57 AM

Quant Time: Apr 09 00:45:09 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 06 12:33:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.687	152	26315	20.00	ng	# 0.00
21) Naphthalene-d8	10.475	136	96391	20.00	ng	#-0.01
39) Acenaphthene-d10	14.345	164	62102	20.00	ng	0.00
64) Phenanthrene-d10	17.110	188	136259	20.00	ng	# 0.00
76) Chrysene-d12	21.209	240	172108	20.00	ng	0.00
86) Perylene-d12	23.492	264	186402	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.293	112	231253	135.24	ng	0.00
7) Phenol-d6	6.875	99	276545	112.91	ng	0.00
23) Nitrobenzene-d5	8.851	82	179250	79.79	ng	0.00
42) 2,4,6-Tribromophenol	15.851	330	113665	140.48	ng	0.00
45) 2-Fluorobiphenyl	12.963	172	331428	72.19	ng	0.00
79) Terphenyl-d14	19.686	244	609883	64.51	ng	0.00
Target Compounds						Qvalue
10) Phenol	6.898	94	6536	2.60	ng	# 66
49) Acenaphthylene	14.069	152	13670	2.28	ng	98
50) Dimethylphthalate	13.810	163	10258	2.14	ng	# 98
71) Phenanthrene	17.151	178	25752	3.26	ng	98
75) Fluoranthene	19.133	202	137631	14.81	ng	99
78) Pyrene	19.486	202	137123	11.59	ng	98
81) Benzo(a)anthracene	21.198	228	100185	8.57	ng	97
83) Chrysene	21.245	228	104385m	9.10	ng	
84) Bis(2-ethylhexyl)phtha...	21.121	149	43581	6.77	ng	# 98
87) Indeno(1,2,3-cd)pyrene	25.815	276	78403	5.61	ng	# 92
88) Benzo(b)fluoranthene	22.803	252	165022	12.47	ng	99
89) Benzo(k)fluoranthene	22.839	252	54544m	4.30	ng	
90) Benzo(a)pyrene	23.386	252	110557	9.31	ng	96
92) Benzo(g,h,i)perylene	26.533	276	72870	6.25	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP040821\
Data File : BP005243.D
Acq On : 08 Apr 2021 19:15
Operator : CG/JU
Sample : M1972-02
Misc :
ALS Vial : 12 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
ETGI-371

Manual Integrations
APPROVED

mohammad
4/9/2021 11:18:57 AM

Quant Time: Apr 09 00:45:09 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 06 12:33:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.687 min Scan# 782
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion	Ratio	Lower	Upper
152	100		
150	163.3	123.8	185.6
115	68.3	43.8	65.6

Instrument :
BNA_P
ClientSampleId :
ETGI-371




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#5
2-Fluorophenol
Concen: 135.24 ng
RT: 5.293 min Scan# 375
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15


Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.1	32.8	49.2
63	28.9	17.0	25.4





#7
Phenol-d6
Concen: 112.91 ng
RT: 6.875 min Scan# 644
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampleId :
ETGI-371




Tgt Ion: 99 Resp: 276545
Ion Ratio Lower Upper
99 100
42 12.9 8.6 13.0
71 37.9 23.4 35.2#

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#10
Phenol
Concen: 2.60 ng
RT: 6.898 min Scan# 648
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15



Tgt Ion: 94 Resp: 6536
Ion Ratio Lower Upper
94 100
65 36.4 2.3 42.3
66 51.1 10.9 50.9#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.475 min Scan# 1256
Delta R.T. -0.012 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion:	136	Resp:	96391
Ion Ratio	Lower	Upper	
136	100		
137	10.8	8.6	13.0
54	6.5	3.6	5.4#
68	6.9	3.3	4.9#

Instrument :
BNA_P
ClientSampleId :
ETGI-371




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#23
Nitrobenzene-d5
Concen: 79.79 ng
RT: 8.851 min Scan# 980
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15


Tgt Ion:	82	Resp:	179250
Ion Ratio	Lower	Upper	
82	100		
128	36.7	45.6	68.4#
54	36.0	30.1	45.1





#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.345 min Scan# 1914
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampled :
ETGI-371




Tgt Ion:164 Resp: 62102
Ion Ratio Lower Upper
164 100
162 98.4 79.4 119.2
160 41.8 36.1 54.1

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#42
2,4,6-Tribromophenol
Concen: 140.48 ng
RT: 15.851 min Scan# 2170
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15



Tgt Ion:330 Resp: 113665
Ion Ratio Lower Upper
330 100
332 96.5 77.1 115.7
141 29.8 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 72.19 ng
RT: 12.963 min Scan# 1679
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion:	172	Resp:	331428
Ion Ratio	Lower	Upper	
172	100		
171	34.5	28.5	42.7
170	22.5	19.2	28.8

Instrument :
BNA_P
ClientSampleId :
ETGI-371




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#49
Acenaphthylene
Concen: 2.28 ng
RT: 14.069 min Scan# 1867
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15


Tgt Ion:	152	Resp:	13670
Ion Ratio	Lower	Upper	
152	100		
151	20.6	15.9	23.9
153	13.8	10.5	15.7





#50
Dimethylphthalate
Concen: 2.14 ng
RT: 13.810 min Scan# 1823
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampleId :
ETGI-371




Tgt Ion:163 Resp: 10258
Ion Ratio Lower Upper
163 100
194 6.7 3.3 4.9#
164 10.2 8.2 12.2

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.110 min Scan# 2384
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15



Tgt Ion:188 Resp: 136259
Ion Ratio Lower Upper
188 100
94 9.1 6.2 9.2
80 10.4 6.2 9.2#









#71
Phenanthrene
Concen: 3.26 ng
RT: 17.151 min Scan# 2391
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion	Ratio	Lower	Upper
178	100		
176	19.6	15.3	22.9
179	16.6	12.5	18.7

Instrument :
BNA_P
ClientSampled :
ETGI-371




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#75
Fluoranthene
Concen: 14.81 ng
RT: 19.133 min Scan# 2728
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion	Ratio	Lower	Upper
202	100		
101	10.1	0.0	29.4
203	17.8	0.0	37.8









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.209 min Scan# 3081
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Instrument :
BNA_P
ClientSampleId :
ETGI-371

Tgt Ion:240 Resp: 172108
Ion Ratio Lower Upper
240 100
120 9.1 7.8 11.6
236 24.6 20.8 31.2




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#78
Pyrene
Concen: 11.59 ng
RT: 19.486 min Scan# 2788
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15


Tgt Ion:202 Resp: 137123
Ion Ratio Lower Upper
202 100
200 20.0 17.1 25.7
203 18.0 14.2 21.2





#79
Terphenyl-d14
Concen: 64.51 ng
RT: 19.686 min Scan# 2822
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampleId :
ETGI-371




Tgt Ion:244 Resp: 609883
Ion Ratio Lower Upper
244 100
212 7.0 5.8 8.6
122 8.7 7.8 11.8

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#81
Benzo(a)anthracene
Concen: 8.57 ng
RT: 21.198 min Scan# 3079
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15



Tgt Ion:228 Resp: 100185
Ion Ratio Lower Upper
228 100
226 29.2 22.1 33.1
229 21.7 15.9 23.9









#83
Chrysene
Concen: 9.10 ng m
RT: 21.245 min Scan# 3087
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15

Tgt Ion: 228 Resp: 104385
Ion Ratio Lower Upper
228 100
226 29.7 24.4 36.6
229 21.7 15.8 23.6

Instrument :
BNA_P
ClientSampled :
ETGI-371




Manual Integrations
APPROVED


mohammad
4/9/2021 11:18:57 AM



#84
Bis(2-ethylhexyl)phthalate
Concen: 6.77 ng
RT: 21.121 min Scan# 3066
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15


Tgt Ion: 149 Resp: 43581
Ion Ratio Lower Upper
149 100
167 29.0 22.6 34.0
279 7.0 4.2 6.2#





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.492 min Scan# 3469
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampled :
ETGI-371




Tgt Ion:264 Resp: 186402
Ion Ratio Lower Upper
264 100
260 21.4 18.8 28.2
265 23.4 17.4 26.2

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#87
Indeno(1,2,3-cd)pyrene
Concen: 5.61 ng
RT: 25.815 min Scan# 3864
Delta R.T. -0.024 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Tgt Ion:276 Resp: 78403
Ion Ratio Lower Upper
276 100
138 15.4 18.7 28.1#
277 25.3 20.4 30.6





#88
Benzo(b)fluoranthene
Concen: 12.47 ng
RT: 22.803 min Scan# 3352
Delta R.T. -0.000 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampleId :
ETGI-371




Tgt Ion:252 Resp: 165022
Ion Ratio Lower Upper
252 100
253 22.4 17.6 26.4
125 9.0 7.3 10.9

Manual Integrations
APPROVED



mohammad
4/9/2021 11:18:57 AM




#89
Benzo(k)fluoranthene
Concen: 4.30 ng m
RT: 22.839 min Scan# 3358
Delta R.T. -0.012 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Tgt Ion:252 Resp: 54544
Ion Ratio Lower Upper
252 100
253 22.5 17.8 26.8
125 10.2 7.4 11.2





#90
Benzo(a)pyrene
Concen: 9.31 ng
RT: 23.386 min Scan# 3451
Delta R.T. -0.006 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15




Instrument :
BNA_P
ClientSampled :
ETGI-371




Tgt Ion:252 Resp: 110557
Ion Ratio Lower Upper
252 100
253 23.4 17.4 26.0
125 8.9 8.2 12.4

Manual Integrations
APPROVED

mohammad
4/9/2021 11:18:57 AM



#92
Benzo(g,h,i)perylene
Concen: 6.25 ng
RT: 26.533 min Scan# 3986
Delta R.T. -0.018 min
Lab File: BP005243.D
Acq: 08 Apr 2021 19:15



Tgt Ion:276 Resp: 72870
Ion Ratio Lower Upper
276 100
277 22.9 19.0 28.6
138 17.3 16.6 24.8

