

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP050123\
 Data File : BP014911.D
 Acq On : 01 May 2023 13:00
 Operator : CG/JU
 Sample : 02551-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 BHE80

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 05/02/2023
 Supervised By : Jagrut Upadhyay 05/02/2023

Quant Time: May 02 00:33:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP042823.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Apr 29 00:40:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.169	152	178613	20.000	ng/u1	0.00
20) Naphthalene-d8	11.010	136	717853	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.816	164	414320	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.575	188	840504	20.000	ng/u1	0.00
79) Chrysene-d12	21.657	240	718193	20.000	ng/u1	0.00
88) Perylene-d12	24.262	264	835423	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.464	96	26533	5.353	ng/uL	0.00
4) Pyridine-d5	3.911	84	98650	8.281	ng/u1	0.00
7) Phenol-d5	7.310	99	115692	8.276	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.487	67	327509	37.353	ng/u1	0.00
11) 2-Chlorophenol-d4	7.693	132	308842	29.178	ng/u1	0.00
15) 4-Methylphenol-d8	8.875	113	193390	18.155	ng/u1	0.00
21) Nitrobenzene-d5	9.346	128	179781	34.880	ng/u1	0.00
24) 2-Nitrophenol-d4	10.075	143	165756	35.033	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.616	165	300817	29.603	ng/u1	0.00
31) 4-Chloroaniline-d4	11.140	131	386219	26.288	ng/u1	0.00
46) Dimethylphthalate-d6	14.216	166	1221384	41.134	ng/u1	0.00
49) Acenaphthylene-d8	14.510	160	1374478	38.752	ng/u1	0.00
54) 4-Nitrophenol-d4	14.998	143	14662m	3.319	ng/u1	0.00
60) Fluorene-d10	15.810	176	1043288	40.308	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.922	200	115920	32.605	ng/u1	0.00
73) Anthracene-d10	17.675	188	1679712	43.759	ng/u1	0.00
81) Pyrene-d10	19.892	212	1941704	48.677	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.092	264	1819131	44.086	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.505	88	18909	3.583	ng/uL	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP050123\
Data File : BP014911.D
Acq On : 01 May 2023 13:00
Operator : CG/JU
Sample : 02551-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
BHE80

Quant Time: May 02 00:33:10 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP042823.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Apr 29 00:40:33 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 05/02/2023
Supervised By : Jagrut Upadhyay 05/02/2023

