

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060322\
 Data File : BP010695.D
 Acq On : 03 Jun 2022 16:31
 Operator : CG/JU
 Sample : N3170-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 20220413-COMPOSITE-B

Quant Time: Jun 04 02:00:55 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 04 01:56:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.852	152	106239	20.000	ng	0.00
21) Naphthalene-d8	10.652	136	423909	20.000	ng	0.00
39) Acenaphthene-d10	14.493	164	274543	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	571458	20.000	ng	0.00
76) Chrysene-d12	21.333	240	534408	20.000	ng	-0.01
86) Perylene-d12	23.745	264	534142	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	975562	167.521	ng	0.00
7) Phenol-d6	7.034	99	1299764	157.216	ng	0.00
23) Nitrobenzene-d5	9.016	82	858007	95.693	ng	0.00
42) 2,4,6-Tribromophenol	15.987	330	549781	176.909	ng	0.00
45) 2-Fluorobiphenyl	13.110	172	1432375	74.046	ng	0.00
79) Terphenyl-d14	19.804	244	2087712	73.378	ng	0.00
Target Compounds						
						Qvalue
32) Benzoic acid	10.010	122	55	7.335	ng	# 43
54) 2,4-Dinitrophenol	14.598	184	26	6.655	ng	# 1
56) 4-Nitrophenol	14.751	139	116	3.629	ng	93
62) 4-Nitroaniline	15.557	138	148	2.165	ng	# 33
65) 4,6-Dinitro-2-methylph...	15.640	198	14	4.606	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060322\
Data File : BP010695.D
Acq On : 03 Jun 2022 16:31
Operator : CG/JU
Sample : N3170-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B

Quant Time: Jun 04 02:00:55 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 04 01:56:43 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.852 min Scan# 813
Delta R.T. -0.000 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:152 Resp: 106239
Ion Ratio Lower Upper
152 100
150 153.7 123.4 185.2
115 65.5 51.3 76.9



#5
2-Fluorophenol
Concen: 167.521 ng
RT: 5.440 min Scan# 400
Delta R.T. 0.000 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:112 Resp: 975562
Ion Ratio Lower Upper
112 100
64 68.2 56.9 85.3
63 36.9 31.2 46.8









#7
Phenol-d6
Concen: 157.216 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion: 99 Resp: 1299764
Ion Ratio Lower Upper
99 100
42 21.6 20.3 30.5
71 39.1 33.9 50.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.652 min Scan# 1286
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:136 Resp: 423909
Ion Ratio Lower Upper
136 100
137 11.3 9.0 13.4
54 9.9 8.7 13.1
68 5.6 4.8 7.2





#23

Nitrobenzene-d5

Concen: 95.693 ng

RT: 9.016 min Scan# 1108

Delta R.T. -0.006 min

Lab File: BP010695.D

Acq: 03 Jun 2022 16:31

Instrument :

BNA_P

ClientSampleId :

20220413-COMPOSITE-B





Tgt Ion: 82 Resp: 858007

Ion Ratio Lower Upper

82 100

128 39.4 31.3 46.9

54 55.8 49.8 74.8



#32

Benzoic acid

Concen: 7.335 ng

RT: 10.010 min Scan# 1177

Delta R.T. -0.012 min

Lab File: BP010695.D

Acq: 03 Jun 2022 16:31




Tgt Ion: 122 Resp: 55


Ion Ratio Lower Upper

122 100

105 116.9 112.6 152.6

77 226.8 90.2 130.2#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.493 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:164 Resp: 274543
Ion Ratio Lower Upper
164 100
162 99.6 81.9 122.9
160 44.5 34.6 51.8



#42
2,4,6-Tribromophenol
Concen: 176.909 ng
RT: 15.987 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:330 Resp: 549781
Ion Ratio Lower Upper
330 100
332 96.8 78.1 117.1
141 33.5 31.4 47.2









#45
2-Fluorobiphenyl
Concen: 74.046 ng
RT: 13.110 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:172 Resp: 1432375
Ion Ratio Lower Upper
172 100
171 35.8 27.9 41.9
170 22.5 18.2 27.2



#54
2,4-Dinitrophenol
Concen: 6.655 ng
RT: 14.598 min Scan# 1957
Delta R.T. -0.023 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:184 Resp: 26
Ion Ratio Lower Upper
184 100
63 266.7 65.4 98.2#
154 583.3 55.4 83.2#









#56
4-Nitrophenol
Concen: 3.629 ng
RT: 14.751 min Scan# 1978
Delta R.T. 0.012 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:139 Resp: 116
Ion Ratio Lower Upper
139 100
109 92.4 70.6 110.6
65 114.5 106.6 146.6



#62
4-Nitroaniline
Concen: 2.165 ng
RT: 15.557 min Scan# 2120
Delta R.T. -0.018 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:138 Resp: 148
Ion Ratio Lower Upper
138 100
92 84.6 38.0 78.0#
108 13.7 77.6 117.6#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2409
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:188 Resp: 571458
Ion Ratio Lower Upper
188 100
94 8.9 6.6 10.0
80 10.1 8.0 12.0



#65
4,6-Dinitro-2-methylphenol
Concen: 4.606 ng
RT: 15.640 min Scan# 2134
Delta R.T. 0.000 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:198 Resp: 14
Ion Ratio Lower Upper
198 100
51 900.0 41.2 81.2#
105 1080.0 25.3 65.3#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.333 min Scan# 31
Delta R.T. -0.012 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31




Instrument :
BNA_P
ClientSampleId :
20220413-COMPOSITE-B


Tgt Ion:240 Resp: 534408
Ion Ratio Lower Upper
240 100
120 8.9 8.6 12.8
236 24.5 19.8 29.6



#79
Terphenyl-d14
Concen: 73.378 ng
RT: 19.804 min Scan# 2842
Delta R.T. -0.006 min
Lab File: BP010695.D
Acq: 03 Jun 2022 16:31

Tgt Ion:244 Resp: 2087712
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 8.6 7.6 11.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.745 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP010695.D


Acq: 03 Jun 2022 16:31

Instrument :

BNA_P

ClientSampleId :

20220413-COMPOSITE-B



Tgt Ion:264 Resp: 534142

Ion Ratio Lower Upper

264 100

260 23.1 19.3 28.9

265 22.6 18.0 27.0

