

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060322\
 Data File : BP010690.D
 Acq On : 03 Jun 2022 13:41
 Operator : CG/JU
 Sample : N3139-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COMP-2

Quant Time: Jun 04 02:00:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jun 04 01:56:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.852	152	98046	20.000	ng	0.00
21) Naphthalene-d8	10.652	136	389152	20.000	ng	0.00
39) Acenaphthene-d10	14.493	164	245533	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	530264	20.000	ng	0.00
76) Chrysene-d12	21.333	240	524411	20.000	ng	-0.01
86) Perylene-d12	23.745	264	556354	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	573207	106.655	ng	0.00
7) Phenol-d6	7.034	99	782489	102.557	ng	0.00
23) Nitrobenzene-d5	9.016	82	530239	64.419	ng	0.00
42) 2,4,6-Tribromophenol	15.987	330	331565	119.297	ng	0.00
45) 2-Fluorobiphenyl	13.110	172	1095313	63.312	ng	0.00
79) Terphenyl-d14	19.804	244	1799138	64.441	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP060322\
Data File : BP010690.D
Acq On : 03 Jun 2022 13:41
Operator : CG/JU
Sample : N3139-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMP-2

Quant Time: Jun 04 02:00:05 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP052822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jun 04 01:56:43 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.852 min Scan# 813
Delta R.T. -0.000 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:152 Resp: 98046
Ion Ratio Lower Upper
152 100
150 160.7 123.4 185.2
115 68.4 51.3 76.9



#5
2-Fluorophenol
Concen: 106.655 ng
RT: 5.440 min Scan# 400
Delta R.T. 0.000 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41

Tgt Ion:112 Resp: 573207
Ion Ratio Lower Upper
112 100
64 68.4 56.9 85.3
63 36.3 31.2 46.8









#7
Phenol-d6
Concen: 102.557 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion: 99 Resp: 782489
Ion Ratio Lower Upper
99 100
42 22.1 20.3 30.5
71 39.3 33.9 50.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.652 min Scan# 1286
Delta R.T. -0.006 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41

Tgt Ion:136 Resp: 389152
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.4
54 10.6 8.7 13.1
68 6.3 4.8 7.2









#23
Nitrobenzene-d5
Concen: 64.419 ng
RT: 9.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion: 82 Resp: 530239
Ion Ratio Lower Upper
82 100
128 40.0 31.3 46.9
54 57.8 49.8 74.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.493 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41

Tgt Ion: 164 Resp: 245533
Ion Ratio Lower Upper
164 100
162 103.2 81.9 122.9
160 46.2 34.6 51.8





#42

2,4,6-Tribromophenol

Concen: 119.297 ng

RT: 15.987 min Scan# 2194

Delta R.T. -0.006 min

Lab File: BP010690.D

Acq: 03 Jun 2022 13:41

Instrument :

BNA_P

ClientSampleId :

COMP-2





Tgt Ion:330 Resp: 331565

Ion Ratio Lower Upper

330 100

332 97.8 78.1 117.1

141 34.5 31.4 47.2



#45

2-Fluorobiphenyl

Concen: 63.312 ng

RT: 13.110 min Scan# 1704

Delta R.T. -0.006 min

Lab File: BP010690.D

Acq: 03 Jun 2022 13:41




Tgt Ion:172 Resp: 1095313


Ion Ratio Lower Upper

172 100

171 35.1 27.9 41.9

170 23.0 18.2 27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2409
Delta R.T. -0.006 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:188 Resp: 530264
Ion Ratio Lower Upper
188 100
94 8.9 6.6 10.0
80 10.0 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.333 min Scan# 3102
Delta R.T. -0.012 min
Lab File: BP010690.D
Acq: 03 Jun 2022 13:41

Tgt Ion:240 Resp: 524411
Ion Ratio Lower Upper
240 100
120 9.3 8.6 12.8
236 24.6 19.8 29.6









#79
 Terphenyl-d14
 Concen: 64.441 ng
 RT: 19.804 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP010690.D
 Acq: 03 Jun 2022 13:41

Instrument :
 BNA_P
 ClientSampleId :
 COMP-2

Tgt Ion:244 Resp: 1799138
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.8
 122 9.3 7.6 11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.745 min Scan# 3512
 Delta R.T. -0.012 min
 Lab File: BP010690.D
 Acq: 03 Jun 2022 13:41

Tgt Ion:264 Resp: 556354
 Ion Ratio Lower Upper
 264 100
 260 22.8 19.3 28.9
 265 21.4 18.0 27.0

