

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071524\
 Data File : BP020993.D
 Acq On : 16 Jul 2024 16:32
 Operator : MA/JU
 Sample : P3178-17
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A4BY5

Quant Time: Jul 16 22:57:43 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071024.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 15 12:22:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.687	152	140576	20.000	ng/ul	0.00
20) Naphthalene-d8	10.457	136	539436	20.000	ng/ul	0.01
38) Acenaphthene-d10	14.310	164	353506	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.128	188	777789	20.000	ng/ul	0.01
79) Chrysene-d12	21.569	240	772080	20.000	ng/ul	0.02
88) Perylene-d12	24.868	264	946237	20.000	ng/ul	0.04
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.246	96	10681	3.458	ng/uL	0.00
4) Pyridine-d5	3.664	84	140449	15.704	ng/ul	0.01
7) Phenol-d5	6.893	99	226728	19.783	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.040	67	135916	19.569	ng/ul	0.00
11) 2-Chlorophenol-d4	7.240	132	192729	20.410	ng/ul	0.00
15) 4-Methylphenol-d8	8.410	113	192265	20.199	ng/ul	0.02
21) Nitrobenzene-d5	8.852	128	90051	21.493	ng/ul	0.02
24) 2-Nitrophenol-d4	9.552	143	102556	21.386	ng/ul	0.01
28) 2,4-Dichlorophenol-d3	10.099	165	187139	21.581	ng/ul	0.01
31) 4-Chloroaniline-d4	10.604	131	245261	21.350	ng/ul	0.02
46) Dimethylphthalate-d6	13.710	166	625773	24.351	ng/ul	0.00
49) Acenaphthylene-d8	13.998	160	699180	24.231	ng/ul	0.00
54) 4-Nitrophenol-d4	14.534	143	84	0.023	ng/ul	-0.04
60) Fluorene-d10	15.316	176	547775	25.983	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.475	200	71392	15.170	ng/ul	0.01
73) Anthracene-d10	17.228	188	853591	24.709	ng/ul	0.00
81) Pyrene-d10	19.616	212	1061814	22.245	ng/ul	0.02
92) Benzo(a)pyrene-d12	24.639	264	1155162	24.753	ng/ul	0.04
Target Compounds						
					Qvalue	
30) Naphthalene	10.504	128	78372	2.762	ng/ul#	97
36) 2-Methylnaphthalene	12.110	142	26266	1.349	ng/ul	98
37) 1-Methylnaphthalene	12.340	142	21612	1.079	ng/ul#	100
52) Acenaphthene	14.369	153	79212	3.653	ng/ul	100
56) Dibenzofuran	14.710	168	81834	2.756	ng/ul	99
61) Fluorene	15.381	166	81900	3.380	ng/ul	98
72) Phenanthrene	17.169	178	1479449	36.667	ng/ul	100
74) Anthracene	17.257	178	331300	8.054	ng/ul	99
77) Carbazole	17.563	167	118822	3.534	ng/ul	99
80) Fluoranthene	19.263	202	1667038	28.919	ng/ul	98
82) Pyrene	19.645	202	1527522	26.041	ng/ul	99
85) Benzo(a)anthracene	21.551	228	737692	13.640	ng/ul	99
87) Chrysene	21.616	228	637742	12.690	ng/ul	97
90) Benzo(b)fluoranthene	23.821	252	764329	13.311	ng/ul	96
91) Benzo(k)fluoranthene	23.821	252	764329	13.338	ng/ul	98
93) Benzo(a)pyrene	24.710	252	552538	10.183	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	28.615	276	343741	4.916	ng/ul	100
96) Benzo(g,h,i)perylene	29.768	276	128811	2.262	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071524\
 Data File : BP020993.D
 Acq On : 16 Jul 2024 16:32
 Operator : MA/JU
 Sample : P3178-17
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A4BY5

Quant Time: Jul 16 22:57:43 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP071024.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jul 15 12:22:22 2024
 Response via : Initial Calibration





#30

Naphthalene

Concen: 2.762 ng/ul

RT: 10.504 min Scan# 1278

Delta R.T. 0.006 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:128 Resp: 78372

Ion Ratio Lower Upper

128 100

129 13.1 8.6 13.0#

127 13.8 10.8 16.2



#36

2-Methylnaphthalene

Concen: 1.349 ng/ul

RT: 12.110 min Scan# 1551

Delta R.T. 0.006 min

Lab File: BP020993.D




Acq: 16 Jul 2024 16:32


Tgt Ion:142 Resp: 26266

Ion Ratio Lower Upper

142 100

141 92.6 72.6 108.8









#37
 1-Methylnaphthalene
 Concen: 1.079 ng/ul
 RT: 12.340 min Scan# 1590
 Delta R.T. 0.018 min
 Lab File: BP020993.D
 Acq: 16 Jul 2024 16:32




Instrument :
 BNA_P
 ClientSampleId :
 A4BY5


Tgt Ion:	142	Resp:	21612
Ion Ratio	Lower	Upper	
142	100		
141	93.9	75.0	112.6
116	2.4	3.2	4.8#



#52
 Acenaphthene
 Concen: 3.653 ng/ul
 RT: 14.369 min Scan# 1935
 Delta R.T. -0.000 min
 Lab File: BP020993.D
 Acq: 16 Jul 2024 16:32

Tgt Ion:	153	Resp:	79212
Ion Ratio	Lower	Upper	
153	100		
152	47.5	37.8	56.6
154	90.1	71.8	107.6









#56
Dibenzofuran
Concen: 2.756 ng/ul
RT: 14.710 min Scan# 1994
Delta R.T. -0.000 min
Lab File: BP020993.D
Acq: 16 Jul 2024 16:32




Instrument :
BNA_P
ClientSampleId :
A4BY5


Tgt Ion:168 Resp: 81834
Ion Ratio Lower Upper
168 100
139 38.4 31.1 46.7



#61
Fluorene
Concen: 3.380 ng/ul
RT: 15.381 min Scan# 2107
Delta R.T. 0.006 min
Lab File: BP020993.D
Acq: 16 Jul 2024 16:32

Tgt Ion:166 Resp: 81900
Ion Ratio Lower Upper
166 100
165 99.4 78.1 117.1
167 15.0 10.9 16.3





#72

Phenanthrene

Concen: 36.667 ng/ul

RT: 17.169 min Scan# 2411

Delta R.T. 0.006 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:178 Resp: 1479449

Ion Ratio Lower Upper

178 100

179 15.4 12.2 18.4

176 19.0 15.0 22.4



#74

Anthracene

Concen: 8.054 ng/ul

RT: 17.257 min Scan# 2426

Delta R.T. -0.000 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32




Tgt Ion:178 Resp: 331300


Ion Ratio Lower Upper

178 100

179 16.1 12.5 18.7

176 18.0 14.8 22.2





#77

Carbazole

Concen: 3.534 ng/ul

RT: 17.563 min Scan# 2478

Delta R.T. 0.023 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:167 Resp: 118822

Ion Ratio Lower Upper

167 100

166 21.9 17.3 25.9

139 12.9 10.2 15.2



#80

Fluoranthene

Concen: 28.919 ng/ul

RT: 19.263 min Scan# 2767

Delta R.T. 0.012 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32




Tgt Ion:202 Resp: 1667038


Ion Ratio Lower Upper

202 100

101 10.8 8.0 12.0

100 8.3 6.1 9.1





#82

Pyrene

Concen: 26.041 ng/ul

RT: 19.645 min Scan# 21

Delta R.T. 0.018 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:202 Resp: 1527522

Ion Ratio Lower Upper

202 100

101 11.4 9.4 14.2

100 9.2 7.8 11.6



#85

Benzo(a)anthracene

Concen: 13.640 ng/ul

RT: 21.551 min Scan# 3156

Delta R.T. 0.018 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32




Tgt Ion:228 Resp: 737692


Ion Ratio Lower Upper

228 100

229 20.3 15.5 23.3

226 27.0 21.4 32.2





#87

Chrysene

Concen: 12.690 ng/ul

RT: 21.616 min Scan# 3167

Delta R.T. 0.018 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:228 Resp: 637742

Ion Ratio Lower Upper

228 100

226 30.2 23.6 35.4

229 22.2 15.5 23.3



#90

Benzo(b)fluoranthene

Concen: 13.311 ng/ul

RT: 23.821 min Scan# 3542

Delta R.T. 0.041 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32




Tgt Ion:252 Resp: 764329


Ion Ratio Lower Upper

252 100

253 23.1 17.1 25.7

125 9.9 7.0 10.4





#91

Benzo(k)fluoranthene

Concen: 13.338 ng/ul

RT: 23.821 min Scan# 3542

Delta R.T. -0.030 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:252 Resp: 764329

Ion Ratio Lower Upper

252 100

253 23.1 17.4 26.2

125 9.9 7.4 11.0



#93

Benzo(a)pyrene

Concen: 10.183 ng/ul

RT: 24.710 min Scan# 3693

Delta R.T. 0.041 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32




Tgt Ion:252 Resp: 552538


Ion Ratio Lower Upper

252 100

253 22.9 17.4 26.0

125 9.7 7.7 11.5





#94

Indeno(1,2,3-cd)pyrene

Concen: 4.916 ng/ul

RT: 28.615 min Scan# 41

Delta R.T. 0.041 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Instrument :

BNA_P

ClientSampleId :

A4BY5





Tgt Ion:276 Resp: 343741

Ion Ratio Lower Upper

276 100

138 17.7 14.3 21.5

277 23.9 19.2 28.8



#96

Benzo(g,h,i)perylene

Concen: 2.262 ng/ul

RT: 29.768 min Scan# 4553

Delta R.T. 0.041 min

Lab File: BP020993.D

Acq: 16 Jul 2024 16:32

Tgt Ion:276 Resp: 128811

Ion Ratio Lower Upper

276 100

138 21.2 15.3 22.9

277 24.3 18.2 27.2

