

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP082620\
 Data File : BP003116.D
 Acq On : 26 Aug 2020 16:19
 Operator : CG/JU
 Sample : L3793-05
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-2

Quant Time: Aug 26 17:59:09 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 24 15:32:08 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	200127	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	783524	20.00	ng	0.00
39) Acenaphthene-d10	14.30	164	469530	20.00	ng	0.00
64) Phenanthrene-d10	17.06	188	1023868	20.00	ng	0.00
76) Chrysene-d12	21.15	240	1252640	20.00	ng	0.00
86) Perylene-d12	23.39	264	1502488	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1358695	120.03	ng	0.00
7) Phenol-d6	6.85	99	1602646	112.95	ng	0.00
23) Nitrobenzene-d5	8.80	82	930016	85.57	ng	0.00
42) 2,4,6-Tribromophenol	15.80	330	785415	123.68	ng	0.00
45) 2-Fluorobiphenyl	12.92	172	2684934	83.74	ng	0.00
79) Terphenyl-d14	19.63	244	4100119	72.02	ng	0.00
Target Compounds						
32) Benzoic acid	9.81	122	69	9.004	ng	85
50) Dimethylphthalate	13.76	163	502278	14.028	ng	100
54) 2,4-Dinitrophenol	14.39	184	43	7.765	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP082620\
Data File : BP003116.D
Acq On : 26 Aug 2020 16:19
Operator : CG/JU
Sample : L3793-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-2

Quant Time: Aug 26 17:59:09 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 24 15:32:08 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 812
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Instrument :
BNA_P
ClientSampled :
TP-2




Tot Ion	Ratio	Lower	Upper
152	100		
150	155.6	123.1	184.7
115	54.2	42.8	64.2




#5

2-Fluorophenol
Concen: 120.034 ng
RT: 5.27 min Scan# 405
Delta R.T. 0.00 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Tgt Ion	Ratio	Lower	Upper
112	100		
64	40.4	33.0	49.6
63	20.9	16.9	25.3





#7

Phenol-d6

Concen: 112.946 ng

RT: 6.85 min Scan# 673

Delta R.T. 0.00 min

Lab File: BP003116.D

Acq: 26 Aug 2020 16:19

Instrument :


BNA_P

ClientSampled :

TP-2

Tot Ion: 99 Resp: 1602646




Ion	Ratio	Lower	Upper
99	100		
42	10.3	8.5	12.7
71	28.5	22.8	34.2



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.44 min Scan# 1284


Delta R.T. -0.01 min

Lab File: BP003116.D

Acq: 26 Aug 2020 16:19

Tgt Ion: 136 Resp: 783524

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	4.5	3.5	5.3
68	4.1	3.2	4.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 85.569 ng
 RT: 8.80 min Scan# 1006
 Delta R.T. -0.01 min
 Lab File: BP003116.D
 Acq: 26 Aug 2020 16:19




Instrument :
 BNA_P
 ClientSampleId :
 TP-2


Tot Ion	82	Resp	930016
Ion Ratio	Lower	Upper	
82	100		
128	58.3	44.9	67.3
54	37.4	29.4	44.2



#32
 Benzoic acid
 Concen: 9.004 ng
 RT: 9.81 min Scan# 1177
 Delta R.T. 0.03 min
 Lab File: BP003116.D
 Acq: 26 Aug 2020 16:19

Tgt Ion	122	Resp	69
Ion Ratio	Lower	Upper	
122	100		
105	101.6	98.1	138.1
77	88.0	55.3	95.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.30 min Scan# 1941

Delta R.T. -0.01 min

Lab File: BP003116.D

Acq: 26 Aug 2020 16:19

Instrument :

BNA_P

ClientSampleId :

TP-2


Tot Ion:164 Resp: 469530

Ion Ratio Lower Upper

164 100

162 100.1 81.2 121.8




160 44.5 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 123.682 ng

RT: 15.80 min Scan# 2195

Delta R.T. -0.01 min

Lab File: BP003116.D

Acq: 26 Aug 2020 16:19


Tgt Ion:330 Resp: 785415

Ion Ratio Lower Upper

330 100

332 97.0 77.3 115.9



141 29.5 24.4 36.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 83.742 ng
RT: 12.92 min Scan# 1706
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19




Instrument :
BNA_P
ClientSampled :
TP-2


Tot Ion:172 Resp: 2684934
Ion Ratio Lower Upper
172 100
171 35.6 28.7 43.1
170 23.6 19.0 28.4



#50
Dimethylphthalate
Concen: 14.028 ng
RT: 13.76 min Scan# 1849
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Tgt Ion:163 Resp: 502278
Ion Ratio Lower Upper
163 100
194 4.1 3.4 5.0
164 9.9 8.1 12.1









#54
2,4-Dinitrophenol
Concen: 7.765 ng
RT: 14.39 min Scan# 1956
Delta R.T. -0.02 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19




Instrument :
BNA_P
ClientSampled :
TP-2


Tot Ion:184 Resp: 43
Ion Ratio Lower Upper
184 100
63 287.5 32.0 48.0#
154 87.5 48.2 72.2#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.06 min Scan# 2409
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Tgt Ion:188 Resp: 1023868
Ion Ratio Lower Upper
188 100
94 7.6 6.2 9.4
80 7.7 6.4 9.6









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.15 min Scan# 3105
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19




Instrument :
BNA_P
ClientSampleId :
TP-2




Tot Ion:240 Resp: 1252640
Ion Ratio Lower Upper
240 100
120 9.9 8.4 12.6
236 25.8 20.6 31.0



#79
Terphenyl-d14
Concen: 72.024 ng
RT: 19.63 min Scan# 2847
Delta R.T. -0.01 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Tgt Ion:244 Resp: 4100119
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.8
122 9.8 7.7 11.5





#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.39 min Scan# 3485
Delta R.T. 0.00 min
Lab File: BP003116.D
Acq: 26 Aug 2020 16:19

Instrument :
BNA_P
ClientSampleId :
TP-2

Tot Ion:264 Resp: 1502488

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.0	28.6
265	21.7	17.7	26.5

