

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP082620\
 Data File : BP003121.D
 Acq On : 26 Aug 2020 19:10
 Operator : CG/JU
 Sample : L3793-20
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-7

Quant Time: Aug 27 00:37:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 24 15:32:08 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	191444	20.00	ng	0.00
21) Naphthalene-d8	10.44	136	748525	20.00	ng	0.00
39) Acenaphthene-d10	14.30	164	449934	20.00	ng	0.00
64) Phenanthrene-d10	17.06	188	995988	20.00	ng	0.00
76) Chrysene-d12	21.15	240	1223737	20.00	ng	-0.01
86) Perylene-d12	23.38	264	1471759	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	908280	83.88	ng	0.00
7) Phenol-d6	6.84	99	1082322	79.74	ng	0.00
23) Nitrobenzene-d5	8.80	82	605608	58.33	ng	0.00
42) 2,4,6-Tribromophenol	15.80	330	498891	81.98	ng	0.00
45) 2-Fluorobiphenyl	12.92	172	1803392	58.70	ng	0.00
79) Terphenyl-d14	19.63	244	2797859	50.31	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.76	163	135695	3.955	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP082620\
Data File : BP003121.D
Acq On : 26 Aug 2020 19:10
Operator : CG/JU
Sample : L3793-20
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-7

Quant Time: Aug 27 00:37:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 24 15:32:08 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 812
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Instrument :
BNA_P
ClientSampled :
TP-7




Tot Ion	152	Resp	191444
Ion	Ratio	Lower	Upper
152	100		
150	155.0	123.1	184.7
115	54.4	42.8	64.2




#5

2-Fluorophenol
Concen: 83.882 ng
RT: 5.27 min Scan# 405
Delta R.T. 0.00 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Tgt Ion	112	Resp	908280
Ion	Ratio	Lower	Upper
112	100		
64	40.9	33.0	49.6
63	21.2	16.9	25.3





#7

Phenol-d6

Concen: 79.736 ng

RT: 6.84 min Scan# 672

Delta R.T. -0.01 min

Lab File: BP003121.D

Acq: 26 Aug 2020 19:10

Instrument :

BNA_P

ClientSampleId :

TP-7





Tot Ion: 99 Resp: 1082322

Ion Ratio Lower Upper

99 100

42 10.5 8.5 12.7

71 28.8 22.8 34.2



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.44 min Scan# 1284

Delta R.T. -0.01 min

Lab File: BP003121.D

Acq: 26 Aug 2020 19:10

Tgt Ion: 136 Resp: 748525




Ion Ratio Lower Upper


136 100

137 10.9 8.8 13.2

54 4.4 3.5 5.3

68 4.4 3.2 4.8









#23
 Nitrobenzene-d5
 Concen: 58.326 ng
 RT: 8.80 min Scan# 1006
 Delta R.T. -0.01 min
 Lab File: BP003121.D
 Acq: 26 Aug 2020 19:10




Instrument :
 BNA_P
 ClientSampleId :
 TP-7


Tot Ion	82	Resp	605608
Ion Ratio	Lower	Upper	
82	100		
128	55.8	44.9	67.3
54	37.1	29.4	44.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.30 min Scan# 1941
 Delta R.T. -0.01 min
 Lab File: BP003121.D
 Acq: 26 Aug 2020 19:10

Tgt Ion	164	Resp	449934
Ion Ratio	Lower	Upper	
164	100		
162	102.8	81.2	121.8
160	45.5	36.0	54.0









#42
2,4,6-Tribromophenol
Concen: 81.984 ng
RT: 15.80 min Scan# 2195
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Instrument :
BNA_P
ClientSampleId :
TP-7

Tot Ion:330 Resp: 498891
Ion Ratio Lower Upper
330 100
332 98.0 77.3 115.9
141 29.9 24.4 36.6




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#45
2-Fluorobiphenyl
Concen: 58.697 ng
RT: 12.92 min Scan# 1706
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Tgt Ion:172 Resp: 1803392
Ion Ratio Lower Upper
172 100
171 35.3 28.7 43.1
170 23.4 19.0 28.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 3.955 ng
RT: 13.76 min Scan# 1849
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10




Instrument :
BNA_P
ClientSampled :
TP-7


Tot Ion:163 Resp: 135695
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.3 8.1 12.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.06 min Scan# 2409
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Tgt Ion:188 Resp: 995988
Ion Ratio Lower Upper
188 100
94 7.6 6.2 9.4
80 7.8 6.4 9.6









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.15 min Scan# 3104
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Instrument :
BNA_P
ClientSampleId :
TP-7

Tot Ion:240 Resp: 1223737
Ion Ratio Lower Upper
240 100
120 11.2 8.4 12.6
236 25.7 20.6 31.0




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 50.309 ng
RT: 19.63 min Scan# 2847
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Tgt Ion:244 Resp: 2797859
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 9.4 7.7 11.5



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.38 min Scan# 3484
Delta R.T. -0.01 min
Lab File: BP003121.D
Acq: 26 Aug 2020 19:10

Instrument :
BNA_P
ClientSampled :
TP-7

Tot Ion:264 Resp: 1471759

Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.0	28.6
265	21.9	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

