

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP093021\
 Data File : BP007264.D
 Acq On : 30 Sep 2021 11:05
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Sep 30 11:50:34 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 29 14:45:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.875	152	201880	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	653152	20.000	ng	# 0.00
39) Acenaphthene-d10	14.510	164	433342	20.000	ng	0.00
64) Phenanthrene-d10	17.263	188	901558	20.000	ng	0.00
76) Chrysene-d12	21.351	240	904546	20.000	ng	0.00
86) Perylene-d12	23.762	264	979508	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.458	112	761301	63.125	ng	0.00
7) Phenol-d6	7.057	99	1035407	62.816	ng	0.00
23) Nitrobenzene-d5	9.040	82	901170	80.350	ng	0.00
42) 2,4,6-Tribromophenol	16.004	330	536991	95.583	ng	0.00
45) 2-Fluorobiphenyl	13.134	172	2311608	76.422	ng	0.00
79) Terphenyl-d14	19.822	244	3787024	80.227	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.346	88	183366	37.598	ng	# 88
3) Pyridine	3.758	79	543354	40.714	ng	# 86
4) n-Nitrosodimethylamine	3.664	42	193905	42.382	ng	# 77
6) Aniline	7.205	93	574841	31.638	ng	99
8) 2-Chlorophenol	7.446	128	493239	37.631	ng	99
9) Benzaldehyde	7.016	77	278948	30.043	ng	96
10) Phenol	7.081	94	504473	31.744	ng	94
11) bis(2-Chloroethyl)ether	7.305	93	445358	35.503	ng	95
12) 1,3-Dichlorobenzene	7.763	146	571094	38.627	ng	96
13) 1,4-Dichlorobenzene	7.910	146	557571	36.993	ng	98
14) 1,2-Dichlorobenzene	8.228	146	546225	37.398	ng	97
15) Benzyl Alcohol	8.122	79	411282	38.958	ng	96
16) 2,2'-oxybis(1-Chloropr...	8.399	45	501699	34.929	ng	89
17) 2-Methylphenol	8.328	107	400850	37.417	ng	94
18) Hexachloroethane	8.951	117	174348	34.453	ng	89
19) n-Nitroso-di-n-propyla...	8.687	70	308805	34.446	ng	99
20) 3+4-Methylphenols	8.657	107	549977	37.127	ng	93
22) Acetophenone	8.704	105	673170	42.774	ng	99
24) Nitrobenzene	9.081	77	417179	39.014	ng	97
25) Isophorone	9.610	82	753462	38.527	ng	98
26) 2-Nitrophenol	9.793	139	237096	42.522	ng	91
27) 2,4-Dimethylphenol	9.857	122	335721	38.240	ng	99
28) bis(2-Chloroethoxy)met...	10.087	93	503724	36.508	ng	99
29) 2,4-Dichlorophenol	10.334	162	417082	40.726	ng	98
30) 1,2,4-Trichlorobenzene	10.540	180	476555	40.847	ng	98
31) Naphthalene	10.728	128	1285806	38.573	ng	99
32) Benzoic acid	10.028	122	264424	39.188	ng	95
33) 4-Chloroaniline	10.840	127	528624	38.385	ng	100
34) Hexachlorobutadiene	11.010	225	312585	44.747	ng	99
35) Caprolactam	11.651	113	132984	42.209	ng	# 74
36) 4-Chloro-3-methylphenol	11.975	107	482085	46.311	ng	100
37) 2-Methylnaphthalene	12.340	142	1109972	47.554	ng	96
38) 1-Methylnaphthalene	12.557	142	978515	42.905	ng	99
40) 1,2,4,5-Tetrachloroben...	12.704	216	623709	47.000	ng	98
41) Hexachlorocyclopentadiene	12.681	237	239550	32.570	ng	98
43) 2,4,6-Trichlorophenol	12.951	196	367538	40.589	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP093021\
 Data File : BP007264.D
 Acq On : 30 Sep 2021 11:05
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Sep 30 11:50:34 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 29 14:45:49 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.028	196	394125	40.419	ng	96
46) 1,1'-Biphenyl	13.345	154	1207108	37.450	ng	100
47) 2-Chloronaphthalene	13.387	162	950216	38.057	ng	98
48) 2-Nitroaniline	13.598	65	248849	40.878	ng	93
49) Acenaphthylene	14.234	152	1471301	38.259	ng	99
50) Dimethylphthalate	13.975	163	1213901	38.948	ng	99
51) 2,6-Dinitrotoluene	14.092	165	262960	41.303	ng	89
52) Acenaphthene	14.575	154	871920	37.422	ng	99
53) 3-Nitroaniline	14.422	138	272804	39.630	ng	99
54) 2,4-Dinitrophenol	14.639	184	149251	40.697	ng	90
55) Dibenzofuran	14.910	168	1468922	37.787	ng	97
56) 4-Nitrophenol	14.745	139	215472	38.556	ng	# 84
57) 2,4-Dinitrotoluene	14.881	165	356776	42.466	ng	91
58) Fluorene	15.563	166	1153004	38.393	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.139	232	357252	41.723	ng	95
60) Diethylphthalate	15.334	149	1192362	39.481	ng	98
61) 4-Chlorophenyl-phenyle...	15.551	204	629576	39.671	ng	94
62) 4-Nitroaniline	15.586	138	288607	41.688	ng	# 83
63) Azobenzene	15.845	77	973871	37.212	ng	93
65) 4,6-Dinitro-2-methylph...	15.651	198	230661	42.634	ng	97
66) n-Nitrosodiphenylamine	15.769	169	1031709	38.460	ng	99
67) 4-Bromophenyl-phenylether	16.451	248	414525	41.952	ng	93
68) Hexachlorobenzene	16.569	284	473531	43.362	ng	94
69) Atrazine	16.728	200	386423	40.867	ng	97
70) Pentachlorophenol	16.916	266	260492	38.410	ng	98
71) Phenanthrene	17.304	178	1844052	38.147	ng	99
72) Anthracene	17.398	178	1826613	38.627	ng	99
73) Carbazole	17.669	167	1784731	38.514	ng	99
74) Di-n-butylphthalate	18.216	149	2320161	45.179	ng	98
75) Fluoranthene	19.274	202	2579634	46.317	ng	98
77) Benzidine	19.451	184	990276	35.624	ng	99
78) Pyrene	19.627	202	2270713	38.262	ng	99
80) Butylbenzylphthalate	20.492	149	937946	39.465	ng	96
81) Benzo(a)anthracene	21.333	228	2259608	38.485	ng	99
82) 3,3'-Dichlorobenzidine	21.269	252	821404	40.736	ng	99
83) Chrysene	21.386	228	2127889	37.920	ng	99
84) Bis(2-ethylhexyl)phtha...	21.257	149	1310912	38.366	ng	98
85) Di-n-octyl phthalate	22.174	149	2238716	38.483	ng	99
87) Indeno(1,2,3-cd)pyrene	26.298	276	2783764	39.546	ng	99
88) Benzo(b)fluoranthene	23.027	252	2247147	38.388	ng	100
89) Benzo(k)fluoranthene	23.074	252	2192588	36.995	ng	100
90) Benzo(a)pyrene	23.657	252	1916418	38.535	ng	99
91) Dibenzo(a,h)anthracene	26.309	278	2325803	39.426	ng	99
92) Benzo(g,h,i)perylene	27.074	276	2281040	39.623	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP093021\
 Data File : BP007264.D
 Acq On : 30 Sep 2021 11:05
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 Client Sample Id :
 SSTDCCC040

Quant Time: Sep 30 11:50:34 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 29 14:45:49 2021
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.875 min Scan# 814
Delta R.T. 0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 201880
Ion Ratio Lower Upper
152 100
150 154.2 125.6 188.4
115 55.7 48.5 72.7



#2
1,4-Dioxane
Concen: 37.598 ng
RT: 3.346 min Scan# 44
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 88 Resp: 183366
Ion Ratio Lower Upper
88 100
58 71.3 46.7 70.1#
43 25.3 20.3 30.5









#3
Pyridine
Concen: 40.714 ng
RT: 3.758 min Scan# 114
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 543354
Ion Ratio Lower Upper
79 100
52 65.3 41.7 62.5#
51 32.6 24.1 36.1



#4
n-Nitrosodimethylamine
Concen: 42.382 ng
RT: 3.664 min Scan# 98
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 42 Resp: 193905
Ion Ratio Lower Upper
42 100
74 159.2 105.4 158.0#
44 7.8 4.2 6.4#









#5
2-Fluorophenol
Concen: 63.125 ng
RT: 5.458 min Scan# 403
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	112	Resp:	761301
Ion Ratio	Lower	Upper	
112	100		
64	52.4	41.4	62.2
63	26.9	23.8	35.8



#6
Aniline
Concen: 31.638 ng
RT: 7.205 min Scan# 700
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	93	Resp:	574841
Ion Ratio	Lower	Upper	
93	100		
66	36.8	29.7	44.5
65	18.4	15.3	22.9









#7
Phenol-d6
Concen: 62.816 ng
RT: 7.057 min Scan# 675
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 1035407




Ion	Ratio	Lower	Upper
99	100		
42	14.2	13.4	20.0
71	33.1	30.6	46.0




#8
2-Chlorophenol
Concen: 37.631 ng
RT: 7.446 min Scan# 741
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 128 Resp: 493239

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.4	52.4
64	41.3	20.3	60.3









#9
Benzaldehyde
Concen: 30.043 ng
RT: 7.016 min Scan# 668
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 278948
Ion Ratio Lower Upper
77 100
105 103.6 76.7 116.7
106 98.0 76.2 116.2



#10
Phenol
Concen: 31.744 ng
RT: 7.081 min Scan# 679
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 94 Resp: 504473
Ion Ratio Lower Upper
94 100
65 25.7 8.8 48.8
66 37.2 20.7 60.7









#11
bis(2-Chloroethyl)ether
Concen: 35.503 ng
RT: 7.305 min Scan# 717
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 445358
Ion Ratio Lower Upper
93 100
63 71.9 46.2 86.2
95 32.4 12.2 52.2



#12
1,3-Dichlorobenzene
Concen: 38.627 ng
RT: 7.763 min Scan# 795
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:146 Resp: 571094
Ion Ratio Lower Upper
146 100
148 63.7 51.5 77.3
75 26.5 25.7 38.5









#13
1,4-Dichlorobenzene
Concen: 36.993 ng
RT: 7.910 min Scan# 820
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 557571
Ion Ratio Lower Upper
146 100
148 65.2 51.3 76.9
111 39.2 33.0 49.6



#14
1,2-Dichlorobenzene
Concen: 37.398 ng
RT: 8.228 min Scan# 874
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:146 Resp: 546225
Ion Ratio Lower Upper
146 100
148 65.3 50.3 75.5
111 40.8 33.7 50.5









#15
Benzyl Alcohol
Concen: 38.958 ng
RT: 8.122 min Scan# 856
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 411282
Ion Ratio Lower Upper
79 100
108 81.2 62.5 93.7
77 61.9 52.9 79.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 34.929 ng
RT: 8.399 min Scan# 903
Delta R.T. -0.012 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 45 Resp: 501699
Ion Ratio Lower Upper
45 100
77 16.2 2.0 42.0
79 12.2 0.0 36.7









#17
2-Methylphenol
Concen: 37.417 ng
RT: 8.328 min Scan# 891
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	400850
Ion	Ratio	Lower	Upper
107	100		
108	111.8	87.7	131.5
77	41.7	40.2	60.2
79	42.0	39.0	58.4



#18
Hexachloroethane
Concen: 34.453 ng
RT: 8.951 min Scan# 997
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	117	Resp:	174348
Ion	Ratio	Lower	Upper
117	100		
119	97.6	76.2	114.2
201	122.7	83.4	125.0









#19
n-Nitroso-di-n-propylamine
Concen: 34.446 ng
RT: 8.687 min Scan# 952
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	70	Resp:	308805
Ion	Ratio	Lower	Upper
70	100		
42	49.9	40.8	61.2
101	10.9	8.8	13.2
130	24.5	18.9	28.3



#20
3+4-Methylphenols
Concen: 37.127 ng
RT: 8.657 min Scan# 947
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	107	Resp:	549977
Ion	Ratio	Lower	Upper
107	100		
108	86.9	71.0	111.0
77	29.6	16.6	56.6
79	26.5	12.7	52.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	136	Resp:	653152
Ion Ratio	Lower	Upper	
136	100		
137	11.1	8.6	12.8
54	7.0	4.6	6.8#
68	5.9	3.6	5.4#



#22
Acetophenone
Concen: 42.774 ng
RT: 8.704 min Scan# 955
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	105	Resp:	673170
Ion Ratio	Lower	Upper	
105	100		
71	2.1	1.9	2.9
51	22.8	18.4	27.6
120	23.6	17.9	26.9









#23
Nitrobenzene-d5
Concen: 80.350 ng
RT: 9.040 min Scan# 1012
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 901170
Ion Ratio Lower Upper
82 100
128 47.3 35.7 53.5
54 45.0 35.0 52.4



#24
Nitrobenzene
Concen: 39.014 ng
RT: 9.081 min Scan# 1019
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 77 Resp: 417179
Ion Ratio Lower Upper
77 100
123 50.0 38.2 57.2
65 13.1 11.4 17.2









#25
Isophorone
Concen: 38.527 ng
RT: 9.610 min Scan# 1109
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 753462
Ion Ratio Lower Upper
82 100
95 7.5 6.5 9.7
138 19.6 15.0 22.4



#26
2-Nitrophenol
Concen: 42.522 ng
RT: 9.793 min Scan# 1140
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 139 Resp: 237096
Ion Ratio Lower Upper
139 100
109 31.6 28.8 43.2
65 44.4 41.0 61.6









#27
2,4-Dimethylphenol
Concen: 38.240 ng
RT: 9.857 min Scan# 1151
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:122 Resp: 335721
Ion Ratio Lower Upper
122 100
107 116.0 94.5 141.7
121 59.5 47.4 71.2



#28
bis(2-Chloroethoxy)methane
Concen: 36.508 ng
RT: 10.087 min Scan# 1190
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 93 Resp: 503724
Ion Ratio Lower Upper
93 100
95 32.7 25.9 38.9
123 11.5 10.2 15.2









#29
2,4-Dichlorophenol
Concen: 40.726 ng
RT: 10.334 min Scan# 1232
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 417082
Ion Ratio Lower Upper
162 100
164 66.4 44.9 84.9
98 32.8 14.3 54.3



#30
1,2,4-Trichlorobenzene
Concen: 40.847 ng
RT: 10.540 min Scan# 1267
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:180 Resp: 476555
Ion Ratio Lower Upper
180 100
182 96.1 77.9 116.9
145 28.3 24.7 37.1









#31
Naphthalene
Concen: 38.573 ng
RT: 10.728 min Scan# 1299
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1285806
Ion Ratio Lower Upper
128 100
129 10.8 9.0 13.6
127 13.4 10.7 16.1



#32
Benzoic acid
Concen: 39.188 ng
RT: 10.028 min Scan# 1180
Delta R.T. 0.018 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:122 Resp: 264424
Ion Ratio Lower Upper
122 100
105 125.7 103.2 143.2
77 88.4 76.2 116.2









#33
4-Chloroaniline
Concen: 38.385 ng
RT: 10.840 min Scan# 1318
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	528624
Ion	Ratio	Lower	Upper
127	100		
129	32.7	26.1	39.1
65	27.9	22.5	33.7
92	19.2	15.0	22.6



#34
Hexachlorobutadiene
Concen: 44.747 ng
RT: 11.010 min Scan# 1347
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	225	Resp:	312585
Ion	Ratio	Lower	Upper
225	100		
223	62.4	51.0	76.6
227	64.9	51.4	77.2









#35
Caprolactam
Concen: 42.209 ng
RT: 11.651 min Scan# 1456
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:113 Resp: 132984
Ion Ratio Lower Upper
113 100
55 150.7 98.9 138.9#
56 113.9 71.7 111.7#



#36
4-Chloro-3-methylphenol
Concen: 46.311 ng
RT: 11.975 min Scan# 1511
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:107 Resp: 482085
Ion Ratio Lower Upper
107 100
144 26.8 21.1 31.7
142 82.6 66.0 99.0









#37
2-Methylnaphthalene
Concen: 47.554 ng
RT: 12.340 min Scan# 1573
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 1109972
Ion Ratio Lower Upper
142 100
141 89.4 71.8 107.6
115 32.8 31.6 47.4



#38
1-Methylnaphthalene
Concen: 42.905 ng
RT: 12.557 min Scan# 1610
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:142 Resp: 978515
Ion Ratio Lower Upper
142 100
141 92.2 73.3 109.9
116 3.7 3.5 5.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1942
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 433342
Ion Ratio Lower Upper
164 100
162 101.5 80.2 120.2
160 44.1 34.5 51.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.000 ng
RT: 12.704 min Scan# 1635
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:216 Resp: 623709
Ion Ratio Lower Upper
216 100
214 78.0 61.9 92.9
179 20.1 16.8 25.2
108 15.3 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 32.570 ng
RT: 12.681 min Scan# 1631
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 239550
Ion Ratio Lower Upper
237 100
235 63.0 44.5 84.5
272 13.0 0.0 32.5



#42
2,4,6-Tribromophenol
Concen: 95.583 ng
RT: 16.004 min Scan# 2196
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:330 Resp: 536991
Ion Ratio Lower Upper
330 100
332 97.4 77.8 116.8
141 26.5 25.4 38.2









#43
2,4,6-Trichlorophenol
Concen: 40.589 ng
RT: 12.951 min Scan# 1677
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 367538
Ion Ratio Lower Upper
196 100
198 96.3 79.5 119.3
200 31.7 25.0 37.6



#44
2,4,5-Trichlorophenol
Concen: 40.419 ng
RT: 13.028 min Scan# 1690
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:196 Resp: 394125
Ion Ratio Lower Upper
196 100
198 95.3 74.7 112.1
97 41.4 37.4 56.0
132 24.6 20.0 30.0









#45
2-Fluorobiphenyl
Concen: 76.422 ng
RT: 13.134 min Scan# 1708
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 2311608
Ion Ratio Lower Upper
172 100
171 35.9 27.9 41.9
170 23.2 18.6 27.8



#46
1,1'-Biphenyl
Concen: 37.450 ng
RT: 13.345 min Scan# 1744
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:154 Resp: 1207108
Ion Ratio Lower Upper
154 100
153 40.7 20.4 60.4
76 10.7 0.0 30.8









#47
2-Chloronaphthalene
Concen: 38.057 ng
RT: 13.387 min Scan# 1751
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 950216
Ion Ratio Lower Upper
162 100
127 37.2 31.4 47.0
164 33.1 26.6 39.8



#48
2-Nitroaniline
Concen: 40.878 ng
RT: 13.598 min Scan# 1787
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion: 65 Resp: 248849
Ion Ratio Lower Upper
65 100
92 75.3 57.7 86.5
138 124.2 92.1 138.1









#49
Acenaphthylene
Concen: 38.259 ng
RT: 14.234 min Scan# 1895
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 1471301
Ion Ratio Lower Upper
152 100
151 20.4 16.2 24.2
153 13.1 10.6 16.0



#50
Dimethylphthalate
Concen: 38.948 ng
RT: 13.975 min Scan# 1851
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:163 Resp: 1213901
Ion Ratio Lower Upper
163 100
194 4.5 3.4 5.2
164 10.0 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 41.303 ng
RT: 14.092 min Scan# 1871
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 262960
Ion Ratio Lower Upper
165 100
63 44.1 41.3 61.9
89 47.2 44.8 67.2



#52
Acenaphthene
Concen: 37.422 ng
RT: 14.575 min Scan# 1953
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:154 Resp: 871920
Ion Ratio Lower Upper
154 100
153 113.0 89.4 134.2
152 52.8 43.0 64.4









#53
3-Nitroaniline
Concen: 39.630 ng
RT: 14.422 min Scan# 1927
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 272804
Ion Ratio Lower Upper
138 100
108 10.7 8.4 12.6
92 109.2 87.8 131.8



#54
2,4-Dinitrophenol
Concen: 40.697 ng
RT: 14.639 min Scan# 1964
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:184 Resp: 149251
Ion Ratio Lower Upper
184 100
63 48.6 47.0 70.6
154 59.6 52.3 78.5









#55
Dibenzofuran
Concen: 37.787 ng
RT: 14.910 min Scan# 2010
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1468922
Ion Ratio Lower Upper
168 100
139 36.2 31.0 46.6
169 13.3 10.8 16.2



#56
4-Nitrophenol
Concen: 38.556 ng
RT: 14.745 min Scan# 1982
Delta R.T. 0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:139 Resp: 215472
Ion Ratio Lower Upper
139 100
109 72.3 72.3 112.3#
65 82.1 72.5 112.5









#57
2,4-Dinitrotoluene
Concen: 42.466 ng
RT: 14.881 min Scan# 2005
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 356776
Ion Ratio Lower Upper
165 100
63 35.5 32.3 48.5
89 61.5 55.9 83.9
182 2.9 2.2 3.4



#58
Fluorene
Concen: 38.393 ng
RT: 15.563 min Scan# 2121
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:166 Resp: 1153004
Ion Ratio Lower Upper
166 100
165 96.7 78.0 117.0
167 13.3 10.5 15.7









#59
2,3,4,6-Tetrachlorophenol
Concen: 41.723 ng
RT: 15.139 min Scan# 2049
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	232	Resp:	357252
Ion	Ratio	Lower	Upper
232	100		
131	37.4	32.2	48.4
130	2.0	2.0	3.0
166	27.5	19.4	29.2



#60
Diethylphthalate
Concen: 39.481 ng
RT: 15.334 min Scan# 2082
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:	149	Resp:	1192362
Ion	Ratio	Lower	Upper
149	100		
177	23.4	17.5	26.3
150	12.5	9.9	14.9









#61
4-Chlorophenyl-phenylether
Concen: 39.671 ng
RT: 15.551 min Scan# 2119
Delta R.T. -0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 629576
Ion Ratio Lower Upper
204 100
206 33.4 26.6 40.0
141 54.4 48.6 73.0



#62
4-Nitroaniline
Concen: 41.688 ng
RT: 15.586 min Scan# 2125
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:138 Resp: 288607
Ion Ratio Lower Upper
138 100
92 46.4 31.2 71.2
108 76.0 78.6 118.6#









#63
Azobenzene
Concen: 37.212 ng
RT: 15.845 min Scan# 2169
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 973871
Ion Ratio	Lower Upper
77 100	
182 31.1	6.0 46.0
105 22.8	0.0 38.8
51 27.3	8.8 48.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2410
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:188	Resp: 901558
Ion Ratio	Lower Upper
188 100	
94 8.1	5.6 8.4
80 8.5	6.3 9.5









#65
4,6-Dinitro-2-methylphenol
Concen: 42.634 ng
RT: 15.651 min Scan# 2136
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 230661
Ion Ratio Lower Upper
198 100
51 33.2 14.0 54.0
105 36.6 19.5 59.5



#66
n-Nitrosodiphenylamine
Concen: 38.460 ng
RT: 15.769 min Scan# 2156
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:169 Resp: 1031709
Ion Ratio Lower Upper
169 100
168 67.0 54.4 81.6
167 36.0 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 41.952 ng
RT: 16.451 min Scan# 2272
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion	Ratio	Lower	Upper
248	100		
250	97.7	79.8	119.8
141	60.2	57.8	86.6



#68
Hexachlorobenzene
Concen: 43.362 ng
RT: 16.569 min Scan# 2292
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion	Ratio	Lower	Upper
284	100		
142	27.6	26.9	40.3
249	30.2	24.5	36.7









#69
Atrazine
Concen: 40.867 ng
RT: 16.728 min Scan# 2319
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:200 Resp: 386423
Ion Ratio Lower Upper
200 100
173 25.1 4.1 44.1
215 49.8 27.7 67.7



#70
Pentachlorophenol
Concen: 38.410 ng
RT: 16.916 min Scan# 2351
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:266 Resp: 260492
Ion Ratio Lower Upper
266 100
268 62.5 51.6 77.4
264 63.4 50.3 75.5









#71
Phenanthrene
Concen: 38.147 ng
RT: 17.304 min Scan# 2417
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 1844052
Ion Ratio Lower Upper
178 100
176 19.2 15.1 22.7
179 15.4 12.4 18.6



#72
Anthracene
Concen: 38.627 ng
RT: 17.398 min Scan# 2433
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:178 Resp: 1826613
Ion Ratio Lower Upper
178 100
176 18.4 14.9 22.3
179 15.4 12.2 18.2









#73
Carbazole
Concen: 38.514 ng
RT: 17.669 min Scan# 2479
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:167 Resp: 1784731
Ion Ratio Lower Upper
167 100
166 21.9 17.1 25.7
139 12.6 10.7 16.1



#74
Di-n-butylphthalate
Concen: 45.179 ng
RT: 18.216 min Scan# 2572
Delta R.T. -0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:149 Resp: 2320161
Ion Ratio Lower Upper
149 100
150 9.4 7.3 10.9
104 4.6 4.5 6.7









#75
Fluoranthene
Concen: 46.317 ng
RT: 19.274 min Scan# 2752
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 2579634
Ion Ratio Lower Upper
202 100
101 9.6 0.0 27.6
203 17.8 0.0 37.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.351 min Scan# 3105
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:240 Resp: 904546
Ion Ratio Lower Upper
240 100
120 9.0 6.5 9.7
236 25.7 20.6 31.0





#77

Benzidine

Concen: 35.624 ng

RT: 19.451 min Scan# 2782

Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05





Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion:184	Resp: 990276
Ion Ratio	Lower Upper
184	100
185	14.2 11.0 16.4
183	12.0 9.5 14.3



#78

Pyrene

Concen: 38.262 ng




RT: 19.627 min Scan# 2812


Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05

Tgt Ion:202	Resp: 2270713
Ion Ratio	Lower Upper
202	100
200	21.3 16.3 24.5
203	17.7 14.2 21.2









#79
Terphenyl-d14
Concen: 80.227 ng
RT: 19.822 min Scan# 2845
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:244 Resp: 3787024
Ion Ratio Lower Upper
244 100
212 7.0 6.0 9.0
122 8.0 7.1 10.7



#80
Butylbenzylphthalate
Concen: 39.465 ng
RT: 20.492 min Scan# 2959
Delta R.T. -0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:149 Resp: 937946
Ion Ratio Lower Upper
149 100
91 64.7 54.6 81.8
206 22.9 16.7 25.1









#81
Benzo(a)anthracene
Concen: 38.485 ng
RT: 21.333 min Scan# 3102
Delta R.T. -0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 2259608
Ion Ratio Lower Upper
228 100
226 27.4 21.6 32.4
229 20.1 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 40.736 ng
RT: 21.269 min Scan# 3091
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:252 Resp: 821404
Ion Ratio Lower Upper
252 100
254 64.1 50.6 76.0
126 8.5 7.0 10.6





#83

Chrysene

Concen: 37.920 ng

RT: 21.386 min Scan# 3111

Delta R.T. -0.006 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 2127889

Ion Ratio Lower Upper

228 100

226 30.1 23.8 35.6

229 19.9 15.4 23.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 38.366 ng

RT: 21.257 min Scan# 3089

Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05




Tgt Ion:149 Resp: 1310912


Ion Ratio Lower Upper

149 100

167 28.8 21.9 32.9

279 5.9 4.3 6.5









#85
Di-n-octyl phthalate
Concen: 38.483 ng
RT: 22.174 min Scan# 3245
Delta R.T. -0.006 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 2238716
Ion Ratio Lower Upper
149 100
167 1.7 1.4 2.0
43 6.5 5.6 8.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.762 min Scan# 3515
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:264 Resp: 979508
Ion Ratio Lower Upper
264 100
260 24.2 18.6 28.0
265 22.0 17.6 26.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 39.546 ng

RT: 26.298 min Scan# 3946

Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:276 Resp: 2783764

Ion Ratio Lower Upper

276 100

138 19.6 15.3 22.9

277 25.6 20.4 30.6



#88

Benzo(b)fluoranthene

Concen: 38.388 ng

RT: 23.027 min Scan# 3390

Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05




Tgt Ion:252 Resp: 2247147


Ion Ratio Lower Upper

252 100

253 22.1 17.5 26.3

125 7.7 6.2 9.4









#89
Benzo(k)fluoranthene
Concen: 36.995 ng
RT: 23.074 min Scan# 3398
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:252 Resp: 2192588
Ion Ratio Lower Upper
252 100
253 22.0 17.6 26.4
125 7.9 6.0 9.0



#90
Benzo(a)pyrene
Concen: 38.535 ng
RT: 23.657 min Scan# 3497
Delta R.T. -0.000 min
Lab File: BP007264.D
Acq: 30 Sep 2021 11:05

Tgt Ion:252 Resp: 1916418
Ion Ratio Lower Upper
252 100
253 22.0 17.9 26.9
125 8.8 6.5 9.7





#91

Dibenzo(a,h)anthracene

Concen: 39.426 ng

RT: 26.309 min Scan# 3948

Delta R.T. -0.000 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:278 Resp: 2325803

Ion Ratio Lower Upper

278 100

139 12.2 9.3 13.9

279 23.4 18.8 28.2



#92

Benzo(g,h,i)perylene

Concen: 39.623 ng

RT: 27.074 min Scan# 4078

Delta R.T. 0.006 min

Lab File: BP007264.D

Acq: 30 Sep 2021 11:05

Tgt Ion:276 Resp: 2281040

Ion Ratio Lower Upper

276 100

277 24.3 18.9 28.3

138 16.8 12.6 18.8

