

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100521\
 Data File : BP007329.D
 Acq On : 05 Oct 2021 16:28
 Operator : CG/JU
 Sample : PB139627BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB139627BL

Quant Time: Oct 05 16:59:23 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 01 12:49:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.864	152	198300	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	724723	20.000	ng	# 0.00
39) Acenaphthene-d10	14.498	164	422643	20.000	ng	0.00
64) Phenanthrene-d10	17.251	188	816556	20.000	ng	# 0.00
76) Chrysene-d12	21.339	240	728945	20.000	ng	# 0.00
86) Perylene-d12	23.745	264	753080	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	1607327	135.682	ng	0.00
7) Phenol-d6	7.046	99	1884148	116.371	ng	0.00
23) Nitrobenzene-d5	9.028	82	1136050	91.289	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	695554	126.941	ng	0.00
45) 2-Fluorobiphenyl	13.122	172	2705084	91.694	ng	0.00
79) Terphenyl-d14	19.810	244	3597655	94.576	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100521\
Data File : BP007329.D
Acq On : 05 Oct 2021 16:28
Operator : CG/JU
Sample : PB139627BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB139627BL

Quant Time: Oct 05 16:59:23 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP092121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 01 12:49:05 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.864 min Scan# 812
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28




Instrument :
BNA_P
ClientSampleId :
PB139627BL


Tgt Ion:152 Resp: 198300
Ion Ratio Lower Upper
152 100
150 156.5 125.6 188.4
115 54.8 48.5 72.7



#5
2-Fluorophenol
Concen: 135.682 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.006 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28

Tgt Ion:112 Resp: 1607327
Ion Ratio Lower Upper
112 100
64 50.4 41.4 62.2
63 26.3 23.8 35.8









#7
Phenol-d6
Concen: 116.371 ng
RT: 7.046 min Scan# 673
Delta R.T. -0.006 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28




Instrument :
BNA_P
ClientSampleId :
PB139627BL


Tgt Ion: 99 Resp: 1884148
Ion Ratio Lower Upper
99 100
42 14.1 13.4 20.0
71 30.0 30.6 46.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1288
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28

Tgt Ion:136 Resp: 724723
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 7.1 4.6 6.8#
68 5.5 3.6 5.4#









#23
Nitrobenzene-d5
Concen: 91.289 ng
RT: 9.028 min Scan# 1010
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28




Instrument :
BNA_P
ClientSampleId :
PB139627BL


Tgt Ion: 82 Resp: 1136050
Ion Ratio Lower Upper
82 100
128 47.9 35.7 53.5
54 46.9 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.498 min Scan# 1940
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28

Tgt Ion:164 Resp: 422643
Ion Ratio Lower Upper
164 100
162 100.1 80.2 120.2
160 44.8 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 126.941 ng
RT: 15.992 min Scan# 2194
Delta R.T. -0.006 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28




Instrument :
BNA_P
ClientSampleId :
PB139627BL


Tgt Ion:330 Resp: 695554
Ion Ratio Lower Upper
330 100
332 97.2 77.8 116.8
141 32.1 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 91.694 ng
RT: 13.122 min Scan# 1706
Delta R.T. -0.006 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28

Tgt Ion:172 Resp: 2705084
Ion Ratio Lower Upper
172 100
171 35.4 27.9 41.9
170 23.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 2408
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28




Instrument :
BNA_P
ClientSampleId :
PB139627BL


Tgt Ion:188 Resp: 816556
Ion Ratio Lower Upper
188 100
94 8.7 5.6 8.4#
80 9.2 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3103
Delta R.T. 0.000 min
Lab File: BP007329.D
Acq: 05 Oct 2021 16:28

Tgt Ion:240 Resp: 728945
Ion Ratio Lower Upper
240 100
120 10.3 6.5 9.7#
236 25.6 20.6 31.0





#79

Terphenyl-d14

Concen: 94.576 ng

RT: 19.810 min Scan# 2843

Delta R.T. 0.000 min

Lab File: BP007329.D

Acq: 05 Oct 2021 16:28

Instrument :

BNA_P

ClientSampleId :

PB139627BL





Tgt Ion:244 Resp: 3597655

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0

122 9.4 7.1 10.7



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.745 min Scan# 3512

Delta R.T. 0.000 min

Lab File: BP007329.D

Acq: 05 Oct 2021 16:28

Tgt Ion:264 Resp: 753080

Ion Ratio Lower Upper

264 100

260 24.2 18.6 28.0

265 22.5 17.6 26.4

