

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100620\
 Data File : BP003531.D
 Acq On : 06 Oct 2020 20:30
 Operator : CG/JU
 Sample : L4272-19
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 GIS-4-(6)

Quant Time: Oct 07 01:42:12 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 05 14:33:14 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.493	152	67220	20.00	ng	0.00
21) Naphthalene-d8	10.269	136	267449	20.00	ng	# 0.00
39) Acenaphthene-d10	14.151	164	170642	20.00	ng	0.00
64) Phenanthrene-d10	16.910	188	387655	20.00	ng	# 0.00
76) Chrysene-d12	21.021	240	494028	20.00	ng	0.00
86) Perylene-d12	23.186	264	572174	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.105	112	442917	115.05	ng	0.00
7) Phenol-d6	6.699	99	571105	111.30	ng	0.00
23) Nitrobenzene-d5	8.646	82	376404	82.68	ng	0.00
42) 2,4,6-Tribromophenol	15.657	330	223235	85.77	ng	0.00
45) 2-Fluorobiphenyl	12.763	172	811450	69.55	ng	-0.01
79) Terphenyl-d14	19.492	244	1380467	58.22	ng	-0.01
Target Compounds						
50) Dimethylphthalate	13.622	163	140264	10.29	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100620\
Data File : BP003531.D
Acq On : 06 Oct 2020 20:30
Operator : CG/JU
Sample : L4272-19
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Quant Time: Oct 07 01:42:12 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 05 14:33:14 2020
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100620\
Data File : BP003531.D
Acq On : 06 Oct 2020 20:30
Operator : CG/JU
Sample : L4272-19
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)

Quant Time: Oct 07 01:42:12 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 05 14:33:14 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.493 min Scan# 783
Delta R.T. -0.005 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30




Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Tgt Ion:152 Resp: 67220
Ion Ratio Lower Upper
152 100
150 155.1 123.8 185.6
115 64.2 43.8 65.6



#5
2-Fluorophenol
Concen: 115.05 ng
RT: 5.105 min Scan# 377
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion:112 Resp: 442917
Ion Ratio Lower Upper
112 100
64 52.4 32.8 49.2#
63 28.5 17.0 25.4#









#7
Phenol-d6
Concen: 111.30 ng
RT: 6.699 min Scan# 648
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30




Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Tgt Ion: 99 Resp: 571105
Ion Ratio Lower Upper
99 100
42 13.0 8.6 13.0#
71 36.1 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.269 min Scan# 1255
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion: 136 Resp: 267449
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 5.8 3.6 5.4#
68 5.5 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 82.68 ng
RT: 8.646 min Scan# 979
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30




Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Tgt Ion: 82 Resp: 376404
Ion Ratio Lower Upper
82 100
128 40.9 45.6 68.4#
54 38.5 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.151 min Scan# 1915
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion: 164 Resp: 170642
Ion Ratio Lower Upper
164 100
162 101.9 79.4 119.2
160 44.4 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 85.77 ng
RT: 15.657 min Scan# 2171
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30




Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Tgt Ion:330 Resp: 223235
Ion Ratio Lower Upper
330 100
332 96.6 77.1 115.7
141 37.2 23.4 35.2#



#45
2-Fluorobiphenyl
Concen: 69.55 ng
RT: 12.763 min Scan# 1679
Delta R.T. -0.012 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion:172 Resp: 811450
Ion Ratio Lower Upper
172 100
171 35.0 28.5 42.7
170 23.7 19.2 28.8









#50
Dimethylphthalate
Concen: 10.29 ng
RT: 13.622 min Scan# 1825
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30




Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)


Tgt Ion:163 Resp: 140264
Ion Ratio Lower Upper
163 100
194 4.0 3.3 4.9
164 9.8 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.910 min Scan# 2384
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion:188 Resp: 387655
Ion Ratio Lower Upper
188 100
94 9.5 6.2 9.2#
80 10.3 6.2 9.2#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.021 min Scan# 3083
Delta R.T. -0.006 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Instrument :
BNA_P
ClientSampleId :
GIS-4-(6)

Tgt Ion:240 Resp: 494028




Ion	Ratio	Lower	Upper
240	100		
120	9.5	7.8	11.6
236	26.1	20.8	31.2




#79
Terphenyl-d14
Concen: 58.22 ng
RT: 19.492 min Scan# 2823
Delta R.T. -0.012 min
Lab File: BP003531.D
Acq: 06 Oct 2020 20:30

Tgt Ion:244 Resp: 1380467


Ion	Ratio	Lower	Upper
244	100		
212	7.8	5.8	8.6
122	8.8	7.8	11.8





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.186 min Scan# 3451
 Delta R.T. -0.012 min
 Lab File: BP003531.D
 Acq: 06 Oct 2020 20:30

Instrument :
 BNA_P
 ClientSampleId :
 GIS-4-(6)



Tgt Ion:264 Resp: 572174

Ion	Ratio	Lower	Upper
264	100		
260	24.6	18.8	28.2
265	21.6	17.4	26.2

