

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP102022\
 Data File : BP012248.D
 Acq On : 21 Oct 2022 16:40
 Operator : CG/JU
 Sample : N5064-07
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Oct 21 22:33:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP101922.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 20 00:51:41 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.822	152	348503	20.000	ng/ul	0.00
20) Naphthalene-d8	10.628	136	1397803	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.475	164	758614	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.233	188	1356881	20.000	ng/ul	0.00
79) Chrysene-d12	21.327	240	1279331	20.000	ng/ul	0.00
88) Perylene-d12	23.733	264	1426861	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.258	96	34556	4.013	ng/uL	0.00
4) Pyridine-d5	3.699	84	39735	1.601	ng/ul	0.02
7) Phenol-d5	6.993	99	593315	19.720	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.157	67	396765	21.745	ng/ul	0.00
11) 2-Chlorophenol-d4	7.351	132	503698	21.994	ng/ul	0.00
15) 4-Methylphenol-d8	8.540	113	359250	15.363	ng/ul	0.00
21) Nitrobenzene-d5	8.993	128	251563	24.313	ng/ul	0.00
24) 2-Nitrophenol-d4	9.710	143	268761	24.076	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.251	165	432648	20.662	ng/ul	0.00
31) 4-Chloroaniline-d4	10.775	131	487596	16.389	ng/ul	0.00
46) Dimethylphthalate-d6	13.886	166	1237485	23.450	ng/ul	0.00
49) Acenaphthylene-d8	14.163	160	1437844	23.871	ng/ul	-0.01
54) 4-Nitrophenol-d4	14.692	143	106849	10.808	ng/ul	0.00
60) Fluorene-d10	15.469	176	1059318	23.334	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.598	200	91438	11.846	ng/ul	0.00
73) Anthracene-d10	17.333	188	1433092	24.095	ng/ul	0.00
81) Pyrene-d10	19.574	212	1617137	22.202	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.574	264	1720070	24.038	ng/ul	-0.01
Target Compounds						
					Qvalue	
8) Phenol	7.022	94	36234	1.151	ng/ul	97
30) Naphthalene	10.675	128	89059	1.191	ng/ul	98
36) 2-Methylnaphthalene	12.292	142	71455	1.405	ng/ul	99
37) 1-Methylnaphthalene	12.510	142	56146	1.105	ng/ul	98
72) Phenanthrene	17.275	178	318170	4.363	ng/ul	99
80) Fluoranthene	19.245	202	564650	6.273	ng/ul	99
82) Pyrene	19.598	202	495133	5.377	ng/ul	98
85) Benzo(a)anthracene	21.310	228	302396	3.627	ng/ul	98
87) Chrysene	21.363	228	301186	3.871	ng/ul	98
90) Benzo(b)fluoranthene	22.998	252	454818	4.783	ng/ul	97
91) Benzo(k)fluoranthene	22.998	252	454818	4.852	ng/ul	98
93) Benzo(a)pyrene	23.621	252	288714	3.551	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	26.221	276	228305	2.425	ng/ul	96
96) Benzo(g,h,i)perylene	26.998	276	187586	2.122	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP102022\
Data File : BP012248.D
Acq On : 21 Oct 2022 16:40
Operator : CG/JU
Sample : N5064-07
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :

Quant Time: Oct 21 22:33:14 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP101922.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 20 00:51:41 2022
Response via : Initial Calibration









#8
Phenol
Concen: 1.151 ng/ul
RT: 7.022 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP012248.D
Acq: 21 Oct 2022 16:40




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 94 Resp: 36234
Ion Ratio Lower Upper
94 100
65 26.7 20.6 31.0
66 35.4 26.2 39.4



#30
Naphthalene
Concen: 1.191 ng/ul
RT: 10.675 min Scan# 1307
Delta R.T. -0.006 min
Lab File: BP012248.D
Acq: 21 Oct 2022 16:40

Tgt Ion: 128 Resp: 89059
Ion Ratio Lower Upper
128 100
129 12.9 8.8 13.2
127 12.9 10.2 15.4









#36
2-Methylnaphthalene
Concen: 1.405 ng/ul
RT: 12.292 min Scan# 1582
Delta R.T. -0.006 min
Lab File: BP012248.D
Acq: 21 Oct 2022 16:40




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:142 Resp: 71455
Ion Ratio Lower Upper
142 100
141 87.1 70.3 105.5



#37
1-Methylnaphthalene
Concen: 1.105 ng/ul
RT: 12.510 min Scan# 1619
Delta R.T. -0.006 min
Lab File: BP012248.D
Acq: 21 Oct 2022 16:40

Tgt Ion:142 Resp: 56146
Ion Ratio Lower Upper
142 100
141 93.2 73.4 110.0
116 4.0 3.0 4.4





#72

Phenanthrene

Concen: 4.363 ng/ul

RT: 17.275 min Scan# 2429

Delta R.T. -0.006 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:178 Resp: 318170

Ion Ratio Lower Upper

178 100

179 15.1 12.6 18.8

176 19.3 15.6 23.4



#80

Fluoranthene

Concen: 6.273 ng/ul

RT: 19.245 min Scan# 2764

Delta R.T. -0.006 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40




Tgt Ion:202 Resp: 564650


Ion Ratio Lower Upper

202 100

101 12.6 10.4 15.6

100 9.2 7.7 11.5









#82
 Pyrene
 Concen: 5.377 ng/ul
 RT: 19.598 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP012248.D
 Acq: 21 Oct 2022 16:40




Instrument :
 BNA_P
 ClientSampleId :


Tgt Ion:202 Resp: 495133
 Ion Ratio Lower Upper
 202 100
 101 14.5 12.3 18.5
 100 11.5 10.0 15.0



#85
 Benzo(a)anthracene
 Concen: 3.627 ng/ul
 RT: 21.310 min Scan# 3115
 Delta R.T. -0.006 min
 Lab File: BP012248.D
 Acq: 21 Oct 2022 16:40

Tgt Ion:228 Resp: 302396
 Ion Ratio Lower Upper
 228 100
 229 20.5 16.1 24.1
 226 28.9 21.9 32.9





#87

Chrysene

Concen: 3.871 ng/ul

RT: 21.363 min Scan# 31

Delta R.T. -0.006 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:228 Resp: 301186

Ion Ratio Lower Upper

228 100

226 31.0 24.2 36.4

229 21.7 15.8 23.8



#90

Benzo(b)fluoranthene

Concen: 4.783 ng/ul

RT: 22.998 min Scan# 3402

Delta R.T. -0.006 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40




Tgt Ion:252 Resp: 454818


Ion Ratio Lower Upper

252 100

253 23.5 17.5 26.3

125 11.9 8.5 12.7





#91

Benzo(k)fluoranthene

Concen: 4.852 ng/ul

RT: 22.998 min Scan# 3410

Delta R.T. -0.053 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:252 Resp: 454818

Ion Ratio Lower Upper

252 100

253 23.5 17.9 26.9

125 11.9 8.6 13.0



#93

Benzo(a)pyrene

Concen: 3.551 ng/ul

RT: 23.621 min Scan# 3508

Delta R.T. -0.012 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40




Tgt Ion:252 Resp: 288714


Ion Ratio Lower Upper

252 100

253 23.2 17.8 26.6

125 13.3 9.7 14.5





#94

Indeno(1,2,3-cd)pyrene

Concen: 2.425 ng/ul

RT: 26.221 min Scan# 3950

Delta R.T. -0.024 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40

Instrument :

BNA_P

ClientSampleId :





Tgt Ion:276 Resp: 228305

Ion Ratio Lower Upper

276 100

138 21.7 20.3 30.5

277 24.7 20.2 30.4



#96

Benzo(g,h,i)perylene

Concen: 2.122 ng/ul

RT: 26.998 min Scan# 4082

Delta R.T. -0.012 min

Lab File: BP012248.D

Acq: 21 Oct 2022 16:40

Tgt Ion:276 Resp: 187586

Ion Ratio Lower Upper

276 100

138 21.6 17.9 26.9

277 24.2 18.9 28.3

