

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111020\
 Data File : BP003907.D
 Acq On : 10 Nov 2020 17:52
 Operator : CG/JU
 Sample : L4679-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 FK-EF-03-001-ABCD

Quant Time: Nov 11 00:11:56 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 10 13:41:24 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.275	152	165947	20.00	ng	0.00
21) Naphthalene-d8	11.110	136	603617	20.00	ng	# 0.00
39) Acenaphthene-d10	14.898	164	328487	20.00	ng	0.00
64) Phenanthrene-d10	17.628	188	608312	20.00	ng	# 0.00
76) Chrysene-d12	21.657	240	547816	20.00	ng	0.00
86) Perylene-d12	24.127	264	610775	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.805	112	1077705	108.39	ng	0.00
7) Phenol-d6	7.452	99	1173492	82.22	ng	0.00
23) Nitrobenzene-d5	9.440	82	752915	61.09	ng	0.00
42) 2,4,6-Tribromophenol	16.381	330	371079	90.32	ng	0.00
45) 2-Fluorobiphenyl	13.522	172	1516032	64.52	ng	0.00
79) Terphenyl-d14	20.127	244	1606637	56.66	ng	0.00
Target Compounds						
10) Phenol	7.475	94	29459	2.14	ng	75
50) Dimethylphthalate	14.322	163	255559	9.95	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111020\
Data File : BP003907.D
Acq On : 10 Nov 2020 17:52
Operator : CG/JU
Sample : L4679-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD

Quant Time: Nov 11 00:11:56 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 10 13:41:24 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.275 min Scan# 916
Delta R.T. -0.006 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD

Tgt Ion:152 Resp: 165947
Ion Ratio Lower Upper
152 100
150 157.4 123.8 185.6
115 60.8 43.8 65.6



#5
2-Fluorophenol
Concen: 108.39 ng
RT: 5.805 min Scan# 496
Delta R.T. 0.006 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:112 Resp: 1077705
Ion Ratio Lower Upper
112 100
64 65.5 32.8 49.2#
63 33.9 17.0 25.4#









#7
Phenol-d6
Concen: 82.22 ng
RT: 7.452 min Scan# 776
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD


Tgt Ion: 99 Resp: 1173492
Ion Ratio Lower Upper
99 100
42 19.5 8.6 13.0#
71 35.7 23.4 35.2#



#10
Phenol
Concen: 2.14 ng
RT: 7.475 min Scan# 780
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion: 94 Resp: 29459
Ion Ratio Lower Upper
94 100
65 33.3 2.3 42.3
66 45.8 10.9 50.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.110 min Scan# 1398
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD


Tgt Ion:	136	Resp:	603617
Ion Ratio	Lower	Upper	
136	100		
137	10.5	8.6	13.0
54	9.0	3.6	5.4#
68	5.9	3.3	4.9#



#23
Nitrobenzene-d5
Concen: 61.09 ng
RT: 9.440 min Scan# 1114
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:	82	Resp:	752915
Ion Ratio	Lower	Upper	
82	100		
128	42.0	45.6	68.4#
54	55.6	30.1	45.1#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.898 min Scan# 2042
Delta R.T. -0.006 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD


Tgt Ion:164 Resp: 328487
Ion Ratio Lower Upper
164 100
162 98.8 79.4 119.2
160 43.3 36.1 54.1



#42
2,4,6-Tribromophenol
Concen: 90.32 ng
RT: 16.381 min Scan# 2294
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:330 Resp: 371079
Ion Ratio Lower Upper
330 100
332 97.6 77.1 115.7
141 33.2 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 64.52 ng
RT: 13.522 min Scan# 1808
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD


Tgt Ion:172 Resp: 1516032
Ion Ratio Lower Upper
172 100
171 34.7 28.5 42.7
170 22.4 19.2 28.8



#50
Dimethylphthalate
Concen: 9.95 ng
RT: 14.322 min Scan# 1944
Delta R.T. -0.006 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:163 Resp: 255559
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.7 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.628 min Scan# 2506
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52




Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD


Tgt Ion:188 Resp: 608312
Ion Ratio Lower Upper
188 100
94 8.3 6.2 9.2
80 9.4 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.657 min Scan# 3191
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:240 Resp: 547816
Ion Ratio Lower Upper
240 100
120 8.9 7.8 11.6
236 24.3 20.8 31.2









#79
Terphenyl-d14
Concen: 56.66 ng
RT: 20.127 min Scan# 2931
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Instrument :
BNA_P
ClientSampleId :
FK-EF-03-001-ABCD

Tgt Ion:244 Resp: 1606637
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 8.2 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.127 min Scan# 3611
Delta R.T. -0.000 min
Lab File: BP003907.D
Acq: 10 Nov 2020 17:52

Tgt Ion:264 Resp: 610775
Ion Ratio Lower Upper
264 100
260 22.5 18.8 28.2
265 21.7 17.4 26.2

