

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP122921\
 Data File : BP008595.D
 Acq On : 29 Dec 2021 14:58
 Operator : CG/JU
 Sample : M5208-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 WP-SOIL-1

Quant Time: Dec 29 15:45:45 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP122821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 29 13:29:13 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.899	152	533700	20.000	ng	0.00
21) Naphthalene-d8	10.699	136	1949269	20.000	ng	0.00
39) Acenaphthene-d10	14.528	164	1190660	20.000	ng	0.00
64) Phenanthrene-d10	17.275	188	2334064	20.000	ng	0.00
76) Chrysene-d12	21.357	240	2373610	20.000	ng	0.00
86) Perylene-d12	23.780	264	2794983	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	2886857	98.731	ng	0.00
7) Phenol-d6	7.058	99	3145384	77.285	ng	0.00
23) Nitrobenzene-d5	9.052	82	2276043	69.461	ng	0.00
42) 2,4,6-Tribromophenol	16.016	330	1461799	90.743	ng	0.00
45) 2-Fluorobiphenyl	13.157	172	6070696	77.022	ng	0.00
79) Terphenyl-d14	19.833	244	8503959	82.652	ng	0.00
Target Compounds						
32) Benzoic acid	9.934	122	119563	7.112	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP122921\
Data File : BP008595.D
Acq On : 29 Dec 2021 14:58
Operator : CG/JU
Sample : M5208-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1

Quant Time: Dec 29 15:45:45 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP122821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 29 13:29:13 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.899 min Scan# 81
Delta R.T. -0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58




Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1


Tgt Ion:152 Resp: 533700
Ion Ratio Lower Upper
152 100
150 156.8 127.0 190.6
115 53.0 43.7 65.5



#5
2-Fluorophenol
Concen: 98.731 ng
RT: 5.475 min Scan# 423
Delta R.T. 0.006 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion:112 Resp: 2886857
Ion Ratio Lower Upper
112 100
64 49.5 39.7 59.5
63 24.5 20.0 30.0









#7
Phenol-d6
Concen: 77.285 ng
RT: 7.058 min Scan# 692
Delta R.T. 0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1

Tgt Ion: 99 Resp: 3145384




Ion	Ratio	Lower	Upper
99	100		
42	13.6	10.8	16.2
71	30.1	23.8	35.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.699 min Scan# 1311
Delta R.T. 0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion: 136 Resp: 1949269

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.4
54	5.8	4.9	7.3
68	5.5	4.3	6.5









#23
Nitrobenzene-d5
Concen: 69.461 ng
RT: 9.052 min Scan# 1181
Delta R.T. -0.006 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58




Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1


Tgt Ion: 82 Resp: 2276043
Ion Ratio Lower Upper
82 100
128 47.8 39.4 59.2
54 40.0 32.6 48.8



#32
Benzoic acid
Concen: 7.112 ng
RT: 9.934 min Scan# 1181
Delta R.T. -0.082 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion:122 Resp: 119563
Ion Ratio Lower Upper
122 100
105 119.2 100.1 140.1
77 89.5 65.5 105.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.528 min Scan# 1962
Delta R.T. 0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58




Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1


Tgt Ion:164 Resp: 1190660
Ion Ratio Lower Upper
164 100
162 99.4 79.9 119.9
160 44.2 35.5 53.3



#42
2,4,6-Tribromophenol
Concen: 90.743 ng
RT: 16.016 min Scan# 2215
Delta R.T. 0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion:330 Resp: 1461799
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 27.7 21.3 31.9









#45
2-Fluorobiphenyl
Concen: 77.022 ng
RT: 13.157 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58




Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1


Tgt Ion:172 Resp: 6070696
Ion Ratio Lower Upper
172 100
171 35.5 29.3 43.9
170 23.4 19.5 29.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.275 min Scan# 2429
Delta R.T. -0.000 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion:188 Resp: 2334064
Ion Ratio Lower Upper
188 100
94 8.0 6.8 10.2
80 8.6 7.2 10.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.357 min Scan# 3124
Delta R.T. -0.006 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58




Instrument :
BNA_P
ClientSampleId :
WP-SOIL-1


Tgt Ion:240 Resp: 2373610
Ion Ratio Lower Upper
240 100
120 9.0 7.7 11.5
236 25.7 21.2 31.8



#79
Terphenyl-d14
Concen: 82.652 ng
RT: 19.833 min Scan# 2864
Delta R.T. 0.006 min
Lab File: BP008595.D
Acq: 29 Dec 2021 14:58

Tgt Ion:244 Resp: 8503959
Ion Ratio Lower Upper
244 100
212 7.2 6.5 9.7
122 9.6 9.2 13.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.780 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BP008595.D
 Acq: 29 Dec 2021 14:58

Instrument :
 BNA_P
 ClientSampleId :
 WP-SOIL-1

Tgt Ion:264 Resp: 2794983
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.1 28.7
 265 22.0 17.1 25.7

