

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010224\
 Data File : BP019256.D
 Acq On : 03 Jan 2024 19:32
 Operator : MA/JU
 Sample : 05951-09
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 GCF73

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 01/04/2024
 Supervised By :mohammad ahmed 01/05/2024

Quant Time: Jan 04 04:56:38 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP122723.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 29 03:48:11 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.793	152	196207	20.000	ng/ul	-0.01
20) Naphthalene-d8	10.593	136	694794	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.440	164	416124	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.204	188	902930	20.000	ng/ul	0.00
79) Chrysene-d12	21.304	240	1075834	20.000	ng/ul	0.00
88) Perylene-d12	23.674	264	1324665	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.234	96	10418	1.813	ng/uL	0.00
4) Pyridine-d5	3.676	84	14747m	1.023	ng/ul	0.02
7) Phenol-d5	6.987	99	191004	10.855	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.134	67	112747	11.076	ng/ul	0.00
11) 2-Chlorophenol-d4	7.334	132	156746	11.050	ng/ul	0.00
15) 4-Methylphenol-d8	8.528	113	139726	10.200	ng/ul	0.00
21) Nitrobenzene-d5	8.963	128	69838	11.628	ng/ul	0.00
24) 2-Nitrophenol-d4	9.681	143	78573	12.105	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.228	165	149121	11.377	ng/ul	0.00
31) 4-Chloroaniline-d4	10.752	131	25288	1.569	ng/ul	0.00
46) Dimethylphthalate-d6	13.857	166	436476	11.875	ng/ul	-0.01
49) Acenaphthylene-d8	14.134	160	517897	12.986	ng/ul	0.00
54) 4-Nitrophenol-d4	14.687	143	52841m	8.514	ng/ul	0.02
60) Fluorene-d10	15.440	176	414412	13.051	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.569	200	53561	9.048	ng/ul	0.00
73) Anthracene-d10	17.298	188	628820	13.336	ng/ul	0.00
81) Pyrene-d10	19.545	212	828830	12.641	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.522	264	962742	12.644	ng/ul	0.00
Target Compounds						
58) 2,3,4,6-Tetrachlorophenol	15.075	232	179306	18.903	ng/ul#	97
71) Pentachlorophenol	16.869	266	5755115	714.716	ng/ul	98
74) Anthracene	17.334	178	187558	3.443	ng/ul#	90
82) Pyrene	19.575	202	90283	1.145	ng/ul#	95
86) Bis(2-ethylhexyl)phtha...	21.216	149	72206	1.742	ng/ul#	92
87) Chrysene	21.322	228	95873	1.210	ng/ul#	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010224\
Data File : BP019256.D
Acq On : 03 Jan 2024 19:32
Operator : MA/JU
Sample : 05951-09
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
GCF73

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 01/04/2024
Supervised By :mohammad ahmed 01/05/2024


Quant Time: Jan 04 04:56:38 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP122723.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 29 03:48:11 2023
Response via : Initial Calibration





#58
2,3,4,6-Tetrachlorophenol
Concen: 18.903 ng/ul
RT: 15.075 min Scan# 2038
Delta R.T. 0.000 min
Lab File: BP019256.D
Acq: 03 Jan 2024 19:32




Instrument :
BNA_P
ClientSampleId :
GCF73




Tgt Ion:232 Resp: 179300
Ion Ratio Lower Upper
232 100
131 39.4 29.3 43.9
130 2.5 1.4 2.2
166 29.0 22.6 33.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/04/2024
Supervised By :mohammad ahmed 01/05/2024




#71
Pentachlorophenol
Concen: 714.716 ng/ul
RT: 16.869 min Scan# 2343
Delta R.T. 0.018 min
Lab File: BP019256.D
Acq: 03 Jan 2024 19:32




Tgt Ion:266 Resp: 5755115
Ion Ratio Lower Upper
266 100
264 64.1 50.0 75.0
268 64.3 52.8 79.2





#74
 Anthracene
 Concen: 3.443 ng/ul
 RT: 17.334 min Scan# 2422
 Delta R.T. -0.006 min
 Lab File: BP019256.D
 Acq: 03 Jan 2024 19:32




Instrument :
 BNA_P
 ClientSampleId :
 GCF73




Tgt Ion:178 Resp: 187558
 Ion Ratio Lower Upper
 178 100
 179 22.3 12.2 18.4
 176 20.7 14.9 22.3

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 01/04/2024
 Supervised By :mohammad ahmed 01/05/2024




#82
 Pyrene
 Concen: 1.145 ng/ul
 RT: 19.575 min Scan# 2803
 Delta R.T. 0.000 min
 Lab File: BP019256.D
 Acq: 03 Jan 2024 19:32




Tgt Ion:202 Resp: 90283
 Ion Ratio Lower Upper
 202 100
 101 14.0 9.2 13.8
 100 11.3 7.8 11.6





#86
Bis(2-ethylhexyl)phthalate
Concen: 1.742 ng/ul
RT: 21.216 min Scan# 3082
Delta R.T. -0.006 min
Lab File: BP019256.D
Acq: 03 Jan 2024 19:32




Instrument :
BNA_P
ClientSampleId :
GCF73




Tgt Ion:149 Resp: 72200
Ion Ratio Lower Upper
149 100
167 32.5 22.5 33.7
279 7.2 4.0 6.0

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 01/04/2024
Supervised By :mohammad ahmed 01/05/2024



#87
Chrysene
Concen: 1.210 ng/ul
RT: 21.322 min Scan# 3100
Delta R.T. -0.023 min
Lab File: BP019256.D
Acq: 03 Jan 2024 19:32



Tgt Ion:228 Resp: 95873
Ion Ratio Lower Upper
228 100
226 35.0 23.4 35.2
229 31.8 15.6 23.4

