

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010422\
 Data File : BP008670.D
 Acq On : 04 Jan 2022 19:51
 Operator : CG/JU
 Sample : M5342-10
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB-10-(10-15)

Quant Time: Jan 05 04:27:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP122821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 30 08:44:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.887	152	595157	20.000	ng	-0.01
21) Naphthalene-d8	10.687	136	2302385	20.000	ng	-0.01
39) Acenaphthene-d10	14.516	164	1557372	20.000	ng	-0.01
64) Phenanthrene-d10	17.263	188	3412243	20.000	ng	-0.01
76) Chrysene-d12	21.345	240	3205911	20.000	ng	-0.02
86) Perylene-d12	23.763	264	3115872	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	3345819	102.612	ng	0.00
7) Phenol-d6	7.058	99	4129484	90.987	ng	0.00
23) Nitrobenzene-d5	9.040	82	2497431	64.528	ng	-0.02
42) 2,4,6-Tribromophenol	16.004	330	2264424	107.468	ng	-0.01
45) 2-Fluorobiphenyl	13.146	172	6801816	63.277	ng	-0.01
79) Terphenyl-d14	19.822	244	9997398	63.672	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010422\
Data File : BP008670.D
Acq On : 04 Jan 2022 19:51
Operator : CG/JU
Sample : M5342-10
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB-10-(10-15)

Quant Time: Jan 05 04:27:24 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP122821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 30 08:44:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.887 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51




Instrument :
BNA_P
ClientSampleId :
SB-10-(10-15)


Tgt Ion:152 Resp: 595157
Ion Ratio Lower Upper
152 100
150 153.9 127.0 190.6
115 52.6 43.7 65.5



#5
2-Fluorophenol
Concen: 102.612 ng
RT: 5.469 min Scan# 422
Delta R.T. 0.000 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51

Tgt Ion:112 Resp: 3345819
Ion Ratio Lower Upper
112 100
64 49.2 39.7 59.5
63 24.9 20.0 30.0









#7
Phenol-d6
Concen: 90.987 ng
RT: 7.058 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51

Instrument :
BNA_P
ClientSampleId :
SB-10-(10-15)

Tgt Ion: 99 Resp: 4129484




Ion	Ratio	Lower	Upper
99	100		
42	13.7	10.8	16.2
71	30.0	23.8	35.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.687 min Scan# 1309
Delta R.T. -0.012 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51

Tgt Ion: 136 Resp: 2302385

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	5.8	4.9	7.3
68	5.4	4.3	6.5





#23

Nitrobenzene-d5

Concen: 64.528 ng

RT: 9.040 min Scan# 1029

Delta R.T. -0.018 min

Lab File: BP008670.D

Acq: 04 Jan 2022 19:51

Instrument :





BNA_P

ClientSampleId :

SB-10-(10-15)

Tgt Ion: 82 Resp: 2497431

Ion	Ratio	Lower	Upper
82	100		
128	48.7	39.4	59.2
54	41.6	32.6	48.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.516 min Scan# 1960




Delta R.T. -0.012 min


Lab File: BP008670.D

Acq: 04 Jan 2022 19:51

Tgt Ion:164 Resp: 1557372

Ion	Ratio	Lower	Upper
164	100		
162	99.9	79.9	119.9
160	43.8	35.5	53.3









#42
2,4,6-Tribromophenol
Concen: 107.468 ng
RT: 16.004 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51




Instrument :
BNA_P
ClientSampleId :
SB-10-(10-15)


Tgt Ion:330 Resp: 2264424
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 26.3 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 63.277 ng
RT: 13.146 min Scan# 1727
Delta R.T. -0.011 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51

Tgt Ion:172 Resp: 6801816
Ion Ratio Lower Upper
172 100
171 35.3 29.3 43.9
170 23.3 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2429
Delta R.T. -0.012 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51




Instrument :
BNA_P
ClientSampleId :
SB-10-(10-15)


Tgt Ion:188 Resp: 3412243
Ion Ratio Lower Upper
188 100
94 7.9 6.8 10.2
80 8.3 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.345 min Scan# 3121
Delta R.T. -0.018 min
Lab File: BP008670.D
Acq: 04 Jan 2022 19:51

Tgt Ion:240 Resp: 3205911
Ion Ratio Lower Upper
240 100
120 9.5 7.7 11.5
236 25.9 21.2 31.8









#79
 Terphenyl-d14
 Concen: 63.672 ng
 RT: 19.822 min Scan# 21
 Delta R.T. -0.005 min
 Lab File: BP008670.D
 Acq: 04 Jan 2022 19:51

Instrument :
 BNA_P
 ClientSampleId :
 SB-10-(10-15)

Tgt Ion:244 Resp: 9997398
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.5 9.7
 122 9.5 9.2 13.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.763 min Scan# 3532
 Delta R.T. -0.023 min
 Lab File: BP008670.D
 Acq: 04 Jan 2022 19:51

Tgt Ion:264 Resp: 3115872
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.1 28.7
 265 22.1 17.1 25.7

