

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010622\
 Data File : BP008719.D
 Acq On : 06 Jan 2022 20:54
 Operator : CG/JU
 Sample : N1023-05
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 HH-CON-C

Quant Time: Jan 07 08:08:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP010622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 07 07:45:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.875	152	420302	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	1612695	20.000	ng	0.00
39) Acenaphthene-d10	14.510	164	1070775	20.000	ng	0.00
64) Phenanthrene-d10	17.263	188	2267934	20.000	ng	0.00
76) Chrysene-d12	21.351	240	2296706	20.000	ng	0.00
86) Perylene-d12	23.774	264	2478107	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.458	112	1412019	52.609	ng	0.00
7) Phenol-d6	7.046	99	2412287	66.951	ng	0.00
23) Nitrobenzene-d5	9.028	82	1786213	62.726	ng	0.00
42) 2,4,6-Tribromophenol	15.998	330	385573	21.344	ng	-0.01
45) 2-Fluorobiphenyl	13.134	172	4896292	64.287	ng	0.00
79) Terphenyl-d14	19.821	244	7993897	70.929	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP010622\
Data File : BP008719.D
Acq On : 06 Jan 2022 20:54
Operator : CG/JU
Sample : N1023-05
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
HH-CON-C

Quant Time: Jan 07 08:08:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP010622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 07 07:45:52 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.875 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54




Instrument :
BNA_P
ClientSampleId :
HH-CON-C


Tgt Ion:152 Resp: 420302
Ion Ratio Lower Upper
152 100
150 152.2 127.0 190.6
115 53.7 43.7 65.5



#5
2-Fluorophenol
Concen: 52.609 ng
RT: 5.458 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Tgt Ion:112 Resp: 1412019
Ion Ratio Lower Upper
112 100
64 49.2 39.7 59.5
63 26.1 20.0 30.0









#7
Phenol-d6
Concen: 66.951 ng
RT: 7.046 min Scan# 691
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Instrument :
BNA_P
ClientSampleId :
HH-CON-C

Tgt Ion: 99 Resp: 2412287




Ion	Ratio	Lower	Upper
99	100		
42	14.9	10.8	16.2
71	30.7	23.8	35.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1307
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Tgt Ion: 136 Resp: 1612695

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	6.0	4.9	7.3
68	5.3	4.3	6.5









#23
Nitrobenzene-d5
Concen: 62.726 ng
RT: 9.028 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54




Instrument :
BNA_P
ClientSampleId :
HH-CON-C


Tgt Ion: 82 Resp: 1786213
Ion Ratio Lower Upper
82 100
128 46.6 39.4 59.2
54 43.2 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Tgt Ion: 164 Resp: 1070775
Ion Ratio Lower Upper
164 100
162 100.8 79.9 119.9
160 44.8 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 21.344 ng
RT: 15.998 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54




Instrument :
BNA_P
ClientSampleId :
HH-CON-C


Tgt Ion:330 Resp: 385573
Ion Ratio Lower Upper
330 100
332 96.9 77.0 115.4
141 29.3 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 64.287 ng
RT: 13.134 min Scan# 1725
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Tgt Ion:172 Resp: 4896292
Ion Ratio Lower Upper
172 100
171 35.2 29.3 43.9
170 23.3 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2427
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54




Instrument :
BNA_P
ClientSampleId :
HH-CON-C


Tgt Ion:188 Resp: 2267934
Ion Ratio Lower Upper
188 100
94 7.7 6.8 10.2
80 7.7 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.351 min Scan# 3122
Delta R.T. -0.006 min
Lab File: BP008719.D
Acq: 06 Jan 2022 20:54

Tgt Ion:240 Resp: 2296706
Ion Ratio Lower Upper
240 100
120 8.5 7.7 11.5
236 26.6 21.2 31.8









#79
 Terphenyl-d14
 Concen: 70.929 ng
 RT: 19.821 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP008719.D
 Acq: 06 Jan 2022 20:54

Instrument :
 BNA_P
 ClientSampleId :
 HH-CON-C

Tgt Ion:244 Resp: 7993897
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.5 9.7
 122 9.5 9.2 13.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.774 min Scan# 3534
 Delta R.T. -0.012 min
 Lab File: BP008719.D
 Acq: 06 Jan 2022 20:54

Tgt Ion:264 Resp: 2478107
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.1 28.7
 265 22.7 17.1 25.7

