

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011224\
 Data File : BP019348.D
 Acq On : 13 Jan 2024 01:29
 Operator : MA/JU
 Sample : PB158381BS
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS381

Quant Time: Jan 13 01:59:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jan 09 03:05:24 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut
 Upadhyay

01/15/2024
 Supervised By :mohammad
 ahmed

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.781	152	119314	20.000	ng/u1	0.00
20) Naphthalene-d8	10.575	136	506079	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.422	164	352455	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.181	188	891722	20.000	ng/u1	0.00
79) Chrysene-d12	21.286	240	937688	20.000	ng/u1	0.00
88) Perylene-d12	23.639	264	968025	20.000	ng/u1	0.00

01/16/2024

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.217	96	20530	6.507	ng/uL	0.00
4) Pyridine-d5	3.634	84	318523	34.910	ng/u1	0.00
7) Phenol-d5	6.969	99	410721	36.016	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.122	67	243537	35.704	ng/u1	0.00
11) 2-Chlorophenol-d4	7.310	132	291632	37.228	ng/u1	0.00
15) 4-Methylphenol-d8	8.510	113	327340	36.182	ng/u1	0.00
21) Nitrobenzene-d5	8.946	128	151656	35.620	ng/u1	0.00
24) 2-Nitrophenol-d4	9.663	143	181313	36.651	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.204	165	365711	36.591	ng/u1	0.00
31) 4-Chloroaniline-d4	10.728	131	411748	32.615	ng/u1	0.00
46) Dimethylphthalate-d6	13.845	166	1080800	34.710	ng/u1	0.00
49) Acenaphthylene-d8	14.116	160	1165651	34.922	ng/u1	0.00
54) 4-Nitrophenol-d4	14.663	143	182178	38.100	ng/u1	0.00
60) Fluorene-d10	15.422	176	944713	37.057	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.563	200	240140	36.476	ng/u1	0.00
73) Anthracene-d10	17.281	188	1563748	35.161	ng/u1	0.00
81) Pyrene-d10	19.527	212	2051149	33.546	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.492	264	1970446	37.435	ng/u1	0.00

Target Compounds					Qvalue
2) 1,4-Dioxane	3.252	88	41791	12.787	ng/uL 99
5) Pyridine	3.652	79	313560	33.830	ng/u1 90
6) Benzaldehyde	6.928	77	232432	46.752	ng/u1 95
8) Phenol	6.993	94	421087	36.653	ng/u1 100
10) Bis(2-Chloroethyl)ether	7.216	93	328709	35.670	ng/u1 99
12) 2-Chlorophenol	7.346	128	298005	36.806	ng/u1 99
13) 2-Methylphenol	8.240	108	311958	36.202	ng/u1 99
14) 2,2'-oxybis(1-Chloropr...	8.305	45	399006	36.388	ng/u1 99
16) Acetophenone	8.610	105	530548	36.815	ng/u1 99
17) N-Nitroso-di-n-propyla...	8.599	70	281713	37.519	ng/u1 98
18) 4-Methylphenol	8.569	108	338887	36.941	ng/u1 99
19) Hexachloroethane	8.846	117	131498	35.956	ng/u1 99
22) Nitrobenzene	8.987	77	432854	36.342	ng/u1 97
23) Isophorone	9.516	82	819000	35.470	ng/u1 99
25) 2-Nitrophenol	9.699	139	188844	36.341	ng/u1 98
26) 2,4-Dimethylphenol	9.769	107	369547	32.982	ng/u1 98
27) Bis(2-Chloroethoxy)met...	9.999	93	461234	34.731	ng/u1 100
29) 2,4-Dichlorophenol	10.234	162	350470	36.387	ng/u1 99
30) Naphthalene	10.622	128	987295	34.622	ng/u1 99
32) 4-Chloroaniline	10.751	127	364021	29.473	ng/u1 99
33) Hexachlorobutadiene	10.899	225	288725	34.744	ng/u1 98
34) Caprolactam	11.551	113	115895m	38.369	ng/u1
35) 4-Chloro-3-methylphenol	11.887	107	397255	37.150	ng/u1 99
36) 2-Methylnaphthalene	12.240	142	728062	35.089	ng/u1 99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011224\
 Data File : BP019348.D
 Acq On : 13 Jan 2024 01:29
 Operator : MA/JU
 Sample : PB158381BS
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS381

Manual Integrations
 APPROVED

Reviewed By :Jagrut
 Upadhyay

01/15/2024
 Supervised By :mohammad
 ahmed

Quant Time: Jan 13 01:59:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010824.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jan 09 03:05:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.457	142	720172	35.475	ng/u1	99
39) 1,2,4,5-Tetrachloroben...	12.610	216	548258	35.896	ng/u1	98
40) Hexachlorocyclopentadiene	12.575	237	304015	31.013	ng/u1	97
41) 2,4,6-Trichlorophenol	12.857	196	350228	37.262	ng/u1	97
42) 2,4,5-Trichlorophenol	12.940	196	379238	37.650	ng/u1	99
43) 1,1'-Biphenyl	13.257	154	1033858	35.508	ng/u1	99
44) 2-Chloronaphthalene	13.298	162	835507	35.483	ng/u1	99
45) 2-Nitroaniline	13.522	65	264772	39.203	ng/u1	96
47) Dimethylphthalate	13.892	163	1091074	35.256	ng/u1	100
48) 2,6-Dinitrotoluene	14.022	165	232781	38.039	ng/u1	99
50) Acenaphthylene	14.145	152	1259311	34.445	ng/u1	99
51) 3-Nitroaniline	14.351	138	200892	37.636	ng/u1	100
52) Acenaphthene	14.487	153	845836	35.310	ng/u1	98
53) 2,4-Dinitrophenol	14.563	184	149515	37.262	ng/u1	94
55) 4-Nitrophenol	14.681	109	202479	39.213	ng/u1	97
56) Dibenzofuran	14.822	168	1238464	36.111	ng/u1	99
57) 2,4-Dinitrotoluene	14.810	165	347352	40.455	ng/u1	98
58) 2,3,4,6-Tetrachlorophenol	15.057	232	346340	38.731	ng/u1	99
59) Diethylphthalate	15.257	149	1091755	37.699	ng/u1	99
61) Fluorene	15.475	166	1042231	37.102	ng/u1	99
62) 4-Chlorophenyl-phenyle...	15.469	204	618735	36.910	ng/u1	99
63) 4-Nitroaniline	15.522	138	202885	49.028	ng/u1	96
66) 4,6-Dinitro-2-methylph...	15.575	198	249429	35.746	ng/u1	99
67) N-Nitrosodiphenylamine	15.692	169	894049	34.011	ng/u1	99
68) 4-Bromophenyl-phenylether	16.369	248	418402	34.351	ng/u1	97
69) Hexachlorobenzene	16.481	284	492399	35.078	ng/u1	97
70) Atrazine	16.657	200	360876	31.494	ng/u1	99
71) Pentachlorophenol	16.833	266	311518	35.731	ng/u1	100
72) Phenanthrene	17.222	178	1789530	35.726	ng/u1	99
74) Anthracene	17.316	178	1802980	35.507	ng/u1	99
75) 1,2,3,4-Tetrachloroben...	13.216	216	548549	33.224	ng/uL	99
76) Pentachlorobenzene	14.739	250	532413	33.195	ng/uL	100
77) Carbazole	17.598	167	1566643	36.265	ng/u1	100
78) Di-n-butylphthalate	18.145	149	1933394	37.397	ng/u1	99
80) Fluoranthene	19.198	202	2410715	33.356	ng/u1	99
82) Pyrene	19.557	202	2439208	33.252	ng/u1	98
83) Butylbenzylphthalate	20.433	149	895863	35.597	ng/u1	96
84) 3,3'-Dichlorobenzidine	21.210	252	826823	38.835	ng/u1	99
85) Benzo(a)anthracene	21.269	228	2616813	35.849	ng/u1	99
86) Bis(2-ethylhexyl)phtha...	21.192	149	1309622	36.253	ng/u1	99
87) Chrysene	21.321	228	2371634	35.543	ng/u1	100
89) Di-n-octyl phthalate	22.104	149	2211131	33.466	ng/u1	100
90) Benzo(b)fluoranthene	22.927	252	2583968	37.352	ng/u1	99
91) Benzo(k)fluoranthene	22.974	252	2372010	35.345	ng/u1	99
93) Benzo(a)pyrene	23.539	252	2273868	36.580	ng/u1	99
94) Indeno(1,2,3-cd)pyrene	26.092	276	2550654	34.695	ng/u1	98
95) Dibenzo(a,h)anthracene	26.104	278	2120815	34.848	ng/u1	100
96) Benzo(g,h,i)perylene	26.839	276	1974507	33.444	ng/u1	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011224\
 Data File : BP019348.D
 Acq On : 13 Jan 2024 01:29
 Operator : MA/JU
 Sample : PB158381BS
 Misc :
 ALS Vial : 27 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 SLCS381


Manual Integrations APPROVED

Reviewed By :Jagrut
 Upadhyay

01/15/2024
 Supervised By :mohammad
 ahmed


01/16/2024





#2
1,4-Dioxane
Concen: 12.787 ng/uL
RT: 3.252 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion: 88 Resp: 4179
Ion Ratio Lower Upper
88 100
43 27.9 22.0 33.0
58 67.4 54.6 82.0

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#5
Pyridine
Concen: 33.830 ng/uL
RT: 3.652 min Scan# 96
Delta R.T. -0.012 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 79 Resp: 313560
Ion Ratio Lower Upper
79 100
52 74.5 50.7 76.1
51 34.1 26.8 40.2





#6
Benzaldehyde
Concen: 46.752 ng/ul
RT: 6.928 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion: 77 Resp: 23243
Ion Ratio Lower Upper
77 100
105 90.7 75.3 112.9
106 84.1 71.5 107.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#8
Phenol
Concen: 36.653 ng/ul
RT: 6.993 min Scan# 664
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 94 Resp: 421087
Ion Ratio Lower Upper
94 100
65 31.3 25.3 37.9
66 46.2 36.8 55.2





#10
Bis(2-Chloroethyl)ether
Concen: 35.670 ng/ul
RT: 7.216 min Scan# 702
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion: 93 Resp: 328709
Ion Ratio Lower Upper
93 100
63 76.6 60.7 91.1
95 32.2 26.2 39.2

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#12
2-Chlorophenol
Concen: 36.806 ng/ul
RT: 7.346 min Scan# 724
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:128 Resp: 298005
Ion Ratio Lower Upper
128 100
64 52.6 41.3 61.9
130 32.9 25.9 38.9





#13
2-Methylphenol
Concen: 36.202 ng/ul
RT: 8.240 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381





Tgt Ion:108 Resp: 311958
Ion Ratio Lower Upper
108 100
107 90.9 71.9 107.9

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#14
2,2'-oxybis(1-Chloropropane)
Concen: 36.388 ng/ul
RT: 8.305 min Scan# 887
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 45 Resp: 399006
Ion Ratio Lower Upper
45 100
77 18.2 14.2 21.4
79 13.1 10.5 15.7





#16
Acetophenone
Concen: 36.815 ng/ul
RT: 8.610 min Scan# 91
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:105 Resp: 530548
Ion Ratio Lower Upper
105 100
77 82.8 66.1 99.1
51 26.9 20.9 31.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#17
N-Nitroso-di-n-propylamine
Concen: 37.519 ng/ul
RT: 8.599 min Scan# 937
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 70 Resp: 281713
Ion Ratio Lower Upper
70 100
42 49.9 38.5 57.7
101 8.9 7.9 11.9
130 17.5 14.3 21.5





#18
4-Methylphenol
Concen: 36.941 ng/ul
RT: 8.569 min Scan# 911
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:108 Resp: 33888
Ion Ratio Lower Upper
108 100
107 115.0 92.6 139.0

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#19
Hexachloroethane
Concen: 35.956 ng/ul
RT: 8.846 min Scan# 979
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:117 Resp: 131498
Ion Ratio Lower Upper
117 100
201 126.3 101.8 152.6
199 80.0 62.6 93.8





#22
Nitrobenzene
Concen: 36.342 ng/ul
RT: 8.987 min Scan# 1003
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion: 77 Resp: 432854
Ion Ratio Lower Upper
77 100
123 39.2 30.0 45.0
65 13.8 10.5 15.7

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#23
Isophorone
Concen: 35.470 ng/ul
RT: 9.516 min Scan# 1093
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 82 Resp: 819000
Ion Ratio Lower Upper
82 100
95 7.9 6.6 10.0
138 15.6 13.0 19.4





#25
2-Nitrophenol
Concen: 36.341 ng/ul
RT: 9.699 min Scan# 1124
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:139 Resp: 188844
Ion Ratio Lower Upper
139 100
65 59.6 45.6 68.4
109 41.4 32.6 49.0

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#26
2,4-Dimethylphenol
Concen: 32.982 ng/ul
RT: 9.769 min Scan# 1136
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:107 Resp: 369547
Ion Ratio Lower Upper
107 100
121 44.0 35.3 52.9
122 73.7 60.6 91.0





#27
Bis(2-Chloroethoxy)methane
Concen: 34.731 ng/ul
RT: 9.999 min Scan# 1175
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion: 93 Resp: 461234
Ion Ratio Lower Upper
93 100
95 32.6 25.9 38.9
123 10.1 7.9 11.9

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#29
2,4-Dichlorophenol
Concen: 36.387 ng/ul
RT: 10.234 min Scan# 1215
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:162 Resp: 350470
Ion Ratio Lower Upper
162 100
164 66.2 52.3 78.5
98 35.6 28.3 42.5





#30
Naphthalene
Concen: 34.622 ng/ul
RT: 10.622 min Scan# 1282
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381





Tgt Ion:128 Resp: 98729
Ion Ratio Lower Upper
128 100
129 10.9 8.6 12.8
127 13.6 10.6 15.8

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#32
4-Chloroaniline
Concen: 29.473 ng/ul
RT: 10.751 min Scan# 1303
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:127 Resp: 364021
Ion Ratio Lower Upper
127 100
129 31.7 25.8 38.8





#33
Hexachlorobutadiene
Concen: 34.744 ng/ul
RT: 10.899 min Scan# 1328
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:225 Resp: 288725
Ion Ratio Lower Upper
225 100
223 60.7 49.9 74.9
227 64.6 51.0 76.6

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#34
Caprolactam
Concen: 38.369 ng/ul m
RT: 11.551 min Scan# 1439
Delta R.T. 0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:113 Resp: 115895
Ion Ratio Lower Upper
113 100
55 165.3 133.3 199.9
56 132.7 108.0 162.0





#35
4-Chloro-3-methylphenol
Concen: 37.150 ng/ul
RT: 11.887 min Scan# 1496
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:107 Resp: 39725
Ion Ratio Lower Upper
107 100
144 23.3 17.8 26.8
142 71.4 56.3 84.5

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#36
2-Methylnaphthalene
Concen: 35.089 ng/ul
RT: 12.240 min Scan# 1556
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:142 Resp: 728062
Ion Ratio Lower Upper
142 100
141 89.8 71.1 106.7





#37
1-Methylnaphthalene
Concen: 35.475 ng/ul
RT: 12.457 min Scan# 1593
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:142 Resp: 720172
Ion Ratio Lower Upper
142 100
141 94.2 74.4 111.6
116 5.1 3.9 5.9

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#39
1,2,4,5-Tetrachlorobenzene
Concen: 35.896 ng/ul
RT: 12.610 min Scan# 1619
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:216 Resp: 548258
Ion Ratio Lower Upper
216 100
214 77.4 63.6 95.4
179 18.5 15.1 22.7
108 13.3 11.3 16.9





#40
Hexachlorocyclopentadiene
Concen: 31.013 ng/ul
RT: 12.575 min Scan# 1613
Delta R.T. -0.012 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:237 Resp: 304015
Ion Ratio Lower Upper
237 100
235 64.5 50.0 75.0
272 12.6 11.4 17.2

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#41
2,4,6-Trichlorophenol
Concen: 37.262 ng/ul
RT: 12.857 min Scan# 1661
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:196 Resp: 350228
Ion Ratio Lower Upper
196 100
198 94.7 78.2 117.2
200 31.7 24.6 36.8





#42
2,4,5-Trichlorophenol
Concen: 37.650 ng/ul
RT: 12.940 min Scan# 1675
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:196 Resp: 379238
Ion Ratio Lower Upper
196 100
198 98.0 78.9 118.3
200 32.6 25.0 37.6

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#43
1,1'-Biphenyl
Concen: 35.508 ng/ul
RT: 13.257 min Scan# 1729
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:154 Resp: 1033858
Ion Ratio Lower Upper
154 100
153 39.9 32.6 48.8
76 11.8 9.3 13.9





#44
2-Chloronaphthalene
Concen: 35.483 ng/ul
RT: 13.298 min Scan# 1736
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:162 Resp: 835507
Ion Ratio Lower Upper
162 100
164 33.5 26.6 40.0
127 37.4 29.4 44.2

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#45
2-Nitroaniline
Concen: 39.203 ng/ul
RT: 13.522 min Scan# 1774
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion: 65 Resp: 264772
Ion Ratio Lower Upper
65 100
92 68.8 52.1 78.1
138 96.7 74.8 112.2





#47
Dimethylphthalate
Concen: 35.256 ng/ul
RT: 13.892 min Scan# 1837
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:163 Resp: 1091074
Ion Ratio Lower Upper
163 100
194 4.4 3.4 5.2
164 10.0 8.1 12.1

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#48
2,6-Dinitrotoluene
Concen: 38.039 ng/ul
RT: 14.022 min Scan# 1859
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:165 Resp: 232781
Ion Ratio Lower Upper
165 100
89 62.4 49.9 74.9
121 19.6 16.5 24.7





#50
Acenaphthylene
Concen: 34.445 ng/ul
RT: 14.145 min Scan# 1880
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument : BNA_P
ClientSampleId : SLCS381






Tgt Ion:152 Resp: 125931
Ion Ratio Lower Upper
152 100
151 19.9 15.8 23.6
153 13.6 10.3 15.5

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#51
3-Nitroaniline
Concen: 37.636 ng/ul
RT: 14.351 min Scan# 1915
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:138 Resp: 200892
Ion Ratio Lower Upper
138 100
108 12.3 10.6 15.8
92 132.5 105.8 158.6





#52
Acenaphthene
Concen: 35.310 ng/ul
RT: 14.487 min Scan# 1938
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:153 Resp: 845830
Ion Ratio Lower Upper
153 100
152 46.3 38.2 57.2
154 88.0 68.9 103.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#53
2,4-Dinitrophenol
Concen: 37.262 ng/ul
RT: 14.563 min Scan# 1951
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:184 Resp: 149515
Ion Ratio Lower Upper
184 100
63 61.5 43.6 65.4
154 66.7 52.1 78.1





#55
4-Nitrophenol
Concen: 39.213 ng/ul
RT: 14.681 min Scan# 1971
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:109 Resp: 202479
Ion Ratio Lower Upper
109 100
139 91.0 73.2 109.8
65 108.6 90.9 136.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#56
Dibenzofuran
Concen: 36.111 ng/ul
RT: 14.822 min Scan# 1995
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:168 Resp: 1238464
Ion Ratio Lower Upper
168 100
139 37.3 30.3 45.5





#57
2,4-Dinitrotoluene
Concen: 40.455 ng/ul
RT: 14.810 min Scan# 1993
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:165 Resp: 347352
Ion Ratio Lower Upper
165 100
63 50.2 41.3 61.9
182 2.9 2.4 3.6

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#58
2,3,4,6-Tetrachlorophenol
Concen: 38.731 ng/ul
RT: 15.057 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:232 Resp: 346340
Ion Ratio Lower Upper
232 100
131 34.8 27.9 41.9
130 2.0 1.8 2.8
166 25.6 20.9 31.3






#59
Diethylphthalate
Concen: 37.699 ng/ul
RT: 15.257 min Scan# 2069
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381



Tgt Ion:149 Resp: 109175
Ion Ratio Lower Upper
149 100
177 24.0 18.8 28.2
150 12.6 10.2 15.4

Manual Integrations




APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024




Supervised By :mohammad
ahmed


01/16/2024



#61
Fluorene
Concen: 37.102 ng/ul
RT: 15.475 min Scan# 2106
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:166 Resp: 1042231
Ion Ratio Lower Upper
166 100
165 97.6 78.6 118.0
167 13.6 10.6 15.8





#62
4-Chlorophenyl-phenylether
Concen: 36.910 ng/ul
RT: 15.469 min Scan# 2105
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:204 Resp: 618735
Ion Ratio Lower Upper
204 100
206 33.3 27.0 40.4
141 53.3 41.5 62.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#63
4-Nitroaniline
Concen: 49.028 ng/ul
RT: 15.522 min Scan# 2114
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:138 Resp: 202885
Ion Ratio Lower Upper
138 100
92 59.9 48.9 73.3
108 119.2 90.4 135.6





#66
4,6-Dinitro-2-methylphenol
Concen: 35.746 ng/ul
RT: 15.575 min Scan# 2123
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:198 Resp: 249429
Ion Ratio Lower Upper
198 100
182 3.4 3.2 4.8
77 25.5 20.6 30.8

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#67
N-Nitrosodiphenylamine
Concen: 34.011 ng/ul
RT: 15.692 min Scan# 2143
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:169 Resp: 894049
Ion Ratio Lower Upper
169 100
168 67.5 54.8 82.2
167 36.1 29.3 43.9





#68
4-Bromophenyl-phenylether
Concen: 34.351 ng/ul
RT: 16.369 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:248 Resp: 418402
Ion Ratio Lower Upper
248 100
250 97.3 75.6 113.4
141 63.5 48.7 73.1

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#69
Hexachlorobenzene
Concen: 35.078 ng/ul
RT: 16.481 min Scan# 2277
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:284 Resp: 492399
Ion Ratio Lower Upper
284 100
142 26.8 23.6 35.4
249 33.0 26.1 39.1





#70

Atrazine

Concen: 31.494 ng/ul

RT: 16.657 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381

Tgt Ion:200	Resp: 360870
Ion Ratio	Lower Upper
200 100	
173 23.4	19.4 29.0
215 49.8	39.7 59.5





Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024

Supervised By :mohammad
ahmed

01/16/2024



#71

Pentachlorophenol

Concen: 35.731 ng/ul




RT: 16.833 min Scan# 2337


Delta R.T. -0.006 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29


Tgt Ion:266	Resp: 311518
Ion Ratio	Lower Upper
266 100	
264 62.2	49.4 74.2
268 64.3	51.6 77.4





#72
Phenanthrene
Concen: 35.726 ng/ul
RT: 17.222 min Scan# 2403
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:178 Resp: 1789530
Ion Ratio Lower Upper
178 100
179 15.6 12.1 18.1
176 19.0 15.4 23.2

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#74
Anthracene
Concen: 35.507 ng/ul
RT: 17.316 min Scan# 2419
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29


Tgt Ion:178 Resp: 1802980
Ion Ratio Lower Upper
178 100
179 15.6 12.3 18.5
176 18.8 14.6 22.0





#75
1,2,3,4-Tetrachlorobenzene
Concen: 33.224 ng/uL
RT: 13.216 min Scan# 1722
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:216 Resp: 548549
Ion Ratio Lower Upper
216 100
214 77.8 61.8 92.8
218 48.1 39.0 58.6

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#76
Pentachlorobenzene
Concen: 33.195 ng/uL
RT: 14.739 min Scan# 1981
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:250 Resp: 532413
Ion Ratio Lower Upper
250 100
248 63.1 50.8 76.2
252 62.7 50.2 75.4





#77

Carbazole

Concen: 36.265 ng/ul

RT: 17.598 min Scan# 2467

Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381

Tgt Ion:167 Resp: 156664

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.3	25.9
139	12.4	10.1	15.1





Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024

Supervised By :mohammad
ahmed

01/16/2024



#78

Di-n-butylphthalate

Concen: 37.397 ng/ul

RT: 18.145 min Scan# 2560




Delta R.T. -0.006 min


Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Tgt Ion:149 Resp: 1933394


Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.0	10.6
104	5.9	4.6	6.8





#80
Fluoranthene
Concen: 33.356 ng/u1
RT: 19.198 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:202 Resp: 2410715
Ion Ratio Lower Upper
202 100
101 7.2 5.9 8.9
100 5.7 4.6 7.0

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#82
Pyrene
Concen: 33.252 ng/u1
RT: 19.557 min Scan# 2800
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:202 Resp: 2439208
Ion Ratio Lower Upper
202 100
101 7.8 7.2 10.8
100 6.7 5.8 8.6





#83

Butylbenzylphthalate

Concen: 35.597 ng/ul

RT: 20.433 min Scan# 2949

Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381

Tgt Ion:149	Resp: 89586
Ion Ratio	Lower Upper
149 100	
91 73.7	61.7 92.5
206 25.0	18.6 27.8





Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024

Supervised By :mohammad
ahmed

01/16/2024



#84

3,3'-Dichlorobenzidine

Concen: 38.835 ng/ul




RT: 21.210 min Scan# 3081


Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29


Tgt Ion:252	Resp: 826823
Ion Ratio	Lower Upper
252 100	
254 63.8	50.6 76.0
126 6.9	6.0 9.0





#85
Benzo(a)anthracene
Concen: 35.849 ng/ul
RT: 21.269 min Scan# 3091
Delta R.T. -0.000 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument : BNA_P
ClientSampleId : SLCS381






Tgt Ion:228 Resp: 261681
Ion Ratio Lower Upper
228 100
229 19.7 15.8 23.6
226 27.5 21.6 32.4

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#86
Bis(2-ethylhexyl)phthalate
Concen: 36.253 ng/ul
RT: 21.192 min Scan# 3078
Delta R.T. -0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:149 Resp: 1309622
Ion Ratio Lower Upper
149 100
167 28.3 22.9 34.3
279 5.2 4.6 7.0





#87

Chrysene

Concen: 35.543 ng/ul

RT: 21.321 min Scan# 3100

Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381

Tgt Ion:228 Resp: 2371634

Ion	Ratio	Lower	Upper
228	100		
226	30.1	23.9	35.9
229	19.5	15.5	23.3





Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024

Supervised By :mohammad
ahmed

01/16/2024



#89

Di-n-octyl phthalate

Concen: 33.466 ng/ul




RT: 22.104 min Scan# 3233


Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29


Tgt Ion:149 Resp: 2211131





#90
Benzo(b)fluoranthene
Concen: 37.352 ng/ul
RT: 22.927 min Scan# 3372
Delta R.T. 0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381





Tgt Ion:252 Resp: 2583968
Ion Ratio Lower Upper
252 100
253 22.0 17.8 26.8
125 5.5 4.9 7.3

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/15/2024
Supervised By :mohammad
ahmed


01/16/2024



#91
Benzo(k)fluoranthene
Concen: 35.345 ng/ul
RT: 22.974 min Scan# 3381
Delta R.T. 0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:252 Resp: 2372010
Ion Ratio Lower Upper
252 100
253 21.8 17.3 25.9
125 5.4 4.8 7.2





#93

Benzo(a)pyrene

Concen: 36.580 ng/u1

RT: 23.539 min Scan# 3476

Delta R.T. -0.000 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29

Instrument :

BNA_P

ClientSampleId :

SLCS381

Tgt Ion:252 Resp: 227386

Ion Ratio Lower Upper

252 100

253 22.0 17.3 25.9

125 6.2 5.2 7.8

Manual Integrations

APPROVED





Reviewed By :Jagrut

Upadhyay

01/15/2024

Supervised By :mohammad
ahmed

01/16/2024



#94

Indeno(1,2,3-cd)pyrene

Concen: 34.695 ng/u1

RT: 26.092 min Scan# 3911

Delta R.T. 0.006 min

Lab File: BP019348.D

Acq: 13 Jan 2024 01:29




Tgt Ion:276 Resp: 2550654


Ion Ratio Lower Upper

276 100

138 14.3 12.2 18.4


277 25.4 19.9 29.9





#95
Dibenzo(a,h)anthracene
Concen: 34.848 ng/ul
RT: 26.104 min Scan# 3912
Delta R.T. 0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Instrument :
BNA_P
ClientSampleId :
SLCS381






Tgt Ion:278 Resp: 212081
Ion Ratio Lower Upper
278 100
139 9.0 7.4 11.2
279 23.6 18.7 28.1

Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay

01/15/2024
Supervised By :mohammad
ahmed

01/16/2024



#96
Benzo(g,h,i)perylene
Concen: 33.444 ng/ul
RT: 26.839 min Scan# 4038
Delta R.T. 0.006 min
Lab File: BP019348.D
Acq: 13 Jan 2024 01:29

Tgt Ion:276 Resp: 1974507
Ion Ratio Lower Upper
276 100
138 13.0 10.7 16.1
277 23.7 19.2 28.8

