

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011321\
 Data File : BP004530.D
 Acq On : 13 Jan 2021 10:53
 Operator : CG/JU
 Sample : PB134055BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB134055BL

Quant Time: Jan 13 11:24:31 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP011221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 12 15:19:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.816	152	215233	20.00	ng	0.00
21) Naphthalene-d8	10.610	136	802455	20.00	ng	# 0.00
39) Acenaphthene-d10	14.463	164	500929	20.00	ng	0.00
64) Phenanthrene-d10	17.228	188	1107894	20.00	ng	0.00
76) Chrysene-d12	21.316	240	1183904	20.00	ng	0.00
86) Perylene-d12	23.674	264	1255142	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.405	112	1664148	134.76	ng	0.00
7) Phenol-d6	6.987	99	2001934	118.36	ng	0.00
23) Nitrobenzene-d5	8.975	82	1168724	82.34	ng	0.00
42) 2,4,6-Tribromophenol	15.963	330	1139038	130.78	ng	0.00
45) 2-Fluorobiphenyl	13.081	172	3191610	82.83	ng	0.00
79) Terphenyl-d14	19.792	244	4888099	75.43	ng	0.00
Target Compounds						
						Qvalue
9) Benzaldehyde	6.987	77	3458	Below Cal	#	1
32) Benzoic acid	9.916	122	185	Below Cal	#	1
41) Hexachlorocyclopentadiene	12.646	237	40	Below Cal		93
54) 2,4-Dinitrophenol	14.575	184	34	Below Cal	#	1
84) Bis(2-ethylhexyl)phtha...	21.092	149	234977	5.05	ng	# 53


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011321\
Data File : BP004530.D
Acq On : 13 Jan 2021 10:53
Operator : CG/JU
Sample : PB134055BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB134055BL

Quant Time: Jan 13 11:24:31 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP011221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 12 15:19:32 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.816 min Scan# 787
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion:152 Resp: 215233
Ion Ratio Lower Upper
152 100
150 155.9 123.8 185.6
115 54.9 43.8 65.6



#5
2-Fluorophenol
Concen: 134.76 ng
RT: 5.405 min Scan# 377
Delta R.T. 0.006 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Tgt Ion:112 Resp: 1664148
Ion Ratio Lower Upper
112 100
64 46.4 32.8 49.2
63 24.0 17.0 25.4









#7
Phenol-d6
Concen: 118.36 ng
RT: 6.987 min Scan# 646
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion: 99 Resp: 2001934
Ion Ratio Lower Upper
99 100
42 12.4 8.6 13.0
71 30.6 23.4 35.2



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.610 min Scan# 1262
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Tgt Ion:136 Resp: 802455
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 5.5 3.6 5.4#
68 5.2 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 82.34 ng
RT: 8.975 min Scan# 984
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion: 82 Resp: 1168724
Ion Ratio Lower Upper
82 100
128 51.4 45.6 68.4
54 39.7 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.463 min Scan# 1917
Delta R.T. -0.006 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Tgt Ion: 164 Resp: 500929
Ion Ratio Lower Upper
164 100
162 100.6 79.4 119.2
160 44.4 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 130.78 ng
RT: 15.963 min Scan# 2172
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion:330 Resp: 1139038
Ion Ratio Lower Upper
330 100
332 97.2 77.1 115.7
141 23.5 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 82.83 ng
RT: 13.081 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Tgt Ion:172 Resp: 3191610
Ion Ratio Lower Upper
172 100
171 35.7 28.5 42.7
170 23.7 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.228 min Scan# 2387
Delta R.T. -0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion:188 Resp: 1107894
Ion Ratio Lower Upper
188 100
94 7.3 6.2 9.2
80 7.6 6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.316 min Scan# 3082
Delta R.T. -0.006 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Tgt Ion:240 Resp: 1183904
Ion Ratio Lower Upper
240 100
120 8.9 7.8 11.6
236 25.9 20.8 31.2









#79
Terphenyl-d14
Concen: 75.43 ng
RT: 19.792 min Scan# 2823
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53




Instrument :
BNA_P
ClientSampleId :
PB134055BL


Tgt Ion:244 Resp: 4888099
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 8.2 7.8 11.8



#84
Bis(2-ethylhexyl)phthalate
Concen: 5.05 ng
RT: 21.092 min Scan# 3044
Delta R.T. -0.135 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53


Tgt Ion:149 Resp: 234977
Ion Ratio Lower Upper
149 100
167 0.3 22.6 34.0#
279 0.2 4.2 6.2#





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.674 min Scan# 3483
Delta R.T. 0.000 min
Lab File: BP004530.D
Acq: 13 Jan 2021 10:53

Instrument :
BNA_P
ClientSampleId :
PB134055BL



Tgt Ion:264 Resp: 1255142

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.8	28.2
265	22.1	17.4	26.2

