

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011823\
 Data File : BP013536.D
 Acq On : 18 Jan 2023 23:21
 Operator : CG/JU
 Sample : 01146-14
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A4462

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 01/19/2023
 Supervised By :mohammad ahmed 01/20/2023

Quant Time: Jan 19 01:50:03 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010523.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 18 01:06:35 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.893	152	512469	20.000	ng/u1	0.00
20) Naphthalene-d8	10.704	136	1879006	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.545	164	1084422	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.322	188	3686159	20.000	ng/u1	0.01
79) Chrysene-d12	21.404	240	357273m	20.000	ng/u1	0.00
88) Perylene-d12	23.851	264	3075693	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.293	96	38577	2.926	ng/uL	0.00
4) Pyridine-d5	3.746	84	33824m	0.920	ng/u1	0.02
7) Phenol-d5	7.058	99	728202	17.124	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.222	67	446399	16.640	ng/u1	0.00
11) 2-Chlorophenol-d4	7.428	132	581531	18.338	ng/u1	0.00
15) 4-Methylphenol-d8	8.610	113	564827	17.434	ng/u1	0.00
21) Nitrobenzene-d5	9.063	128	269853	20.170	ng/u1	0.00
24) 2-Nitrophenol-d4	9.787	143	307316	20.983	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.328	165	555902	19.046	ng/u1	0.00
31) 4-Chloroaniline-d4	10.846	131	691236	16.811	ng/u1	0.00
46) Dimethylphthalate-d6	13.951	166	1553960	19.668	ng/u1	0.00
49) Acenaphthylene-d8	14.240	160	1840691	21.047	ng/u1	0.00
54) 4-Nitrophenol-d4	14.751	143	122358	8.461	ng/u1	0.00
60) Fluorene-d10	15.539	176	1414778	20.273	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.681	200	120565	5.158	ng/u1	0.01
73) Anthracene-d10	17.422	188	2233483	13.708	ng/u1	0.01
81) Pyrene-d10	19.639	212	2884199	148.375	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.692	264	3105199	20.553	ng/u1	0.00

Target Compounds						Qvalue
86) Bis(2-ethylhexyl)phtha...	21.280	149	67346657m	6758.874	ng/u1	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP011823\
Data File : BP013536.D
Acq On : 18 Jan 2023 23:21
Operator : CG/JU
Sample : 01146-14
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
A4462

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 01/19/2023
Supervised By :mohammad ahmed 01/20/2023


Quant Time: Jan 19 01:50:03 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP010523.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 18 01:06:35 2023
Response via : Initial Calibration





#86
 Bis(2-ethylhexyl)phthalate
 Concen: 6758.874 ng/ul m
 RT: 21.280 min Scan# 30
 Delta R.T. -0.012 min
 Lab File: BP013536.D
 Acq: 18 Jan 2023 23:21

Instrument :
 BNA_P
 ClientSampleId :
 A4462



Tgt Ion:149 Resp:6734665

Ion	Ratio	Lower	Upper
149	100		
167	31.7	22.2	33.4
279	5.1	3.5	5.3

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 01/19/2023
 Supervised By :mohammad ahmed 01/20/2023

