

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012722\
 Data File : BP008955.D
 Acq On : 27 Jan 2022 20:17
 Operator : CG/JU
 Sample : N1280-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 RMR-OILY-DRUM

Quant Time: Jan 28 02:20:04 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 26 01:52:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.828	152	231161	20.000	ng	-0.01
21) Naphthalene-d8	10.628	136	893095	20.000	ng	-0.01
39) Acenaphthene-d10	14.469	164	586573	20.000	ng	-0.01
64) Phenanthrene-d10	17.222	188	1199854	20.000	ng	-0.02
76) Chrysene-d12	21.316	240	1222132	20.000	ng	-0.02
86) Perylene-d12	23.721	264	1307523	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	1532460	102.518	ng	0.00
7) Phenol-d6	7.011	99	1880540	103.890	ng	-0.01
23) Nitrobenzene-d5	8.987	82	1168325	74.270	ng	-0.01
42) 2,4,6-Tribromophenol	15.963	330	929606	108.876	ng	-0.02
45) 2-Fluorobiphenyl	13.093	172	3128274	70.330	ng	-0.01
79) Terphenyl-d14	19.786	244	4828151	66.684	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012722\
Data File : BP008955.D
Acq On : 27 Jan 2022 20:17
Operator : CG/JU
Sample : N1280-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM

Quant Time: Jan 28 02:20:04 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 26 01:52:51 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.828 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17




Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM


Tgt Ion:152 Resp: 231161
Ion Ratio Lower Upper
152 100
150 155.7 127.0 190.6
115 54.7 43.7 65.5



#5
2-Fluorophenol
Concen: 102.518 ng
RT: 5.422 min Scan# 414
Delta R.T. -0.006 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion:112 Resp: 1532460
Ion Ratio Lower Upper
112 100
64 49.4 39.7 59.5
63 26.4 20.0 30.0









#7
Phenol-d6
Concen: 103.890 ng
RT: 7.011 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM

Tgt Ion: 99 Resp: 1880540




Ion	Ratio	Lower	Upper
99	100		
42	15.8	10.8	16.2
71	32.1	23.8	35.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.628 min Scan# 1299
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion: 136 Resp: 893095

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.0	13.4
54	6.4	4.9	7.3
68	5.2	4.3	6.5









#23
Nitrobenzene-d5
Concen: 74.270 ng
RT: 8.987 min Scan# 10
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17




Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM


Tgt Ion: 82 Resp: 1168325
Ion Ratio Lower Upper
82 100
128 46.8 39.4 59.2
54 43.8 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1952
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion: 164 Resp: 586573
Ion Ratio Lower Upper
164 100
162 101.5 79.9 119.9
160 45.2 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 108.876 ng
RT: 15.963 min Scan# 21
Delta R.T. -0.018 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17




Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM


Tgt Ion:330 Resp: 929606
Ion Ratio Lower Upper
330 100
332 96.9 77.0 115.4
141 29.6 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 70.330 ng
RT: 13.093 min Scan# 1718
Delta R.T. -0.012 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion:172 Resp: 3128274
Ion Ratio Lower Upper
172 100
171 35.3 29.3 43.9
170 23.9 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.222 min Scan# 2425
Delta R.T. -0.018 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17




Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM


Tgt Ion:188 Resp: 1199854
Ion Ratio Lower Upper
188 100
94 7.7 6.8 10.2
80 8.0 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.316 min Scan# 3116
Delta R.T. -0.018 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion:240 Resp: 1222132
Ion Ratio Lower Upper
240 100
120 8.7 7.7 11.5
236 26.5 21.2 31.8









#79
Terphenyl-d14
Concen: 66.684 ng
RT: 19.786 min Scan# 21
Delta R.T. -0.018 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Instrument :
BNA_P
ClientSampleId :
RMR-OILY-DRUM

Tgt Ion:244 Resp: 4828151
Ion Ratio Lower Upper
244 100
212 7.3 6.5 9.7
122 9.1 9.2 13.8#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.721 min Scan# 3525
Delta R.T. -0.029 min
Lab File: BP008955.D
Acq: 27 Jan 2022 20:17

Tgt Ion:264 Resp: 1307523
Ion Ratio Lower Upper
264 100
260 24.2 19.1 28.7
265 21.7 17.1 25.7

