

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013023\
 Data File : BP013662.D
 Acq On : 31 Jan 2023 00:53
 Operator : CG/JU
 Sample : 01329-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COMP-7-BORING-2-14-21

Quant Time: Jan 31 04:46:14 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP012623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 31 04:38:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.146	152	214763	20.000	ng	0.00
21) Naphthalene-d8	10.975	136	779370	20.000	ng	0.00
39) Acenaphthene-d10	14.781	164	439527	20.000	ng	0.00
64) Phenanthrene-d10	17.533	188	905550	20.000	ng	# 0.00
76) Chrysene-d12	21.604	240	884806	20.000	ng	#-0.02
86) Perylene-d12	24.186	264	1147371	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.681	112	2054949	171.463	ng	0.00
7) Phenol-d6	7.293	99	2620770	161.875	ng	0.00
23) Nitrobenzene-d5	9.316	82	1377710	97.132	ng	-0.01
42) 2,4,6-Tribromophenol	16.269	330	922506	137.857	ng	0.00
45) 2-Fluorobiphenyl	13.404	172	3317838	107.811	ng	0.00
79) Terphenyl-d14	20.063	244	4332551	86.407	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	18.463	149	5308	3.697	ng	Qvalue 99
84) Bis(2-ethylhexyl)phtha...	21.492	149	11644	4.212	ng	# 91
92) Benzo(g,h,i)perylene	27.739	276	139805	2.115	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013023\
Data File : BP013662.D
Acq On : 31 Jan 2023 00:53
Operator : CG/JU
Sample : 01329-06
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMP-7-BORING-2-14-21

Quant Time: Jan 31 04:46:14 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP012623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 31 04:38:43 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.146 min Scan# 84
Delta R.T. -0.006 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53




Instrument :
BNA_P
ClientSampleId :
COMP-7-BORING-2-14-21


Tgt Ion:152 Resp: 214763
Ion Ratio Lower Upper
152 100
150 156.2 126.2 189.2
115 56.3 45.1 67.7



#5
2-Fluorophenol
Concen: 171.463 ng
RT: 5.681 min Scan# 424
Delta R.T. -0.000 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53

Tgt Ion:112 Resp: 2054949
Ion Ratio Lower Upper
112 100
64 55.2 45.5 68.3
63 28.1 25.1 37.7









#7
Phenol-d6
Concen: 161.875 ng
RT: 7.293 min Scan# 699
Delta R.T. -0.006 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53




Instrument :
BNA_P
ClientSampleId :
COMP-7-BORING-2-14-21


Tgt Ion: 99 Resp: 2620770
Ion Ratio Lower Upper
99 100
42 14.8 13.4 20.2
71 32.4 29.9 44.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.975 min Scan# 1324
Delta R.T. -0.006 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53

Tgt Ion:136 Resp: 779370
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 7.5 6.1 9.1
68 6.8 5.0 7.4









#23
Nitrobenzene-d5
Concen: 97.132 ng
RT: 9.316 min Scan# 1042
Delta R.T. -0.012 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53




Instrument :
BNA_P
ClientSampleId :
COMP-7-BORING-2-14-21


Tgt Ion: 82 Resp: 1377710
Ion Ratio Lower Upper
82 100
128 41.1 31.8 47.8
54 44.2 36.2 54.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.781 min Scan# 1971
Delta R.T. -0.006 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53

Tgt Ion:164 Resp: 439527
Ion Ratio Lower Upper
164 100
162 100.7 82.3 123.5
160 45.3 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 137.857 ng

RT: 16.269 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP013662.D


Acq: 31 Jan 2023 00:53

Instrument :

BNA_P

ClientSampleId :

COMP-7-BORING-2-14-21






Tgt Ion:330 Resp: 922506

Ion Ratio Lower Upper

330 100

332 96.2 77.0 115.4

141 28.1 23.3 34.9



#45

2-Fluorobiphenyl

Concen: 107.811 ng

RT: 13.404 min Scan# 1737

Delta R.T. -0.006 min

Lab File: BP013662.D

Acq: 31 Jan 2023 00:53




Tgt Ion:172 Resp: 3317838


Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.4

170 23.4 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.533 min Scan# 24

Delta R.T. -0.006 min

Lab File: BP013662.D

Acq: 31 Jan 2023 00:53

Instrument :

BNA_P

ClientSampleId :

COMP-7-BORING-2-14-21





Tgt Ion:188 Resp: 905550

Ion Ratio Lower Upper

188 100

94 9.3 6.1 9.1#

80 9.9 6.6 10.0



#74

Di-n-butylphthalate

Concen: 3.697 ng

RT: 18.463 min Scan# 2597

Delta R.T. -0.006 min

Lab File: BP013662.D

Acq: 31 Jan 2023 00:53




Tgt Ion:149 Resp: 5308


Ion Ratio Lower Upper

149 100

150 9.9 7.6 11.4

104 5.7 4.4 6.6





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.604 min Scan# 31

Delta R.T. -0.018 min

Lab File: BP013662.D

Acq: 31 Jan 2023 00:53

Instrument :

BNA_P

ClientSampleId :

COMP-7-BORING-2-14-21





Tgt Ion:240 Resp: 884806

Ion Ratio Lower Upper

240 100

120 10.6 6.7 10.1#

236 25.9 20.7 31.1



#79

Terphenyl-d14

Concen: 86.407 ng

RT: 20.063 min Scan# 2869

Delta R.T. -0.006 min

Lab File: BP013662.D

Acq: 31 Jan 2023 00:53




Tgt Ion:244 Resp: 4332551


Ion Ratio Lower Upper

244 100

212 6.7 5.9 8.9

122 8.6 5.3 7.9#









#84
Bis(2-ethylhexyl)phthalate
Concen: 4.212 ng
RT: 21.492 min Scan# 3116
Delta R.T. -0.012 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53




Instrument :
BNA_P
ClientSampleId :
COMP-7-BORING-2-14-21


Tgt Ion:149 Resp: 11644
Ion Ratio Lower Upper
149 100
167 23.0 22.2 33.4
279 6.3 3.8 5.6#



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.186 min Scan# 3570
Delta R.T. -0.018 min
Lab File: BP013662.D
Acq: 31 Jan 2023 00:53

Tgt Ion:264 Resp: 1147371
Ion Ratio Lower Upper
264 100
260 23.3 18.8 28.2
265 22.4 17.4 26.0





#92

Benzo(g,h,i)perylene

Concen: 2.115 ng

RT: 27.739 min Scan# 41

Delta R.T. -0.047 min

Lab File: BP013662.D


Acq: 31 Jan 2023 00:53

Instrument :

BNA_P

ClientSampleId :

COMP-7-BORING-2-14-21



Tgt Ion:276 Resp: 139805

Ion Ratio Lower Upper

276 100

277 27.4 18.9 28.3

138 18.0 14.3 21.5

