

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013122\
 Data File : BP008961.D
 Acq On : 31 Jan 2022 12:44
 Operator : CG/JU
 Sample : PB142358BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB142358BL

Quant Time: Feb 01 04:18:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 01 04:16:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.828	152	265787	20.000	ng	0.00
21) Naphthalene-d8	10.628	136	1028478	20.000	ng	0.00
39) Acenaphthene-d10	14.469	164	684091	20.000	ng	0.00
64) Phenanthrene-d10	17.228	188	1432251	20.000	ng	0.00
76) Chrysene-d12	21.316	240	1286427	20.000	ng	-0.01
86) Perylene-d12	23.727	264	1236135	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	2085025	121.312	ng	0.00
7) Phenol-d6	7.011	99	2543785	122.222	ng	0.00
23) Nitrobenzene-d5	8.987	82	1570271	86.681	ng	-0.01
42) 2,4,6-Tribromophenol	15.969	330	1250118	125.543	ng	0.00
45) 2-Fluorobiphenyl	13.093	172	4169703	80.380	ng	0.00
79) Terphenyl-d14	19.792	244	6713184	88.085	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013122\
Data File : BP008961.D
Acq On : 31 Jan 2022 12:44
Operator : CG/JU
Sample : PB142358BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB142358BL


Quant Time: Feb 01 04:18:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 01 04:16:03 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.828 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Instrument :
BNA_P
ClientSampleId :
PB142358BL







Tgt Ion:152 Resp: 265787
Ion Ratio Lower Upper
152 100
150 156.9 127.0 190.6
115 53.4 43.7 65.5



#5
2-Fluorophenol
Concen: 121.312 ng
RT: 5.416 min Scan# 413
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Tgt Ion:112 Resp: 2085025
Ion Ratio Lower Upper
112 100
64 51.2 39.7 59.5
63 27.3 20.0 30.0









#7
Phenol-d6
Concen: 122.222 ng
RT: 7.011 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44




Instrument :
BNA_P
ClientSampleId :
PB142358BL


Tgt Ion: 99 Resp: 2543785
Ion Ratio Lower Upper
99 100
42 15.4 10.8 16.2
71 31.8 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.628 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Tgt Ion: 136 Resp: 1028478
Ion Ratio Lower Upper
136 100
137 10.7 9.0 13.4
54 5.9 4.9 7.3
68 5.1 4.3 6.5









#23
Nitrobenzene-d5
Concen: 86.681 ng
RT: 8.987 min Scan# 10
Delta R.T. -0.012 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44




Instrument :
BNA_P
ClientSampleId :
PB142358BL


Tgt Ion: 82 Resp: 1570271
Ion Ratio Lower Upper
82 100
128 46.2 39.4 59.2
54 43.3 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1952
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Tgt Ion:164 Resp: 684091
Ion Ratio Lower Upper
164 100
162 99.8 79.9 119.9
160 44.8 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 125.543 ng
RT: 15.969 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44




Instrument :
BNA_P
ClientSampleId :
PB142358BL


Tgt Ion:330 Resp: 1250118
Ion Ratio Lower Upper
330 100
332 95.5 77.0 115.4
141 29.1 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 80.380 ng
RT: 13.093 min Scan# 1718
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Tgt Ion:172 Resp: 4169703
Ion Ratio Lower Upper
172 100
171 35.1 29.3 43.9
170 23.9 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.228 min Scan# 2425
Delta R.T. -0.006 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44




Instrument :
BNA_P
ClientSampleId :
PB142358BL


Tgt Ion:188 Resp: 1432251
Ion Ratio Lower Upper
188 100
94 7.2 6.8 10.2
80 7.7 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.316 min Scan# 3116
Delta R.T. -0.012 min
Lab File: BP008961.D
Acq: 31 Jan 2022 12:44

Tgt Ion:240 Resp: 1286427
Ion Ratio Lower Upper
240 100
120 9.0 7.7 11.5
236 26.1 21.2 31.8









#79
 Terphenyl-d14
 Concen: 88.085 ng
 RT: 19.792 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP008961.D
 Acq: 31 Jan 2022 12:44

Instrument :
 BNA_P
 ClientSampleId :
 PB142358BL

Tgt Ion:244 Resp: 6713184
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.5 9.7
 122 8.7 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.727 min Scan# 3526
 Delta R.T. -0.012 min
 Lab File: BP008961.D
 Acq: 31 Jan 2022 12:44

Tgt Ion:264 Resp: 1236135
 Ion Ratio Lower Upper
 264 100
 260 24.9 19.1 28.7
 265 22.3 17.1 25.7

