

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013122\
 Data File : BP008968.D
 Acq On : 31 Jan 2022 16:57
 Operator : CG/JU
 Sample : N1325-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TES-1

Quant Time: Feb 01 04:20:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 01 04:16:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.828	152	215543	20.000	ng	0.00
21) Naphthalene-d8	10.628	136	754929	20.000	ng	0.00
39) Acenaphthene-d10	14.469	164	430009	20.000	ng	0.00
64) Phenanthrene-d10	17.222	188	779398	20.000	ng	-0.01
76) Chrysene-d12	21.316	240	804416	20.000	ng	-0.01
86) Perylene-d12	23.721	264	1002506	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	1386327	99.462	ng	0.00
7) Phenol-d6	7.010	99	1607311	95.229	ng	0.00
23) Nitrobenzene-d5	8.987	82	1004103	75.512	ng	-0.01
42) 2,4,6-Tribromophenol	15.963	330	578910	92.489	ng	-0.01
45) 2-Fluorobiphenyl	13.087	172	2403189	73.700	ng	-0.01
79) Terphenyl-d14	19.786	244	2992223	62.787	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP013122\
Data File : BP008968.D
Acq On : 31 Jan 2022 16:57
Operator : CG/JU
Sample : N1325-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TES-1

Quant Time: Feb 01 04:20:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP011422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 01 04:16:03 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.828 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57




Instrument :
BNA_P
ClientSampleId :
TES-1


Tgt Ion:152 Resp: 215543
Ion Ratio Lower Upper
152 100
150 148.4 127.0 190.6
115 52.8 43.7 65.5



#5
2-Fluorophenol
Concen: 99.462 ng
RT: 5.416 min Scan# 413
Delta R.T. -0.006 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57

Tgt Ion:112 Resp: 1386327
Ion Ratio Lower Upper
112 100
64 51.2 39.7 59.5
63 26.8 20.0 30.0









#7
Phenol-d6
Concen: 95.229 ng
RT: 7.010 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57




Instrument :
BNA_P
ClientSampleId :
TES-1


Tgt Ion: 99 Resp: 1607311
Ion Ratio Lower Upper
99 100
42 15.5 10.8 16.2
71 32.3 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.628 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57

Tgt Ion: 136 Resp: 754929
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 6.2 4.9 7.3
68 5.4 4.3 6.5









#23
Nitrobenzene-d5
Concen: 75.512 ng
RT: 8.987 min Scan# 10
Delta R.T. -0.012 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57




Instrument :
BNA_P
ClientSampleId :
TES-1


Tgt Ion: 82 Resp: 1004103
Ion Ratio Lower Upper
82 100
128 45.8 39.4 59.2
54 43.3 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1952
Delta R.T. -0.006 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57

Tgt Ion:164 Resp: 430009
Ion Ratio Lower Upper
164 100
162 100.8 79.9 119.9
160 45.6 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 92.489 ng
RT: 15.963 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57




Instrument :
BNA_P
ClientSampleId :
TES-1


Tgt Ion:330 Resp: 578910
Ion Ratio Lower Upper
330 100
332 96.4 77.0 115.4
141 30.2 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 73.700 ng
RT: 13.087 min Scan# 1717
Delta R.T. -0.012 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57

Tgt Ion:172 Resp: 2403189
Ion Ratio Lower Upper
172 100
171 34.3 29.3 43.9
170 23.1 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.222 min Scan# 2425
Delta R.T. -0.012 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57




Instrument :
BNA_P
ClientSampleId :
TES-1


Tgt Ion:188 Resp: 779398
Ion Ratio Lower Upper
188 100
94 7.5 6.8 10.2
80 8.3 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.316 min Scan# 3116
Delta R.T. -0.012 min
Lab File: BP008968.D
Acq: 31 Jan 2022 16:57

Tgt Ion:240 Resp: 804416
Ion Ratio Lower Upper
240 100
120 8.9 7.7 11.5
236 26.1 21.2 31.8









#79
 Terphenyl-d14
 Concen: 62.787 ng
 RT: 19.786 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BP008968.D
 Acq: 31 Jan 2022 16:57

Instrument :
 BNA_P
 ClientSampleId :
 TES-1

Tgt Ion:244 Resp: 2992223
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.5 9.7
 122 8.8 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.721 min Scan# 3525
 Delta R.T. -0.018 min
 Lab File: BP008968.D
 Acq: 31 Jan 2022 16:57

Tgt Ion:264 Resp: 1002506
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.1 28.7
 265 22.1 17.1 25.7

