

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP020422\
 Data File : BP009037.D
 Acq On : 04 Feb 2022 15:02
 Operator : CG/JU
 Sample : PB142454BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB142454BL

Quant Time: Feb 04 16:24:54 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 04 14:19:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.810	152	210718	20.000	ng	0.00
21) Naphthalene-d8	10.604	136	794928	20.000	ng	0.00
39) Acenaphthene-d10	14.451	164	496941	20.000	ng	0.00
64) Phenanthrene-d10	17.210	188	926623	20.000	ng	0.00
76) Chrysene-d12	21.304	240	616931	20.000	ng	0.00
86) Perylene-d12	23.704	264	611181	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	1551567	129.474	ng	0.00
7) Phenol-d6	6.993	99	1971864	125.569	ng	0.00
23) Nitrobenzene-d5	8.969	82	1200959	84.658	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	793931	116.587	ng	0.00
45) 2-Fluorobiphenyl	13.069	172	3037437	85.328	ng	0.00
79) Terphenyl-d14	19.774	244	3136078	92.465	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP020422\
Data File : BP009037.D
Acq On : 04 Feb 2022 15:02
Operator : CG/JU
Sample : PB142454BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB142454BL

Quant Time: Feb 04 16:24:54 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 04 14:19:33 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.810 min Scan# 81
Delta R.T. 0.005 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02




Instrument :
BNA_P
ClientSampleId :
PB142454BL


Tgt Ion:152 Resp: 210718
Ion Ratio Lower Upper
152 100
150 153.0 127.0 190.6
115 54.2 43.7 65.5



#5
2-Fluorophenol
Concen: 129.474 ng
RT: 5.399 min Scan# 410
Delta R.T. 0.006 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02

Tgt Ion:112 Resp: 1551567
Ion Ratio Lower Upper
112 100
64 53.3 39.7 59.5
63 28.3 20.0 30.0









#7
Phenol-d6
Concen: 125.569 ng
RT: 6.993 min Scan# 681
Delta R.T. -0.000 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02

Instrument :
BNA_P
ClientSampleId :
PB142454BL

Tgt Ion: 99 Resp: 1971864




Ion	Ratio	Lower	Upper
99	100		
42	15.4	10.8	16.2
71	32.2	23.8	35.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.604 min Scan# 1295
Delta R.T. 0.000 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02

Tgt Ion: 136 Resp: 794928

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	6.3	4.9	7.3
68	4.9	4.3	6.5





#23

Nitrobenzene-d5

Concen: 84.658 ng

RT: 8.969 min Scan# 1017

Delta R.T. -0.000 min

Lab File: BP009037.D

Acq: 04 Feb 2022 15:02

Instrument :





BNA_P

ClientSampleId :

PB142454BL

Tgt Ion: 82 Resp: 1200959

Ion	Ratio	Lower	Upper
82	100		
128	47.4	39.4	59.2
54	43.0	32.6	48.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.451 min Scan# 1949




Delta R.T. 0.000 min


Lab File: BP009037.D

Acq: 04 Feb 2022 15:02

Tgt Ion:164 Resp: 496941

Ion	Ratio	Lower	Upper
164	100		
162	99.2	79.9	119.9
160	45.1	35.5	53.3









#42
2,4,6-Tribromophenol
Concen: 116.587 ng
RT: 15.945 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02




Instrument :
BNA_P
ClientSampleId :
PB142454BL


Tgt Ion:330 Resp: 793931
Ion Ratio Lower Upper
330 100
332 95.0 77.0 115.4
141 28.8 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 85.328 ng
RT: 13.069 min Scan# 1714
Delta R.T. -0.006 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02

Tgt Ion:172 Resp: 3037437
Ion Ratio Lower Upper
172 100
171 35.2 29.3 43.9
170 23.5 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.210 min Scan# 2418
Delta R.T. -0.000 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02




Instrument :
BNA_P
ClientSampleId :
PB142454BL


Tgt Ion:188 Resp: 926623
Ion Ratio Lower Upper
188 100
94 7.3 6.8 10.2
80 7.5 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.304 min Scan# 3114
Delta R.T. -0.000 min
Lab File: BP009037.D
Acq: 04 Feb 2022 15:02

Tgt Ion:240 Resp: 616931
Ion Ratio Lower Upper
240 100
120 9.1 7.7 11.5
236 24.8 21.2 31.8









#79
 Terphenyl-d14
 Concen: 92.465 ng
 RT: 19.774 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BP009037.D
 Acq: 04 Feb 2022 15:02

Instrument :
 BNA_P
 ClientSampleId :
 PB142454BL

Tgt Ion:244 Resp: 3136078
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.5 9.7
 122 7.9 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.704 min Scan# 3522
 Delta R.T. -0.000 min
 Lab File: BP009037.D
 Acq: 04 Feb 2022 15:02

Tgt Ion:264 Resp: 611181
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.1 28.7
 265 22.8 17.1 25.7

