

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021022\
 Data File : BP009097.D
 Acq On : 10 Feb 2022 13:53
 Operator : CG/JU
 Sample : N1432-10
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SP-4

Quant Time: Feb 10 15:34:35 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 07 15:13:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.799	152	149026	20.000	ng	0.00
21) Naphthalene-d8	10.604	136	575404	20.000	ng	0.00
39) Acenaphthene-d10	14.445	164	405384	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	906787	20.000	ng	0.00
76) Chrysene-d12	21.304	240	989031	20.000	ng	0.00
86) Perylene-d12	23.704	264	1057210	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	800146	95.776	ng	0.00
7) Phenol-d6	6.999	99	974345	88.510	ng	0.01
23) Nitrobenzene-d5	8.963	82	619251	60.691	ng	0.00
42) 2,4,6-Tribromophenol	15.951	330	579742	107.110	ng	0.00
45) 2-Fluorobiphenyl	13.069	172	1816326	62.722	ng	0.00
79) Terphenyl-d14	19.769	244	3179036	57.804	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021022\
Data File : BP009097.D
Acq On : 10 Feb 2022 13:53
Operator : CG/JU
Sample : N1432-10
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SP-4

Quant Time: Feb 10 15:34:35 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 07 15:13:17 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.799 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion:152 Resp: 149026
Ion Ratio Lower Upper
152 100
150 147.6 127.0 190.6
115 53.7 43.7 65.5



#5
2-Fluorophenol
Concen: 95.776 ng
RT: 5.399 min Scan# 410
Delta R.T. 0.006 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53

Tgt Ion:112 Resp: 800146
Ion Ratio Lower Upper
112 100
64 49.9 39.7 59.5
63 26.5 20.0 30.0









#7
Phenol-d6
Concen: 88.510 ng
RT: 6.999 min Scan# 61
Delta R.T. 0.012 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion: 99 Resp: 974345
Ion Ratio Lower Upper
99 100
42 15.6 10.8 16.2
71 32.9 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.604 min Scan# 1295
Delta R.T. 0.000 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53

Tgt Ion: 136 Resp: 575404
Ion Ratio Lower Upper
136 100
137 10.6 9.0 13.4
54 6.0 4.9 7.3
68 5.1 4.3 6.5





#23

Nitrobenzene-d5

Concen: 60.691 ng

RT: 8.963 min Scan# 1017

Delta R.T. -0.006 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53

Instrument :

BNA_P

ClientSampleId :

SP-4





Tgt Ion: 82 Resp: 619251

Ion Ratio Lower Upper

82 100

128 45.6 39.4 59.2

54 41.8 32.6 48.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.445 min Scan# 1948

Delta R.T. 0.000 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53




Tgt Ion: 164 Resp: 405384


Ion Ratio Lower Upper

164 100

162 104.3 79.9 119.9

160 46.7 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 107.110 ng
RT: 15.951 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53




Instrument :
BNA_P
ClientSampleId :
SP-4


Tgt Ion:330 Resp: 579742
Ion Ratio Lower Upper
330 100
332 96.5 77.0 115.4
141 27.7 21.3 31.9



#45
2-Fluorobiphenyl
Concen: 62.722 ng
RT: 13.069 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP009097.D
Acq: 10 Feb 2022 13:53

Tgt Ion:172 Resp: 1816326
Ion Ratio Lower Upper
172 100
171 34.2 29.3 43.9
170 23.1 19.5 29.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.204 min Scan# 2417

Delta R.T. 0.000 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53

Instrument :

BNA_P

ClientSampleId :

SP-4





Tgt Ion:188 Resp: 906787

Ion Ratio Lower Upper

188 100

94 7.3 6.8 10.2

80 7.5 7.2 10.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.304 min Scan# 3114

Delta R.T. 0.006 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53




Tgt Ion:240 Resp: 989031


Ion Ratio Lower Upper

240 100

120 7.8 7.7 11.5

236 26.7 21.2 31.8





#79

Terphenyl-d14

Concen: 57.804 ng

RT: 19.769 min Scan# 21

Delta R.T. 0.000 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53

Instrument :

BNA_P

ClientSampleId :

SP-4





Tgt Ion:244 Resp: 3179036

Ion Ratio Lower Upper

244 100

212 6.8 6.5 9.7

122 8.0 9.2 13.8#



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.704 min Scan# 3522

Delta R.T. 0.012 min

Lab File: BP009097.D

Acq: 10 Feb 2022 13:53

Tgt Ion:264 Resp: 1057210

Ion Ratio Lower Upper

264 100

260 23.7 19.1 28.7

265 21.9 17.1 25.7

