

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021122\
 Data File : BP009116.D
 Acq On : 11 Feb 2022 16:47
 Operator : CG/JU
 Sample : PB142544BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB142544BL

Quant Time: Feb 11 23:31:44 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 07 15:13:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.799	152	212658	20.000	ng	0.00
21) Naphthalene-d8	10.599	136	837529	20.000	ng	0.00
39) Acenaphthene-d10	14.439	164	573019	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	1176852	20.000	ng	0.00
76) Chrysene-d12	21.298	240	1079570	20.000	ng	0.00
86) Perylene-d12	23.692	264	1018540	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.393	112	1576861	132.269	ng	0.00
7) Phenol-d6	6.993	99	2009784	127.941	ng	0.00
23) Nitrobenzene-d5	8.957	82	1219471	82.111	ng	-0.01
42) 2,4,6-Tribromophenol	15.939	330	1065409	139.254	ng	0.00
45) 2-Fluorobiphenyl	13.063	172	3465061	84.652	ng	0.00
79) Terphenyl-d14	19.763	244	5295687	88.215	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021122\
Data File : BP009116.D
Acq On : 11 Feb 2022 16:47
Operator : CG/JU
Sample : PB142544BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB142544BL

Quant Time: Feb 11 23:31:44 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 07 15:13:17 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.799 min Scan# 819
Delta R.T. -0.006 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47




Instrument :
BNA_P
ClientSampleId :
PB142544BL


Tgt Ion:152 Resp: 212658
Ion Ratio Lower Upper
152 100
150 152.6 127.0 190.6
115 53.4 43.7 65.5



#5
2-Fluorophenol
Concen: 132.269 ng
RT: 5.393 min Scan# 409
Delta R.T. -0.000 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47

Tgt Ion:112 Resp: 1576861
Ion Ratio Lower Upper
112 100
64 50.2 39.7 59.5
63 26.3 20.0 30.0









#7
Phenol-d6
Concen: 127.941 ng
RT: 6.993 min Scan# 61
Delta R.T. 0.006 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47




Instrument :
BNA_P
ClientSampleId :
PB142544BL


Tgt Ion: 99 Resp: 2009784
Ion Ratio Lower Upper
99 100
42 15.2 10.8 16.2
71 32.7 23.8 35.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.599 min Scan# 1294
Delta R.T. -0.005 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47

Tgt Ion:136 Resp: 837529
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.4
54 6.1 4.9 7.3
68 5.3 4.3 6.5









#23
Nitrobenzene-d5
Concen: 82.111 ng
RT: 8.957 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47




Instrument :
BNA_P
ClientSampleId :
PB142544BL


Tgt Ion: 82 Resp: 1219471
Ion Ratio Lower Upper
82 100
128 46.1 39.4 59.2
54 44.2 32.6 48.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.439 min Scan# 1947
Delta R.T. -0.006 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47

Tgt Ion: 164 Resp: 573019
Ion Ratio Lower Upper
164 100
162 99.4 79.9 119.9
160 45.0 35.5 53.3





#42

2,4,6-Tribromophenol

Concen: 139.254 ng

RT: 15.939 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP009116.D

Acq: 11 Feb 2022 16:47

Instrument :

BNA_P

ClientSampleId :

PB142544BL





Tgt Ion:330 Resp: 1065409

Ion Ratio Lower Upper

330 100

332 97.1 77.0 115.4

141 27.7 21.3 31.9



#45

2-Fluorobiphenyl

Concen: 84.652 ng

RT: 13.063 min Scan# 1713

Delta R.T. -0.006 min

Lab File: BP009116.D

Acq: 11 Feb 2022 16:47




Tgt Ion:172 Resp: 3465061


Ion Ratio Lower Upper

172 100

171 35.8 29.3 43.9

170 23.7 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2417
Delta R.T. -0.006 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47




Instrument :
BNA_P
ClientSampleId :
PB142544BL


Tgt Ion:188 Resp: 1176852
Ion Ratio Lower Upper
188 100
94 7.5 6.8 10.2
80 8.0 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.298 min Scan# 3113
Delta R.T. -0.000 min
Lab File: BP009116.D
Acq: 11 Feb 2022 16:47

Tgt Ion:240 Resp: 1079570
Ion Ratio Lower Upper
240 100
120 8.1 7.7 11.5
236 27.3 21.2 31.8









#79
 Terphenyl-d14
 Concen: 88.215 ng
 RT: 19.763 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP009116.D
 Acq: 11 Feb 2022 16:47

Instrument :
 BNA_P
 ClientSampleId :
 PB142544BL

Tgt Ion:244 Resp: 5295687
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.5 9.7
 122 8.4 9.2 13.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.692 min Scan# 3520
 Delta R.T. -0.000 min
 Lab File: BP009116.D
 Acq: 11 Feb 2022 16:47

Tgt Ion:264 Resp: 1018540
 Ion Ratio Lower Upper
 264 100
 260 24.7 19.1 28.7
 265 22.4 17.1 25.7

