

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021224\
 Data File : BP019672.D
 Acq On : 12 Feb 2024 20:25
 Operator : MA/JU
 Sample : P1389-16
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 WC-4

Quant Time: Feb 12 22:26:17 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 00:51:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.904	152	97176	20.000	ng	-0.01
21) Naphthalene-d8	10.704	136	336662	20.000	ng	-0.01
39) Acenaphthene-d10	14.539	164	185154	20.000	ng	-0.01
64) Phenanthrene-d10	17.292	188	366661	20.000	ng	-0.01
76) Chrysene-d12	21.386	240	407559	20.000	ng	0.00
86) Perylene-d12	23.804	264	488346	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	748280	124.122	ng	0.00
7) Phenol-d6	7.081	99	881738	108.472	ng	0.00
23) Nitrobenzene-d5	9.075	82	700619	90.176	ng	-0.01
42) 2,4,6-Tribromophenol	16.033	330	400670	148.211	ng	0.00
45) 2-Fluorobiphenyl	13.169	172	1419797	94.796	ng	-0.01
79) Terphenyl-d14	19.863	244	2040327	82.329	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021224\
Data File : BP019672.D
Acq On : 12 Feb 2024 20:25
Operator : MA/JU
Sample : P1389-16
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WC-4

Quant Time: Feb 12 22:26:17 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 00:51:48 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.904 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25




Instrument :
BNA_P
ClientSampleId :
WC-4


Tgt Ion:152 Resp: 97176
Ion Ratio Lower Upper
152 100
150 158.1 121.8 182.8
115 63.7 49.9 74.9



#5
2-Fluorophenol
Concen: 124.122 ng
RT: 5.481 min Scan# 407
Delta R.T. -0.006 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25

Tgt Ion:112 Resp: 748280
Ion Ratio Lower Upper
112 100
64 59.2 47.4 71.0
63 33.5 27.0 40.6









#7
Phenol-d6
Concen: 108.472 ng
RT: 7.081 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25




Instrument :
BNA_P
ClientSampleId :
WC-4


Tgt Ion: 99 Resp: 881738
Ion Ratio Lower Upper
99 100
42 17.5 14.7 22.1
71 43.3 34.8 52.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25

Tgt Ion: 136 Resp: 336662
Ion Ratio Lower Upper
136 100
137 10.1 8.8 13.2
54 6.3 5.3 7.9
68 5.1 4.1 6.1









#23
Nitrobenzene-d5
Concen: 90.176 ng
RT: 9.075 min Scan# 1018
Delta R.T. -0.012 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25




Instrument :
BNA_P
ClientSampleId :
WC-4


Tgt Ion: 82 Resp: 700619
Ion Ratio Lower Upper
82 100
128 38.3 29.7 44.5
54 45.5 36.8 55.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.539 min Scan# 1947
Delta R.T. -0.012 min
Lab File: BP019672.D
Acq: 12 Feb 2024 20:25

Tgt Ion: 164 Resp: 185154
Ion Ratio Lower Upper
164 100
162 99.7 81.2 121.8
160 44.9 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 148.211 ng

RT: 16.033 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25

Instrument :

BNA_P

ClientSampleId :

WC-4





Tgt Ion:330 Resp: 400670

Ion Ratio Lower Upper

330 100

332 96.9 77.2 115.8

141 29.3 27.0 40.4



#45

2-Fluorobiphenyl

Concen: 94.796 ng

RT: 13.169 min Scan# 1714

Delta R.T. -0.012 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25




Tgt Ion:172 Resp: 1419797


Ion Ratio Lower Upper

172 100

171 34.7 28.2 42.4

170 23.2 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.292 min Scan# 2417

Delta R.T. -0.012 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25

Instrument :

BNA_P

ClientSampleId :

WC-4





Tgt Ion:188 Resp: 366661

Ion Ratio Lower Upper

188 100

94 6.6 5.4 8.2

80 7.8 6.3 9.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.386 min Scan# 3111

Delta R.T. -0.006 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25




Tgt Ion:240 Resp: 407559


Ion Ratio Lower Upper

240 100

120 6.5 6.1 9.1

236 26.2 20.7 31.1





#79

Terphenyl-d14

Concen: 82.329 ng

RT: 19.863 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25

Instrument :

BNA_P

ClientSampleId :

WC-4





Tgt Ion:244 Resp: 2040327

Ion Ratio Lower Upper

244 100

212 7.4 6.1 9.1

122 7.0 5.9 8.9



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.804 min Scan# 3522

Delta R.T. -0.012 min

Lab File: BP019672.D

Acq: 12 Feb 2024 20:25

Tgt Ion:264 Resp: 488346

Ion Ratio Lower Upper

264 100

260 23.7 19.2 28.8

265 22.4 17.0 25.4

