

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021324\
 Data File : BP019680.D
 Acq On : 13 Feb 2024 15:31
 Operator : MA/JU
 Sample : P1378-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-4

Quant Time: Feb 13 16:12:21 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 01 00:51:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.904	152	65199	20.000	ng	-0.01
21) Naphthalene-d8	10.698	136	232354	20.000	ng	-0.02
39) Acenaphthene-d10	14.539	164	151204	20.000	ng	-0.01
64) Phenanthrene-d10	17.292	188	387088	20.000	ng	-0.01
76) Chrysene-d12	21.386	240	432023	20.000	ng	0.00
86) Perylene-d12	23.804	264	323312	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	500051	123.628	ng	-0.01
7) Phenol-d6	7.075	99	597192	109.499	ng	-0.01
23) Nitrobenzene-d5	9.069	82	479096	89.346	ng	-0.02
42) 2,4,6-Tribromophenol	16.033	330	403008	182.548	ng	0.00
45) 2-Fluorobiphenyl	13.169	172	1097022	89.691	ng	-0.01
79) Terphenyl-d14	19.863	244	2321398	88.367	ng	0.00
Target Compounds						Qvalue
60) Diethylphthalate	15.375	149	26258	2.281	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021324\
Data File : BP019680.D
Acq On : 13 Feb 2024 15:31
Operator : MA/JU
Sample : P1378-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-4

Quant Time: Feb 13 16:12:21 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP013124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 01 00:51:48 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.904 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31




Instrument :
BNA_P
ClientSampleId :
TP-4

Tgt Ion:152 Resp: 65199
Ion Ratio Lower Upper
152 100
150 149.3 121.8 182.8
115 62.5 49.9 74.9



#5
2-Fluorophenol
Concen: 123.628 ng
RT: 5.475 min Scan# 406
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31

Tgt Ion:112 Resp: 500051
Ion Ratio Lower Upper
112 100
64 59.6 47.4 71.0
63 34.2 27.0 40.6









#7
Phenol-d6
Concen: 109.499 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31




Instrument :
BNA_P
ClientSampleId :
TP-4


Tgt Ion: 99 Resp: 597192
Ion Ratio Lower Upper
99 100
42 18.8 14.7 22.1
71 43.5 34.8 52.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.698 min Scan# 1294
Delta R.T. -0.018 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31

Tgt Ion: 136 Resp: 232354
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 6.5 5.3 7.9
68 4.5 4.1 6.1









#23
Nitrobenzene-d5
Concen: 89.346 ng
RT: 9.069 min Scan# 1017
Delta R.T. -0.018 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31




Instrument :
BNA_P
ClientSampleId :
TP-4


Tgt Ion: 82 Resp: 479096
Ion Ratio Lower Upper
82 100
128 37.6 29.7 44.5
54 47.0 36.8 55.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.539 min Scan# 1947
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31

Tgt Ion: 164 Resp: 151204
Ion Ratio Lower Upper
164 100
162 100.0 81.2 121.8
160 43.4 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 182.548 ng

RT: 16.033 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP019680.D

Acq: 13 Feb 2024 15:31

Instrument :

BNA_P

ClientSampleId :

TP-4





Tgt Ion:330 Resp: 403008

Ion Ratio Lower Upper

330 100

332 97.4 77.2 115.8

141 30.3 27.0 40.4



#45

2-Fluorobiphenyl

Concen: 89.691 ng

RT: 13.169 min Scan# 1714

Delta R.T. -0.012 min

Lab File: BP019680.D

Acq: 13 Feb 2024 15:31




Tgt Ion:172 Resp: 1097022


Ion Ratio Lower Upper

172 100

171 34.9 28.2 42.4

170 23.1 18.9 28.3









#60
Diethylphthalate
Concen: 2.281 ng
RT: 15.375 min Scan# 2091
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31




Instrument :
BNA_P
ClientSampleId :
TP-4


Tgt Ion:149 Resp: 26258
Ion Ratio Lower Upper
149 100
177 23.5 18.2 27.2
150 14.4 10.2 15.4



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.292 min Scan# 2415
Delta R.T. -0.012 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31

Tgt Ion:188 Resp: 387088
Ion Ratio Lower Upper
188 100
94 6.3 5.4 8.2
80 7.3 6.3 9.5









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.386 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31




Instrument :
BNA_P
ClientSampleId :
TP-4


Tgt Ion:240 Resp: 432023
Ion Ratio Lower Upper
240 100
120 6.3 6.1 9.1
236 25.5 20.7 31.1



#79
Terphenyl-d14
Concen: 88.367 ng
RT: 19.863 min Scan# 2852
Delta R.T. -0.006 min
Lab File: BP019680.D
Acq: 13 Feb 2024 15:31

Tgt Ion:244 Resp: 2321398
Ion Ratio Lower Upper
244 100
212 7.2 6.1 9.1
122 6.7 5.9 8.9





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.804 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP019680.D


Acq: 13 Feb 2024 15:31

Instrument :

BNA_P

ClientSampleId :

TP-4



Tgt Ion:264 Resp: 323312

Ion Ratio Lower Upper

264 100

260 25.1 19.2 28.8

265 21.4 17.0 25.4

