

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021522\
 Data File : BP009166.D
 Acq On : 15 Feb 2022 21:50
 Operator : CG/JU
 Sample : N1521-16
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP3-B

Quant Time: Feb 16 01:39:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 16 01:29:44 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.781	152	186773	20.000	ng	-0.01
21) Naphthalene-d8	10.587	136	664245	20.000	ng	0.00
39) Acenaphthene-d10	14.428	164	397148	20.000	ng	-0.01
64) Phenanthrene-d10	17.192	188	808287	20.000	ng	0.00
76) Chrysene-d12	21.286	240	901323	20.000	ng	0.00
86) Perylene-d12	23.674	264	1034988	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	1544221	147.483	ng	0.00
7) Phenol-d6	6.975	99	1852769	134.292	ng	-0.01
23) Nitrobenzene-d5	8.946	82	1154351	98.003	ng	-0.01
42) 2,4,6-Tribromophenol	15.934	330	814929	153.684	ng	0.00
45) 2-Fluorobiphenyl	13.045	172	2855573	100.655	ng	-0.01
79) Terphenyl-d14	19.751	244	4263353	85.063	ng	0.00
Target Compounds						
10) Phenol	7.005	94	29158	2.102	ng	Qvalue # 39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP021522\
Data File : BP009166.D
Acq On : 15 Feb 2022 21:50
Operator : CG/JU
Sample : N1521-16
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP3-B

Quant Time: Feb 16 01:39:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 16 01:29:44 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.781 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50




Instrument :
BNA_P
ClientSampleId :
TP3-B


Tgt Ion:152 Resp: 186773
Ion Ratio Lower Upper
152 100
150 152.3 127.0 190.6
115 51.8 43.7 65.5



#5
2-Fluorophenol
Concen: 147.483 ng
RT: 5.381 min Scan# 407
Delta R.T. -0.006 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion:112 Resp: 1544221
Ion Ratio Lower Upper
112 100
64 51.9 39.7 59.5
63 27.1 20.0 30.0









#7
Phenol-d6
Concen: 134.292 ng
RT: 6.975 min Scan# 61
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Instrument :
BNA_P
ClientSampleId :
TP3-B

Tgt Ion: 99 Resp: 1852769




Ion	Ratio	Lower	Upper
99	100		
42	15.6	10.8	16.2
71	32.5	23.8	35.6




#10
Phenol
Concen: 2.102 ng
RT: 7.005 min Scan# 683
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion: 94 Resp: 29158

Ion	Ratio	Lower	Upper
94	100		
65	39.5	4.1	44.1
66	79.1	12.4	52.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.587 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50




Instrument :
BNA_P
ClientSampleId :
TP3-B


Tgt Ion:	136	Resp:	664245
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.0	13.4
54	6.2	4.9	7.3
68	5.4	4.3	6.5



#23
Nitrobenzene-d5
Concen: 98.003 ng
RT: 8.946 min Scan# 1013
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion:	82	Resp:	1154351
Ion	Ratio	Lower	Upper
82	100		
128	46.2	39.4	59.2
54	43.2	32.6	48.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.428 min Scan# 1945
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50




Instrument :
BNA_P
ClientSampleId :
TP3-B


Tgt Ion:164 Resp: 397148
Ion Ratio Lower Upper
164 100
162 98.8 79.9 119.9
160 45.9 35.5 53.3



#42
2,4,6-Tribromophenol
Concen: 153.684 ng
RT: 15.934 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion:330 Resp: 814929
Ion Ratio Lower Upper
330 100
332 96.9 77.0 115.4
141 28.7 21.3 31.9









#45
2-Fluorobiphenyl
Concen: 100.655 ng
RT: 13.045 min Scan# 1710
Delta R.T. -0.012 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50




Instrument :
BNA_P
ClientSampleId :
TP3-B


Tgt Ion:172 Resp: 2855573
Ion Ratio Lower Upper
172 100
171 34.5 29.3 43.9
170 23.7 19.5 29.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.192 min Scan# 2415
Delta R.T. -0.006 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion:188 Resp: 808287
Ion Ratio Lower Upper
188 100
94 7.2 6.8 10.2
80 7.7 7.2 10.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.286 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50




Instrument :
BNA_P
ClientSampleId :
TP3-B


Tgt Ion:240 Resp: 901323
Ion Ratio Lower Upper
240 100
120 8.6 7.7 11.5
236 25.3 21.2 31.8



#79
Terphenyl-d14
Concen: 85.063 ng
RT: 19.751 min Scan# 2850
Delta R.T. -0.006 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Tgt Ion:244 Resp: 4263353
Ion Ratio Lower Upper
244 100
212 7.2 6.5 9.7
122 8.5 9.2 13.8#





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.674 min Scan# 31
Delta R.T. -0.018 min
Lab File: BP009166.D
Acq: 15 Feb 2022 21:50

Instrument :
BNA_P
ClientSampleId :
TP3-B

Tgt Ion:264 Resp: 1034988

Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.1	28.7
265	22.5	17.1	25.7

